



LACUNA
STAY PROTECTED

**LIČNA ZAŠTITNA
OPREMA ZA
PROFESIONALCE**

*PERSONAL PROTECTIVE
EQUIPMENT FOR PROFESSIONALS*



LACUNA
STAY PROTECTED

PERSONALIZACIJA

U LACUNA PROIZVODNOM POGONU VAŠE ŽELJE
PRETVARAMO U GOTOVE PROIZVODE

PERSONALIZATION

*AT THE LACUNA PRODUCTION LINE, WE TURN
YOUR WISHES INTO FINISHED PRODUCTS*

PROJEKTNA PROIZVODNJA

Lacuna prodajni asortiman podrazumijeva širok izbor kolekcija radne odjeće koje su vam dostupne na lageru odmah.

Prema zahtevima i potrebama naših klijenta, dizajniramo i šijemo radnu odeću i ostale tekstilne artikle.

Proizvodnju u Lacuna proizvodnom pogonu karakterizuje visok kvalitet izrade i materijala, kao i brzi rokovi isporuke, što omogućuje brzo prilagođavanje potrebama svakog klijenta. Minimalne količine za projektne porudžbine nisu ograničene.

PROJECT PRODUCTION

Lacuna sales range includes a wide selection of workwear available immediately.

We design and produce our workwear and other garments items to meet the requirements and needs of our customers.

Manufacture at the Lacuna production line is characterized by high quality work and materials, as well as short delivery time which allows quick adjustment to the needs of each customer. Minimum order quantity is not imposed.





MAŠINSKI VEZ

Personalizacija radne odeće i ostalih korporativnih i promotivnih tekstilnih artikala mašinskim vezom koji se, kao tehnika, veže uz dugotrajnu postojanost primenjenih motiva.

U sopstvenom postrojenju vršimo uslugu grafičke pripreme i izvođenje klasičnog veza, postavljamo ambleme na radna odela, flis prsluke, polo majice, radne mantile, kecelje, kape, peškire i sve druge tekstilne artikle na koje želite preneti Vaš korporativni identitet ili promotivne poruke.

MACHINE EMBROIDERY

Personalization of work clothes and other corporate and promotional cloth items can also be achieved by machine embroidery, which as a technique is associated with long-term durability of applied motifs.

In our plant we offer the service of graphic preparation as well as performing a classic machine embroidery; we apply emblems to work suits, fleece vests, polo shirts, coats, aprons, hats, towels and any other piece of clothing or item of your choice you want to use in strengthening your corporate identity or conveying your promotional message.



B2B WEB SHOP - Lacuna B2B platforma olakšava svakodnevno poslovanje. Korisnicima prilagođene funkcionalnosti su dostupne 24/7.

B2B WEB SHOP - Lacuna B2B platform facilitates daily business. Customized functionality, available 24/7.



DOSTAVA I POVRAĆAJ - Proverite minimalnu količinu za besplatnu dostavu na svom Lacuna B2B nalogu. Preko 10.000 artikala na centralnom skladištu - dostava unutar 24-48h, mogućnost povraćaja do 15 dana od isporuke.

DELIVERY AND REFUND - Check the minimum quantity for free shipping on your B2B account. Over 10,000 items in central stock - delivery within 24-48h, possibility of refund within 15 days of delivery.



KATALOZI - Na Lacuna.hr veb stranici možete pregledati i preuzeti digitalna izdanja Lacuna kataloga.

CATALOGUES - On the Lacuna.hr website you can view and download digital editions of Lacuna catalogue.

SITO ŠTAMPA

Majice sa štampom su najrasprostranjeni oblik korporativnog i promotivnog tekstila; za izradu majica sa štampom u velikim serijama najpogodnija i najpovoljnija je usluga sito štampe.

Na Lacuna lageru u širokoj paleti boja dostupne su kolekcije majica od organskog pamuka ili od 100% pamuka, na koje tehnikom sitoštampe možemo primenjivati i najsloženije višebojne motive. Otisak odlikuje dugi vek trajanja uz propisano održavanje, a boje koje koristimo poseduju sertifikat Oeko-Tex® Standard 100 1. klase.

DIGITALNA ŠTAMPA

Majice sa motivima štampamo na sopstvenoj digitalnoj opremi vrhunskog kvaliteta; višebojne korporativne logotipe, specifične grafičke motive ili fotografske motive po Vašem izboru stručno obrađujemo u Fotošopu. Digitalna štampa vodenim bojama visoke perivosti i postojanosti, idealna je za manje tiraže, fotografske motive ili motive koji imaju veći spektar boja.


SCREEN PRINTING

T-shirts with a print are the most common form of corporate and promotional apparel and screen printing is the most suitable and most favourable technique for producing a series of T-shirts with large print.

Collections are available in a wide range of colors at Lacuna stock. T-shirts are made of organic cotton or 100% cotton, to which we can apply even the most complex prints using the screen printing technique multicolored motifs. With proper maintenance, the print has a long lifespan as we use the paints with Oeko-Tex® standards 100 1st class certificate.

DIGITAL PRINTING

We also print T-shirts with motifs on our own top quality digital equipment. From multicolored corporate logos, specific graphic motifs or photographic motifs; anything you select we will process professionally in Photoshop. Digital printing with water colors of high washability and durability is ideal for smaller editions, photographic motifs or motifs which have a larger range of colors.





LACUNA WEB SHOP

MJESTO ZA KUPOVINU GDE VAM
JE DOSTUPNO SVE I ODMAH


LACUNA WEB SHOP
A SITE FOR SHOPPING
WHERE EVERYTHING
IS AVAILABLE TO YOU
IMMEDIATELY

Razvoj onlajn trgovine je postao sastavni deo poslovanja svake savremene kompanije.

Lacuna grupa prati tehnološke trendove, uložila je u digitalizaciju poslovanja i svoj proizvodni asortiman ponudila na WEB SHOP platformi.

Prednosti Lacuna B2B/Internet platforme za kupce:

- Brza i jednostavna selekcija proizvoda, pretraživanje i isporučivanje
- Dostupnost ključnih informacija prilikom poručivanja
- Dostupnost količine robe na lageru
- Informacija u vezi aktualnih planiranih termina dolazaka robe na skladište
- Kontrola sopstvenih cijena i rabatne politike
- Pregled novih artikala u ponudi,
- Detaljne informacije o proizvodima, boje, veličine, opise, slike, tehničke karakteristike...
- Olakšana selekcija proizvoda prilagođenih za maloprodaju
- Istorija svih porudžbina kupca
- Status isporuke robe koja uključuje pregled aktualne isporuke tako i pregled svih povezanih dokumenata iz proteklog perioda.



The development of e-commerce has become an integral part of the business practice of every modern company.

The Lacuna group follows technological trends and has invested in the digitalization of business, its product and sales range offered on the WEB SHOP platform.

Advantages of Lacuna B2B / Internet platform for customers:

- *Quick and easy product selection, search and ordering*
- *Key ordering information are available*
- *Availability of items quantity in the warehouse*

- *Information regarding the current scheduled for items arrival to warehouse*
- *Control of own prices and rebate policy*
- *Overview of new products offer*
- *Detailed product information, colors, sizes, descriptions, images, technical features ...*
- *Selection of products tailored for retail*
- *History of all customer orders*
- *Items delivery status, which includes a review of actual delivery, as well as an overview and all related documents from the past period.*

LOGISTIČKA PODRŠKA

Glavni logističko-distributivni centar **LACUNA GRUPE** (skladište A) je smešten u Sv.Križu Začretju u kojem je na površini od 4000 m² i više od 3500 paletnih mesta, smešteno više od 10.000 lagerskih artikala spremnih za brzu isporuku. Zbog širine asortimana na skladištu našeg logističkog partnera (skladište B), za smeštaj robe koristimo još dodatnih 2.500 paletnih mesta.

Logističko-distributivna i proizvodna podrška i širok asortiman lagerski dostupnih artikala našim poslovnim partnerima omogućava bezbednost i kontinuitet poslovanja, optimizuje troškove njihovog poslovanja i čini osnovu dugoročne saradnje u kojoj su interesi, strategije i zajednički uspesi Lacuna grupe i njenih partnera isprepleteni.

TEHNIČKA DOKUMENTACIJA I SERTIFIKATI

Artikli **LACUNA GRUPE** imaju svu potrebnu dokumentaciju i sertifikate, prema važećim evropskim zakonima. Vodimo brigu da svaki artikl bude pravilno označen u skladu sa pravnim propisima i standardima koji se na njega odnose te da uz njega prilažemo svu potrebnu dokumentaciju.

Na taj način ispunjavamo sve tehničke uslove koje nalaže zakon za nesmeatano odvijanje poslovanja. Stalnim praćenjem zakonskih propisa, izmena i dopuna zakona blagovremeno prilagođavamo svoje poslovanje kao i poslovanje naših poslovnih partnera. Svi potrebni dokumenti su dostupni našim distributerima na veb stanicama **LACUNA GRUPE**.

LOGISTICS SUPPORT

LACUNA GROUP Lacuna Group Logistics and Distribution Center is located at Sveti Križ Začretje. In the central warehouse comprising 4,000 m², on more than 3,500 pallets there are over 10,000 items ready for prompt delivery. Due to the wide assortment, in the warehouse of our logistics partner (warehouse B), we use additional 2.500 pallet places to store the goods.

Logistic-distribution and production support as well as a wide range of commercially available items guarantee our business partners security and continuity, optimize the cost of their businesses and form the basis of a long-term cooperation in which mutual interests, strategies and successes of the Lacuna Group and its partners are intertwined.

TECHNICAL DOCUMENTATION AND CERTIFICATES LACUNA GROUP

Items have all the necessary documentation and certificates in accordance with applicable European laws. We make sure that each item is properly labeled in accordance with the legal regulations and norms prescribed by authorities, as well as accompanied by complete documentation.

In that way, we meet all the technical conditions required by law for the smooth running of business.

Constant monitoring of legal regulations, enables us to adjust our business in a timely manner as well as the business of our business partners. All the necessary documents are available to our distributors on the **LACUNA GROUP** websites.





MIRTA-KONTROL d.o.o.

EU CERTIFIKACIJA PROJEKTA
PROJECT CERTIFICATION DEPARTMENT
Priloga 1, Str. 1040 Zagreb - Dubrava, Hrvatska
tel.: +385 (0)1 34 11 344
e-mail: cert@mirta-kontrol.hr
www.mirta-kontrol.hr

EU Type examination is conducted in accordance with CE Regulation (EU) 2016/425, Annex 7 on personal protective equipment (PPE)

EU CERTIFIKAT O PREGLEDU TIPIA EU TYPE-EXAMINATION CERTIFICATE

OZO183-CP1007/20

Proizvođač: Izdavač:	Lacuna d.o.o. Pavlovski Sadržani 100 10000 Brak K.V.B. Dubrava Hrvatska (Croatia)
Kategorija / vrsta EPE Capacity and EPE Type	OZO kategorija B, rukavice za zaštitu i za rad s mehaničkim i toplinskim rizikom PPE category B, protective gloves for workers and against mechanical and thermal risks
ANILL tip ili model Article type or model	Vanjska rukavica ATUM SATUM
Norma Standard	EN EN 388:2019 (EN 388:2014+A1:2016) Rukavica za zaštitu od mehaničkih rizika Protektivna rukavica protiv mehaničkih rizika EN EN 407:2008 (EN 407:2004) Rukavica za zaštitu od toplinskih rizika (teplina ili vatra) Protektivna rukavica protiv toplinskih rizika (vrućina i vatru) EN EN 12477:2001 +A1:2008 (EN 12477:2001 +A1:2008) Zaštitna rukavica za čišćenje Protektivna rukavica protiv prašine EN EN 420:2011 (EN 420:2009+A2:2009) Zaštitna rukavica - Opći odgođeni i lagani materijali Protektivna rukavica - General purpose and non-synthetic
Razina mehaničke opornosti Level of mechanical performance	4 4 4 4 3
Tip rukavice za zaštitu: Rukavica glava: opni	A sila opterećenja (za ruku i lakat) force absorption (hand and forearm)

mirta-kontrol.hr, Priloga 1, Str. 1040 Zagreb - Dubrava, Hrvatska

13

LACUNA

LACUNA
STAY PROTECTED

TEHNIČKI LIST



EU Type examination certificate
OZO183-CP1007/20

ANILL tip ili model
Article type or model

Vanjska rukavica ATUM
SATUM

Norma
Standard

EN EN 388:2019 (EN 388:2014+A1:2016)
Rukavica za zaštitu od mehaničkih rizika
Protektivna rukavica protiv mehaničkih rizika
EN EN 407:2008 (EN 407:2004)
Rukavica za zaštitu od toplinskih rizika (teplina ili vatra)
Protektivna rukavica protiv toplinskih rizika (vrućina i vatru)
EN EN 12477:2001 +A1:2008 (EN 12477:2001 +A1:2008)
Zaštitna rukavica za čišćenje
Protektivna rukavica protiv prašine
EN EN 420:2011 (EN 420:2009+A2:2009)
Zaštitna rukavica - Opći odgođeni i lagani materijali
Protektivna rukavica - General purpose and non-synthetic

Razina mehaničke
opornosti
Level of mechanical
performance

4
4
4
4
3

Tip rukavice za zaštitu:
Rukavica glava: opni

A
sila opterećenja (za ruku i lakat)
force absorption (hand and forearm)

mirta-kontrol.hr, Priloga 1, Str. 1040 Zagreb - Dubrava, Hrvatska

13



IZJAVA O SUKLADNOSTI

IZJAVLJUJE

da proizvod koji je izrađen prema ovom projektu, za zaštitu od mehaničkih i toplinskih rizika (mekanička i toplotna opasnost)

EU 2016/425 European Parliament i Vijeća u Dubravi, Hrvatska

IN 420:2009+A1:2009
(EN 388:2014+A1:2016)
EN 407:2004
EN 12477:2001 (EN 12477:2001+A1:2008)

Na se prijavio: Mirta d.o.o., 3474
Bika 3, 10040 Zagreb-Dubrava, Hrvatska

EU Type Ex: OZO183-CP1007/20

Mirta Kontrol
Developer manufacturing + technical grade
EU Type Ex: OZO183-CP1007/20



EKOLOŠKA ODGOVORNOST I ODRŽIVOST

ENVIRONMENTAL RESPONSIBILITY AND SUSTAINABILITY

“... ekološka i efikasna upotreba materijala...”

“... ecological and efficient materials use...”



LACUNA
STAY PROTECTED

Trudimo se da implementiramo ekološku i efikasnu upotrebu materijala kroz čitav lanac snabdevanja. Važnost ekologije za nas znači usklađivanje faktora društvenih, ekoloških i ekonomskih aspekata. Trudimo se da preuzmemo odgovornost, ne samo za naše privredne aktivnosti, već i za ljude i okolinu koji su uključeni u čitav proces.

We strive to implement ecological and efficient materials use through the entire supply chain. The importance of ecology for us it means harmonizing the factors of social, ecological and economic aspects. We strive to take responsibility, not only for our economic activities, but also for the people and the environment involved in the entire process.

ENERGIJA/ENERGY

Svaka promena prvenstveno dolazi iznutra; tako smo u leto 2023. godine završili instalaciju solarnih panela koji će nam omogućiti korišćenje obnovljive električne energije u snazi od 80 kV. Kako bi dodatno ostvarili uštedu električne energije, standardna rasvetna tela smo zamenili ekonomičnijim LED sijalicama u kancelarijama i prostorima proizvodnje i skladišta.

Every change initially comes from within, so in the summer of 2023. we finished installing solar panels that will enable us to use renewable electricity at a power of 80 kV. In order to further save electricity, we replaced the standard lighting fixtures with more economical ones LED bulbs in offices and production and warehouse areas.





PROIZVODI/PRODUCTS

Već dugi niz godina, pod sopstvenim brendom BROKULA CAREWEAR, LACUNA proizvodi i plasira na tržište proizvode od organskog pamuka, kao kombinaciju organskog pamuka i tencel vlakana. Organski pamuk se uzgaja iz semena koje nije genetski modifikovano, a gde se korov na poljima pamuka uklanja ručno i bez tretiranja pesticidima. Ovakav način uzgoja štiti i tlo i poljoprivrednike. Organski uzgoj pamuka smanjuje do 94% emisiju gasova staklene bašte u poređenju sa tradicionalnom proizvodnjom pamuka. Tkanine za našu odeću od organskog pamuka poseduju sertifikat GOT (Globalni standard organskog tekstila).

For many years, LACUNA under its own brand BROKULA CAREWEAR has been producing and placing on the market products from organic cotton, as well as products from combination of organic cotton and tencel fibers. Organic cotton is grown from seeds that are not genetically modified and where the weeds in the cotton fields are removed by hand and without pesticide treatment. This cultivation method protects both the soil and the farmers. Organic cotton cultivation reduces up to 94 greenhouse gas emissions compared to traditional cotton production. Fabrics for our clothes made of organic cotton have the GOTS (Global organic textile standard) standard.

AMBALAŽA/PACKAGING

Jedan od važnijih prioriteta koje smo, kao kompanija, definisali u našem planu ekološke održivosti i odgovornosti jeste korišćenje reciklirane ambalaže kao i ekonomično korišćenje boja prilikom štampanja ambalaže. Tako su i naše kutije za obuću izrađene sa minimalnim učešćem boje i lepka što je rezultiralo novim dizajnom ambalaže. Na svim pakovanjima kod kojih je poseban naglasak stavljen na ekonomičnom i ekološkom pakovanju nalazi se naš novi logo:



One of the most important priorities that we have defined as a company in our environmental sustainability and responsibility plan is the use of recycled packaging as well as the economical use of colors during packaging printing. That's how our shoe boxes are made with minimal paint and glue, what has resulted in a new look packaging design. On all packages where it is special emphasis placed on economical and ecological packaging is our new logo:





PROMOCIJA/PROMOTION

Za Lacunu je važna održivost zajednice i primena ekološki odgovornog ponašanja u što većem broju poslovnih procesa. Iz tog razloga Lacuna novi generalni katalog za 2023/2024. godinu, štampan je upravo na papiru sa međunarodnim FSC® sertifikatom, koji garantuje da se šumama, iz kojih se proizvodi papir za naš katalog, upravlja prema strogim ekološkim, ekonomskim i društvenim kriterijumima.

For Lacuna is important to apply community sustainability and environmental responsibility in as many business processes as possible. For this reason, Lacuna's new general catalog for 2023./2024. was printed precisely on paper with the international FSC® certificate, which guarantees that the forests from which the paper for our catalog is produced, are managed according to strict ecological, economic and social criteria.



NAŠI PARTNERI/OUR PARTNERS

Kompanija LACUNA je ekskluzivni predstavnik i distributer proizvoda svetski poznatih brendova koji veliku pažnju posvećuju ekologiji, održivosti te generalno društvenoj odgovornosti u svim aspektima poslovanja.

The company LACUNA is an exclusive representative and distributor of products of world-famous brands that pay great attention to ecology, sustainability and general social responsibility in all business aspects.

LACUNA
STAY PROTECTED







Kroz svoje procese upravljanja životnom sredinom, ATG nastoji da minimizuje uticaj poslovanja na planetu i pruža pametna rešenja koja naglašavaju važnost održivosti kroz svoje klijente, akcionare i krajnje korisnike. ATG poseduje sertifikat ISO14001, globalni standard upravljanja životnom sredinom. Kroz bezbroj inovativnih procesa i tehnologija, kompanija ATG doprinosi ekološkoj održivosti. Sve rukavice iz ATG portfelja su dermatološki akreditovane od strane Skin Health Alliance; peru se pre pakovanja što im obezbeđuje garanciju „fresh of the pack“ prema sertifikatu Oeko-Tex®. Pranje rukavica se obavlja u strogo kontrolisanom procesu gde se koristi kišnica koja je obrađena i kontinuirano reciklirana iz sopstvenih postrojenja za obradu vode. Zbog inovativnog dizajna koji im omogućuje pranje i ponovnu upotrebu, ATG rukavice su pravi primer ekološkog i ekonomskog proizvoda.

Through its environmental management processes, ATG strives to minimize the business impact on the planet and provides smart solutions which emphasize the importance of sustainability through their clients, stakeholders and end users. ATG has the ISO14001 certificate, a global environmental management standard. Through countless innovative process and technology, the company ATG contributes to environmental sustainability. All gloves from the ATG portfolio are dermatological accredited by the Skin Health Alliance and washed before packaging, which enables them to be guaranteed as »fresh of the pack« according to the Oeko-Tex® certificate. Gloves are washed in a strictly controlled process using rainwater that has been treated and continuously recycled from our own water treatment plants. Due to the innovative design that allows them to be washed and reuse, ATG gloves are a true example of an ecological and economic product.



U cilju zadovoljavanja velike potražnje za ekološki prihvatljivom odećom, TenCate Protective Fabrics je u proteklih 10 godina razvio tri revolucionarna proizvoda: Tecawork® Ecogreen, Tecasafe® Ecogreen i nedavno, prvu održivu FR-tretiranu tkaninu na svetu: Tecapro® Ecogreen. Cilj koji su sebi zadali jeste stvaranje tkanine za proizvodnju radne odeće koja je kvalitetna, udobna te sa najmanjim mogućim uticajem na životnu sredinu. Svojim zelenim pristupom proizvodnji stekli su prestižan sertifikat „Made in green“ koji se sastoji od OEKO-TEX® 100 (sertifikovani proizvodi) i OEKO-TEX® Step (sertifikacija proizvodnog postrojenja).

In order to meet the high demand for environmentally friendly clothing, TenCate Protective Fabrics has developed three revolutionary products over the past 10 years: Tecawork® Ecogreen, Tecasafe® Ecogreen and most recently, the world's first sustainable FR-treated fabric: Tecapro® Ecogreen. The goal they set for themselves is to create fabric for the production of workwear that is high-quality, comfortable and has the least possible impact on the environment. With their green approach to production, they obtained the prestigious certificate »Made in green« which consists of OEKO-TEX® 100 (certified products) and OEKO-TEX® Step (certification of production facility).



VENDING APARAT

MODERNA TEHNOLOGIJA KOJA DONOSI UŠTEDU


VENDING MACHINE

MODERN SAVINGS TECHNOLOGY



Automatizovani aparat kojim upravlja softver: služi zaskladištenje i izdavanje artikala lične zaštitne opreme uz 24/7 dostupnost.

The automated device manages the software used for storage and issuance of personal protective equipment with availability 24/7.



Lacuna VENDING APARATE puni jednokratnim sredstvima lične zaštitne opreme koja se češće troše: rukavice, naočare, respiratori, čepići za uši.

Lacuna VENDING APPARATUS is filled with items of personal protective equipment with a higher frequency of use, such as: gloves, glasses, respirators, earplugs, disposable program...

Prednosti korišćenja vending aparata:

- Dostupnost proizvoda 24/7
- Kreiranje cost centara sukladno željama korisnika
- Izveštavanje sukladno željama i potrebama korisnika
- Održavanje i servisiranje
- 24/7 pomoć i podrška
- Edukacija

Advantages of using a vending machine:

- Product availability 24/7
- Creating cost centers in accordance with the wishes of users
- Reporting in accordance with the wishes and needs of users
- Maintenance and servicing
- 24/7 help and support
- Education

Kako vending funkcioniра u stvarnosti?



PRISTUP APARATU
I LOGOVANJE
MACHINE ACCESS
AND LOGIN



ODABIR
PROIZVODA
PRODUCT
SELECTION



IZDAVANJE
PROIZVODA
ISSUANCE
OF PRODUCTS



IZLAZ IZ
PROGRAMA
LOGOUT

Kako v resnici poteka prodaja?

MANJA POTROŠNJA I UŠTEDA

- Zahvaljujući programiranju prema specifičnim potrebama svakog zaposlenog, omogućeno je tačnije planiranje i kontrola potrošnje OZO
- Budžetiranje na duži period bez straha od grešaka
- Uvid u potrošnju na dnevnom nivou te na nivou cost centra i svake pojedine osobe
- Prilagođene vrste izveštaja prema potrebi i dogovoru
- Konsignacija- korisnik plaća samo što je potrošio

ORGANIZOVANA DISTRIBUCIJA

- Zahvaljujući softverskim karakteristikama i vrlo fleksibilnom sistemu izveštavanja u mogućnosti smo izgraditi sistem praćenja potrošnje OZO, maksimalno prilagođen klijentima
- Dostupnost artikala korisnicima 24/7, bez čekanja na izdavanje sa skladišta
- Dodatni sistem izveštavanja - bi analiza daje širi uvid u potrošnju OZO prema pojedinačnom radnom mestu.

MI RADIMO U MESTO VAS

- Brinemo o porudžbinama, zalihama i distribuciji, pojednostavljujemo i ukidamo interni nabavni proces
- Ukidamo logistički proces – nema internog zaprimanja i izdavanja artikala
- Brinemo o isporukama i održavanju.
- Naš IT tim je zadužen za analiziranje potrošnje
- Dajemo predloge kako racionalizovati potrošnju OZO na osnovu stvarnih podataka koje vam omogućuje vending.



LESS CONSUMPTION AND MORE SAVINGS

- *Thanks to programming according to specific needs a more accurate planning is enabled for each worker as well as control of PPE consumption*
- *Long-term budgeting without fear of mistakes*
- *Insight into consumption on a daily basis and at the level of the cost center and each individual*
- *Customized report types as needed and agreed*
- *Consignment - the user pays only for what is spent*

100% ORGANIZED DISTRIBUTION

- *Thanks to software features and a very flexible reporting system, we are able to build a system for monitoring the consumption of PPE maximally tailored to customers*
- *Availability of items to users 24/7, without waiting for release from the warehouse*
- *Additional reporting system - the analysis provides a broader insight into consumption of PPE according to the individual workplace*

WE DO THE JOB FOR YOU

- *We take care of orders, stocks and distribution, simplify and eliminate the internal procurement process*
- *We cancel the logistics process - there is no internal receipt and issuance of items*
- *We take care of deliveries and maintenance.*
- *Our IT team is in charge of analyzing spending*
- *We give suggestions on how to rationalize the consumption of PPE based on the actual data provided by the vending*

Usluge projekta **VENDING APARATA** dostupne su krajnjim korisnicima preko ovlašćenih Lacuna distributera.

Za više informacija obratite nam se na email:
info@lacuna.hr

The services of the VENDING MACHINES are available to end users through authorized Lacuna distributors.

For more information, contact us by email: info@lacuna.rs

SADRŽAJ/CONTENT

ZAŠTITNA I RADNA ODEĆA / WORKWEAR 20

PACIFIC FLEX 27

BERGEN FLEX 32

MOVE FLEX 36

NORTH TECH 40

GREENLAND 46

SPEKTAR 52

CITY II - NAVY II 56

CITY II - PADDOCK II 58

CARGO FLEX 60

CHONCO 62

DŽEP NA SKIDANJE/REMOVABLE POCKET 63

REMEN/PAS 63

ATLANTIC 64

CLASSIC SMART 66

CORPORATE WEAR / CORPORATE WEAR 68

ADRIATIC 73

GASTRO 91

ODEĆA ZA SPECIJALNE VREMENSKE USLOVE / CLOTHING FOR SPECIAL WEATHER CONDITIONS 98

KISHA - ODELO 100

REGEN 100

RAINY 101

KISHA - OGRTAČ 103

RAINET 103

BEAVER 104

MULTISAFE ZAŠTITNA ODEĆA / MULTISAFE PROTECTIVE CLOTHING 106

LAWU 110

EREBUS 112

MERU 114

MERU 2 117

ETNA 121

ETNA 2 124

TARANIS 127

ZAŠTITNA ODEĆA ZA RAD S MOTORNOM PILOM / CHAINSAW PROTECTIVE APPAREL 128

LOGGER 131

HEWER 133

ODJEĆA VISOKE VIDLJIVOSTI / HIGH VISIBILITY CLOTHING 134

KANATA 142

KETA 143

ROADWAY 144

HI-WAY EXTRA 145

SOKOBIE 146

KAZAN 146

SPEKTAR HI-VIZ 148

HIBANA	150	TURA	186
HYDRA	152	WORKER	187
HI-WAY SUIT	153	GOMA	188
HI-WAY PRSLUK	154	YUZU	188
KANES	156	AZUKI	189
KANES MESH	156	MIKAN	190
HODER	157	KIJI	190
CAP 57307	157	WANI	191
OUTDOOR I PROMOTIVNI ARTIKLI / OUTDOOR AND PROMOTIONAL ITEMS	158	PANDA	192
SPEKTAR	161	SECURITE	193
WILLIAM	163	DYNAMIC	196
ROLAND	165	BORA	197
DANTE	167	WARMY	198
SPEKTAR WINTER	169	POLAR	199
BARTON	171	LUCIANE	200
QUEBEC	171	BINAS	203
BONETE	173	GETOUT WINTER CAPS	205
ROLY NORWAY	175	SAILOR WINTER CAPS	207
YAKI	176	NORTH WINTER CAPS	207
TATAKI	176	MAJICE KRATKI RUKAV MUŠKE/MEN'S SHORT SLEEVE T-SHIRTS	208
SUMI	177	MAJICE KRATKI RUKAV ŽENSKE/WOMEN'S SHORT SLEEVE T-SHIRTS	210
PRIME	179	MAJICE DUGI RUKAV MUŠKE I ŽENSKE /MEN'S AND WOMEN'S LONG SLEEVE T-SHIRTS	212
NORWAY	181	"POLO MAJICE KRATKI RUKAV MUŠKE I ŽENSKE/ MEN'S AND WOMEN'S POLO SHORT SLEEVE T-SHIRTS"	214
EUROPA	181		
RONDO	183	"POLO MAJICE DUGI RUKAV MUŠKE I ŽENSKE/ MEN'S AND WOMEN'S POLO LONG SLEEVE T-SHIRT"	216
PORTE	183	HOODIE & SWEATSHIRT	218
VODAN	186	CAPS	220

BROKULA CAREWEAR	222	TEHNIČKE RUKAVICE PROTUREZNE & RUKAVICE ZA SPECIJALNE RIZIKE / <i>GLOVES AGAINST CUTS AND GLOVES FOR SPECIAL RISKS</i>	370
"MUŠKA MAJICA KRATKI RUKAV VIS/ <i>MEN'S SHORT SLEEVE T-SHIRT VIS</i> "	227	JEDNOKRATNE RUKAVICE / <i>DISPOSABLE GLOVES</i>	376
"ŽENSKA MAJICA KRATKI RUKAV KRKA/ <i>WOMEN'S SHORT SLEEVE T-SHIRT KRKA</i> "	227	ZAŠTITA GLAVE I SLUHA / HEAD AND EARS PROTECTION	384
"MUŠKA MAJICA KRATKI RUKAV SAILOR/ <i>MEN'S SHORT SLEEVE T-SHIRT SAILOR</i> "	229	ČEPIĆI ZA UŠI / <i>EAR PLUGS</i>	388
"ŽENSKA MAJICA KRATKI RUKAV SAILOR/ <i>WOMEN'S SHORT SLEEVE T-SHIRT SAILOR</i> "	229	ANTIFONI / <i>EAR MUFFS</i>	391
BROKULA TOWELS	231	ZAŠTITNE KAPE I KACIGE / <i>PROTECTIVE CAPS AND HELMETS</i>	393
BROKULA CAREWEAR UV	232	VIZIRI I DRŽAČI VIZIRA / <i>VISORS AND VISOR HOLDERS</i>	400
UV KAPE I ŠEŠIRI/ <i>UV CAPS AND HATS</i>	235	ZAŠTITA OČIJU / EYE PROTECTION	404
ZAŠTITNE I RADNE CIPELE / SAFETY AND OCCUPATIONAL SHOES	238	ZAŠTITA DISAJNIH PUTEVA / RESPIRATORY PROTECTION	428
MULTIPROFFESIONAL LINE	250	RESPIRATORI / <i>RESPIRATORS</i>	432
ENDURANCE LINE	272	POLUMASKE / <i>HALFMASKS</i>	443
STANDARD LINE	284	MASKS	446
HYGIENE	300	FILTERI / <i>FILTERS</i>	449
LEISURE LINE	308	DISPOSABLE HYGIENE PRODUCTS	452
GUMENE I PVC ČIZME / <i>RUBBER AND PVC BOOTS</i>	314	DISPOSABLE COVERALL ARLE	456
ČARAPE / <i>SOCKS</i>	320	TYVEK CLASSIC XPERT COVERALL WITH HOOD	458
ZAŠTITNE RUKAVICE / PROTECTIVE GLOVES	322	DISPOSABLE COVERALL SMS	458
ATG	326	DISPOSABLE COVERALL COVERPRO 5M20	459
KOŽNE RUKAVICE / <i>LEATHER GLOVES</i>	339	DISPOSABLE COVERALL COVERPRO 5M30	459
RUKAVICE ZA ZAŠTITU OD KEMIKALIJA I TEKUĆINA / <i>PROTECTIVE GLOVES AGAINST CHEMICALS AND LIQUIDS</i>	348	DISPOSABLE COVERALL COVERCHEM 3X60	460
RUKAVICE ZA PRECIZNE POSLOVE & OPĆU UPOTREBU / <i>GLOVES FOR PRECISION WORKS & GENERAL USE</i>	354	DISPOSABLE COVERALL COVERPRO 5S10	460
RUKAVICE ZA TEŠKE I GRUBE POSLOVE / <i>HEAVY DUTY GLOVES</i>	366	DISPOSABLE GOWN ARI	461
		DISPOSABLE GOWN EZRA	461

DISPOSABLE GOWN CORA	462	RASTEZLJIVE TRAKE / EXTENSIBLE BELTS	505
DISPOSABLE APRON ZOE	462		
DISPOSABLE VISITORS COAT	463	OPREMA ZA VARIOCE / WELDING EQUIPMENT	508
DISPOSABLE VISITORS KIT	463	VARILAČKE PREGAČE I MANŽETE / WELDING APRONS AND CUFFS	510
POLYURETHANE APRON	464	VARILAČKE MASKE / WELDING MASKS	511
PVC APRON VERT/BLANC	464	VARILAČKE NAOČALE / WELDING GOGGLES	514
DISPOSABLE OVERSLEEVE CALI	465		
DISPOSABLE OVERSLEEVE MYLA	465	DODATNA OPREMA / ADDITIONAL EQUIPMENT	516
DISPOSABLE OVERSLEEVE TYVEK	466	HI VIZ ČUNJEVI, TRAKE, LANCI / HI VIZ SKITTLES, STRIPS, CHAINS	518
DISPOSABLE OVERSLEEVE PU	466	ORMARIĆ ZA PRVU POMOĆ / FIRST AID CABINET	519
DISPOSABLE CAP NORA	467	CERADE / TARPULINS	520
DISPOSABLE CAP GRACE	467	SKLADIŠNE POLICE / WAREHOUSE SHELVES	521
DISPOSABLE MASK XARA TROSLOJNA	468	METALNI ORMARI / METAL CABINETS	522
DISPOSABLE MASK JUNE	468		
DISPOSABLE SHOE COVERS KAIA	469	LACUNA PREMIUM CONCEPT STORE / LACUNA PREMIUM CONCEPT STORE	524
DISPOSABLE SHOE COVERS REMY	469	PREMIUM STORE CONCEPT / PREMIUM STORE CONCEPT	526
DISPOSABLE BOOT COVERS	469	LUTKA / DOLL	535
HIGIJENA / HYGIENE	470	STANDARD STORE CONCEPT / STANDARD STORE CONCEPT	536
PASTE ZA RUKE / HAND PASTE	474	PROMOCIJSKA OPREMA PREMIUM PARTNERA / PREMIUM PARTNER PROMOTIONAL EQUIPMENT	539
FLASTERI / PATCHES	475		
SREDSTVA I KOMPLETI ZA ISPIRANJE OČIJU / EYE RINSE SOLUTIONS	478		
OPREMA ZA RAD NA VISINI / EQUIPMENT FOR WORK AT HEIGHT	484		
UPRTAČI I POJASEVI / HARNESES AND BELTS	492		
NAPRAVE ZA ZAUSTAVLJANJE PADA / FALL STOPPING DEVICES	496		
UŽAD / ROPES	500		
SPONE I KOPČE / CLAMPS AND BUCKLES	502		

ZAŠTITNA I RADNA ODJEĆA WORKWEAR



LACUNA

coverguard

ZAŠTITNA I RADNA ODEĆA / DIZAJNIRANA ZA UDOBNOST I BEZBEDNOST

Lacuna radna odeća, sinonim je za bezbednost, zaštitu i udobnost. Konstrukcija naše radne odeće prati prirodne pokrete tela u radu, što odeći daje udobnost i funkcionalnost.

Materijali koje koristimo moraju imati visoke tehničke karakteristike te izdržljivost i udobnost.

Lacuna zaštitna odeća i proizvodi za radnu odeću su u skladu sa standardom EN ISO 13688:2013 (zaštitna odeća opšti zahtevi)

WORKWEAR / MADE FOR COMFORT AND PROTECTION

Lacuna workwear is synonym for safety, protection and comfort. The design of our work clothes follows the natural movements of the body at work, which gives the clothes comfort and functionality.


The materials we use must have best technical characteristics as well as durability and comfort.

Lacuna protective clothing and workwear products comply with EN ISO 13688: 2013 (protective clothing general requirements).

LACUNA ne odgovara za eventualne štamparske greške u katalogu./LACUNA is not responsible for misprints in the catalogue.

Zadnje važeće cene molimo proverite na LACUNA B2B/Last valid recommended prices check at www.lacuna.hr

Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/Full LACUNA range available at www.lacuna.hr



INDUSTRIJSKO PRANJE

Lacuna WORKTIME zaštitna, radna i korporativna odeća sa istaknutim piktogramima



TENCATE
materials that make a difference

može se podvrgnuti industrijskom pranju od 75 °C – prema standardu EN ISO 15797. Lacuna WORKTIME kolekcije predviđene za industrijsko pranje izrađene su od visokokvalitetnih tkanina proizvođača **TenCate®**.

TenCate® kao jedan od vodećih svetskih proizvođača tkanina razvija svoje kolekcije u uskoj saradnji sa najvećim svetskim industrijskim praonicama. Ta je saradnja, uključujući izuzetne inovacijske sposobnosti tehničkog tima firme **TenCate®**, rezultirala tkaninama za zaštitnu i radnu odeću koje pružaju izvanrednu trajnost kod industrijskog pranja i sušenja koje se odvija pod visokim temperaturama.

Osim poboljšanih zaštitnih performansi te takođe visoke udobnosti prilikom nošenja, ove napredne tkanine odlikuju se superiornom postojanošću i čvrstoćom boja koje omogućuju znatno duži životni ciklus gotovog odevnog predmeta, čak i nakon višestruko ponovljenih pranja. Traženje namenskih rešenja za industrijske praonice, rezultiralo je razvojem tkanina koje traju i više od 100 pranja i kod kojih je znatno skraćen ciklus sušenja.

Sve navedeno u skladu je sa rastućim naporima svetske industrije da potrošnju energije svede na najmanji mogući nivo.

INDUSTRIAL LAUNDRY WASHING

Lacuna WORKTIME protective, work and corporate clothing with highlighted pictograms can be



TENCATE
materials that make a difference

subjected to 75 °C industrial washing procedures according to standard EN ISO 15797. Lacuna WORKTIME collections, intended for industrial laundry washing, are made of high quality fabrics by **TenCate®** manufacturer.

TenCate® as one of the world's largest fabrics manufacturers is developing its collections in close collaboration with the largest industrial laundries in the world.

This collaboration, with the outstanding innovative capabilities of **TenCate®** technical team, has resulted in protective fabrics and workwear fabrics, which provide exceptional durability in high-temperature industrial washing and drying.

Apart from improved protective performance, as well as high wearing comfort, these advanced fabrics are characterized by superior colour consistency and strength that provide significantly longer life cycle of ready-made garments, even after multiple repeated laundering. A search for purpose fit solutions in industrial laundering has resulted in the development of fabrics that endure even more than 100 laundrings and have significantly shorter drying cycle.

All above-mentioned complies with the growing efforts of the world industry to minimize the energy consumption as much as possible.





Korišćenje usluga industrijskog pranja (Industrial Laundering) je rastući trend u svetu na koji se oslanjaju sve vodeće industrije; one koriste usluge industrijskih praonica koje su razvile napredne metode održavanja profesionalne odeće. U prošlosti se odeća održavala tzv. domaćim pranjem (domestic laundering), a jedina međunarodno priznata metoda ispitivanja za takvo pranje je bila metoda definisana prema ISO 6330. Ova metoda ispitivanja nije bila pouzdan pokazatelj da li će odevni predmet da odoli industrijskim postupcima pranja i dorade koji se, generalno, primenjuju i prevladavaju u segmentu održavanja radne odeće.

The use of services of the industrial laundering is a growing trend in the world followed by all leading industries in the world using the services of the industrial laundries that have developed advanced methods of keeping the garments clean. In the past the clothes were kept clean by means of so called domestic laundering, and the only recognized method for testing such laundering was the method specified according to ISO 6330. This testing method was not a reliable indicator of resistance to industrial laundering and to processing generally applied and prevailing in the segment of workwear maintenance.

ISO 15797:2017 navodi postupke ispitivanja i opremu koji se mogu koristiti u ocenjivanju radne odeće (i dela zaštitne odeće) namenjene za industrijsko pranje. Oni služe kao osnova za ispitivanje relevantnih karakteristika kao što su dimenzijska stabilnost, obeležja boja, gužvanje, nabiranje šava, piling i vizualni aspekti generalno.

ISO 15797:2017 lists the testing procedures and equipment that can be used in the assessment of workwear (and a part of protective clothing) intended for industrial laundering. They serve as the basis for testing relative properties like dimensional stability, characteristics of odours, wrinkling, seam puckering, pilling and visual aspects in general.

Industrijsko pranje spada u istaknuti primer održivih aktivnosti (sustainable activities) tj. aktivnosti koje utiču na sposobnost održavanja ravnoteže određenih procesa ili stanja u nekom sistemu a što je globalni trend. Prednost industrijskog pranja naspram domaćeg pranja vidljiva je kroz produženi životni ciklus radne i zaštitne odeće.

The industrial laundering is an outstanding example of sustainable activities, i.e. the activities that affect the capacity of maintaining the balance of certain processes or conditions in some system, which is a global trend. The advantage of industrial laundering in comparison with domestic laundering can be seen in the extended life cycle of working and protective clothing.



TKANINE

Visokokvalitetni materijali su suština svakog našeg proizvoda. Materijali koje koristimo moraju imati visoke tehničke karakteristike kao i karakteristike visoke izdržljivosti i udobnosti.

Vodeći računa o zaštiti okoline i tehničkim karakteristikama te detaljima, u proizvodnji koristimo samo odabrane materijale i pribore.

• **TenCate Protective Fabrics®** – Specijalizovane tehničke zaštitne tkanine za zaštitnu i radnu odeću: (TecaWork®, TecaSafe®, TecaPro®).

Osim Tencate tkanina Lacuna u svoje kolekcije ugrađuje visokokvalitetne materijale i pribore drugih brendova:

- **CORDURA®** – Materijali otporni na habanje
- **YKK®**- patentni zatvarači
- **3M™** Thinsulate
- **TENCEL™** vlakna
- **BROKULA CAREWEAR UV®** – Prirodni materijali sa utkanom UV zaštitom UPF 50+

Organski pamuk – materijal izuzetno prijatan za nošenje, ne šteti životnoj sredini, samoodrživ, sa efektom hlađenja i svojstvom ubrzanog sušenja.

FABRICS

High quality materials are the core of each of our products. The materials we use must have high technical properties as well as attributes of high durability and comfort.

Taking into consideration environmental protection and technical properties and details in production, we use only selected materials and accessories.

• **TenCate Protective Fabrics®** - Specialized technical protective fabrics for safety and work clothing: (TecaWork®, TecaSafe®, TecaPro®) Besides TenCate fabrics, Lacuna incorporates high-quality materials and accessories from other brands into its collections:

- **CORDURA®** - Wear-resistant materials
- **YKK®** zippers
- **TENCEL™** fibers
- **BROKULA CAREWEAR UV®** - Natural woven materials with UV protection UPF 50+

Organic cotton - a material that is extremely comfortable to wear, in harmony with the environment, self-sustainable, with a cooling effect and the property of accelerated drying.



LACUNA WORKWEAR FITTING

SLIM FITTING

Lacuna SLIM FITTING kolekcije radne odeće dizajnirane su da prijanjaju uz telo, pritom ostavljajući dovoljno prostora za slobodno kretanje. Ovakav kroj preferiraju ljudi nekonvencionalnog stila života koji vole moderno-sportski dizajn odeće, izrađene od kvalitetnih materijala.



SLIM FITTING

Lacuna SLIM-FITTING workwear collections are designed to fit close to the body. This fit is generally preferred by people who like modern-sporty design harmonized with quality materials and people with dynamic, nonconventional lifestyle.

REGULAR FITTING

Upoređujući sva tri fittinga, REGULAR FITTING po merama možemo smestiti između SLIM i CASUAL FITTINGA. Ovaj više tradicionalni fitting preferira najveći broj ljudi. Osnovna prednost ovog fittinga je dobar odnos udobnosti i funkcionalnosti.



REGULAR FITTING

In terms of measures of the garments, REGULAR FITTING is between SLIM and CAUSAL fitting and due to that we can say it is designed for the masses. In REGULAR FITTING there is a good balance between comfort and functionality.

CASUAL FITTING

LACUNA kolekcija radne odeće koja je označena CASUAL FITTING-om namenjena je ljudima koji preferiraju veoma udobnu radnu odeću. Kod ovakog kroja odeće naglasak je više na udobnosti nego na izgledu.



CASUAL FITTING

LACUNA workwear collection marked by CASUAL FITTING are intended for people who are looking for extra comfortable workwear. A casual fit has an emphasis on comfort rather than appearance.



TENCATE PROTECTIVE FABRICS SPECIJALIZOVANE ZAŠTITNE TKANINE

Lacuna d.o.o. je ovlašćeni distributer TenCate Protective Fabrics zaštitnih tkanina; TenCate Protective Fabrics tkanine su sastavni deo LACUNA radne odeće, odeće za uslužne delatnosti, te specijalne MULTISAFE zaštitne odeće.

TenCate Protective Fabrics® je vodeći svetski proizvođač zaštitnih tkanina koje se koriste u proizvodnji radne odeće namenjene zadovoljavanju stalno rastućih potreba zaštite radnika u industriji i profesionalno opasnih zanimanja kao što su vatrogasci, vojska i policija, ali i za specifične zahteve ugostiteljskih i uslužnih zanimanja.

TenCate Tecasafe® Plus je vodeća inherentna vatrootporna multi-norm tkanina u koju je utkano Lyocell® vlakno. Teca- safe® Plus se fokusira na poboljšane udobnosti i dugotrajnost. Meka i prozirna, u kombinaciji sa vrhunskim svojstvima ventilacije, ova tkanina izgleda izuzetno, čak i nakon kontinuiranog industrijskog pranja. Tecasafe® je kombinacija inteligentnih tkanina otpornih na izloženost plamenu i toploti, pružaju odličnu zaštitu, posebno pri varilačkim radovima i izloženosti električnom luku.

TenCate Tecashield® inherentna vatrootporna tkanina je kombinacija tkanina otpornih na toplotu i izloženost plamenu, razvijena na osnovu meta-aramidnih i para-aramidnih vlakana, uključuje rešenja Nomex® III i Nomex® Comfort. Tkanine od aramidnih vlakana imaju visoku toplotnu stabilnost i veoma su izdržljive. Tecashield® tkanine su posebno korisne u hemijskoj industriji.

TenCate Tecapro® je hemijski tretirana tkanina bazirana na pamuku, pomešanom sa poliesterom, para-aramidom ili poliamidom. Svaka kombinacija ima svoje specijalne karakteristike, bilo da je to izdržljivost, udobnost, zaštita ili savršena kombinacija svih njih. Tecapro® tkanine imaju prednost pred svim vatrootpornim hemijski tretiranim tkaninama zahvaljujući svojoj jedin stvenoj kombinaciji visokih performansi, izvanredne udobnosti i odlične zaštite za različite industrijske sektore - u idealnom odnosu za uloženi novac. Pružaju zaštitu kod zavarivanja i brušenja, kao i od toplote i izloženosti plamenu. Dodatne zaštitne karakteristike uključuju anti-statičnost, hemijsku otpornost, visoku vidljivost i zaštitu od izloženosti električnom luku. Namenjene nošenju u ekstremnim uslovima, ove tkanine zadržavaju lep izgled čak i nakon kontinuiranog industrijskog pranja.

TenCate Tecawork™ TenCate nudi ceo niz poliesterskih mešavina (160-325 g) u standardnim bojama (po 100 m) i raznim oblicima. Dostupni u raznim kombinacijama tkanja kao što su twill, ripstop i platno.

Posebne tehničke performanse se mogu primeniti za poboljšanje funkcionalnosti, kao što je povlačenje nabora i otpornost na vodu i ulja.

TENCATE PROTECTIVE FABRICS SPECIALIZIRANE ZAŠČITNE TKANINE

Lacuna d.o.o. is an authorized distributor of TenCate Protective Fabrics, so TenCate Protective Fabrics are an integral part of LACUNA workwear, catering industry clothing, and special MULTISAFE protective clothing.

TenCate Protective Fabrics® is the world's leading manufacturer of protective fabrics used in the production of workwear designed to meet the ever-growing needs of industrial workers and occupational hazards such as firefighters, military and police, but also for specific catering and service requirements.

TenCate Tecasafe® Plus is the leading inherent fireproof multi-norm fabric in which Lyocell® fiber is woven. Tecasafe® Plus focuses on improved comfort and longevity. Soft and breathable, combined with superior properties ventilation, this fabric looks great, even after continuous industrial washing. Tecasafe® is a combination of intelligent fabrics resistant to flame and heat that provide excellent protection, especially during welding and electric arc exposure.

TenCate Tecashield® inherent fireproof fabric is a combination of heat and flame resistant fabrics, developed on the basis of meta-aramid and para-aramid fibers, includes Nomex® III and Nomex® Comfort solutions. Aramid fiber fabrics have high thermal stability and are particularly durable. Tecashield® fabrics are particularly useful in the chemical industry.

TenCate Tecapro® is a chemically treated fabric based on cotton, mixed with polyester, para-aramid or polyamide. Each combination has its own special characteristics, whether it is durability, comfort, protection or the perfect combination of all of them. Tecapro® fabrics have an advantage over all fire-resistant chemically treated fabrics thanks to their unique combination of high performance, outstanding comfort and excellent protection for various industrial sectors - in an ideal ratio for the money invested. They provide protection during welding and grinding, as well as from heat and flame exposure. Additional protective properties include anti-static, chemical resistance, high visibility and protection against electric arc exposure. Intended for wearing in extreme conditions, these fabrics retain a beautiful appearance even after continuous industrial washing.

TenCate Tecawork™ TenCate offers a range of polyester blends (160-325 g) in standard colors (100 m each) and various designs. Available in various weaving combinations such as twill, ripstop and canvas.

Special technical characteristics can be applied for improvement functionalities, such as folding and water and oil resistance.



LACUNA

Ergonomski dizajnirana i izrađena iz tkanine sa elasteom, kolekcija radne odeće PACIFIC FLEX omogućava maksimalnu slobodu pokreta tokom rada.

Tkanina je mekana i prozračna zbog udela pamuka u svom sastavu i izrazito je otporna na kidanje zbog postotka poliestera.

Kolekcija PACIFIC FLEX je ujedno i izdržljivija i dugotrajnija jer je na mestima najizloženijim habanju ojačana CORDURA tkaninom.

Ergonomically designed and made of elastane fabric, the PACIFIC FLEX workwear collection allows maximum freedom of movement during work.

The fabric is soft and breathable due to the proportion of cotton in its composition and extremely resistant to tearing due to the percentage of polyester.

The PACIFIC FLEX collection is both more durable and long lasting because it is reinforced with CORDURA fabric in the places most exposed to wear.



FLEXIBLE AND COMFORTABLE



2 WAY STRETCH



4 WAY STRETCH



BREATHABILITY



RESISTANCE TO TEARING





PACIFIC FLEX



PACIFIC FLEX

8PACIJP
petrol plava/petrol blue

8PACIJS
siva/gray

PACIFIC FLEX JAKNA

Sastav tkanine: 64% poliestersko vlakno, 34,5% pamuk, 1,5% elastan
Džepovi: tri gornja džepa i četiri bočna džepa
Zatvaranje: patentnim zatvaračem
Rukavi: pritezanje drukerom
Dodatak: reflektirajući detalji
Veličina: 48-62
Original pakovanje: 1/20

PACIFIC FLEX JACKET

Fabric composition: 64% polyester, 34,5% cotton, 1,5% elastane
Pockets: three top pockets and four side pockets
Fastening: zipper
Sleeves: press buttons tightening
Additional elements: reflective details
Size: 48-62
Original packaging: 1/20



RADNA JAKNA/ WORK JACKET	48	50	52	54	56	58	60	62
PETROL PLAVA/ PETROL BLUE	8PACIJP48	8PACIJP50	8PACIJP52	8PACIJP54	8PACIJP56	8PACIJP58	8PACIJP60	8PACIJP62
SIVA/GRAY	8PACIJS48	8PACIJS50	8PACIJS52	8PACIJS54	8PACIJS56	8PACIJS58	8PACIJS60	8PACIJS62

PACIFIC FLEX

8PACIPP
petrol plava/petrol blue


8PACIPS
siva/gray

PACIFIC FLEX RADNE HLAČE

Sastav tkanine: 64% poliestersko vlakno, 34,5% pamuk, 1,5% elastan, 245 g/m²
Pojačanja: CORDURA
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Kolena: dvostruki anatomski oblikovani dijelovi; kolena za dodatno umetanje uloška
Dodatak: reflektirajući detalji
Veličina: 48-62
Original pakovanje: 1/20

PACIFIC FLEX PANTS

Fabric composition: 64% polyester, 34,5% cotton, 1,5% elastane, 245 g/m²
Reinforcements: Cordura
Pockets: a number of multifunctional pockets
Closure: button and zipper
Knees: double, anatomically shaped pieces for extra knee pads
Additional elements: reflective details
Size: 48-62
Original packaging: 1/20



RADNE PANTALONE /WORK PANTS	48	50	52	54	56	58	60	62
PETROL PLAVA/ PETROL BLUE	8PACIPP48	8PACIPP50	8PACIPP52	8PACIPP54	8PACIPP56	8PACIPP58	8PACIPP60	8PACIPP62
SIVA/GRAY	8PACIPS48	8PACIPS50	8PACIPS52	8PACIPS54	88PACIPS56	8PACIPS58	8PACIPS60	8PACIPS62



8PACIJC
crvena/red

8PACIJN
tamno plava/blue

8PACIJB
braon/brown



LACUNA



RADNA JAKNA/ WORK JACKET	48	50	52	54	56	58	60	62
CRVENA/RED	8PACIJC48	8PACIJC50	8PACIJC52	8PACIJC54	8PACIJC56	8PACIJC58	8PACIJC60	8PACIJC62
TAMNO PLAVA/ BLUE	8PACIJN48	8PACIJN50	8PACIJN52	8PACIJN54	8PACIJN56	8PACIJN58	8PACIJN60	8PACIJN62
BRAON/BROWN	8PACIJB48	8PACIJB50	8PACIJB52	8PACIJB54	8PACIJB56	8PACIJB58	8PACIJB60	8PACIJB62

8PACIPC
crvena/red

8PACIPN
tamno plava/blue


8PACIPB
braon/brown



LACUNA



RADNE PANTALONE /WORK PANTS	48	50	52	54	56	58	60	62
CRVENA/RED	8PACIPC48	8PACIPC50	8PACIPC52	8PACIPC54	8PACIPC56	8PACIPC58	8PACIPC60	8PACIPC62
TAMNO PLAVA/ BLUE	8PACIPN48	8PACIPN50	8PACIPN52	8PACIPN54	8PACIPN56	8PACIPN58	8PACIPN60	8PACIPN62
BRAON/BROWN	8PACIPB48	8PACIPB50	8PACIPB52	8PACIPB54	8PACIPB56	8PACIPB58	8PACIPB60	8PACIPB62



**PACIFIC
FLEX**



PACIFIC FLEX

8PACIBP
petrol plava/petrol blue

8PACIBS
siva/gray

8PACIBC
crvena/red

8PACIBN
tamno plava/blue

8PACIBB
braon/brown



PACIFIC FLEX RADNE FARMER PANTALONE

Sastav tkanine: 64% poliestersko vlakno, 34,5% pamuk, 1,5% elasthan, 245 g/m²;

Pojačanja: CORDURA

Džepovi: mnoštvo multifunkcionalnih džepova

Zatvaranje: gumb i patentni zatvarač

Kolena: dvostruki anatomski oblikovani dijelovi kolena za dodatno umetanje uloška

Dodatak: reflektirajući detalji

Veličina: 48-62

Original pakovanje: 1/20

PACIFIC FLEX BIB & BRACE PANTS

Fabric composition: 64% polyester, 34,5% cotton, 1,5% elastane, 245 g/m²

Reinforcements: Cordura

Pockets: a number of multifunctional pockets

Closure: button and zipper

Knees: double, anatomically shaped pieces for extra knee pads


Additional elements: reflective details

Size: 48-62

Original packaging: 1/20



LACUNA



EN ISO 13688


RADNE FARMER HPANTALONE/BIB & BRACE PANTS	48	50	52	54	56	58	60	62
PETROL PLAVA/ PETROL BLUE	8PACIBP48	8PACIBP50	8PACIBP52	8PACIBP54	8PACIBP56	88PACIBP58	8PACIBP60	8PACIBP62
SIVA/GRAY	8PACIBS48	8PACIBS50	8PACIBS52	8PACIBS54	8PACIBS56	8PACIBS58	8PACIBS60	8PACIBS62
CRVENA/RED	8PACIBC48	8PACIBC50	8PACIBC52	8PACIBC54	8PACIBC56	8PACIBC58	8PACIBC60	8PACIBC62
TAMNO PLAVA/ BLUE	8PACIBN48	8PACIBN50	8PACIBN52	8PACIBN54	8PACIBN56	8PACIBN58	8PACIBN60	8PACIBN62
BRAON/BROWN	8PACIBB48	8PACIBB50	8PACIBB52	8PACIBB54	8PACIBB56	8PACIBB58	8PACIBB60	8PACIBB62

BERGEN FLEX



CANVAS

**TKANJE
WEAVING**





Čvrstina i izdržljivost nikad nisu bili prijatniji. U kolekciji BERGEN FLEX kombinujemo čvrstinu i izdržljivost, zahvaljujući CANVAS tkanju, i udobnost pokreta zbog elastina u sastavu tkanine.


Umeci rastezljivi u 4 smera omogućuju veću slobodu pokreta prilikom rada.

Veći udeo pamuka u sastavu tkanine omogućava prozračnost prilikom rada u toplim i vlažnim uslovima.

EN: Toughness and durability have never been more comfortable. In the BERGEN FLEX collection, we combine strength and durability thanks to CANVAS weaving and comfort of movement due to the elastin in the fabric.

Inserts stretchable in 4 directions enable a larger freedom of movement during work.

A higher proportion of cotton in the fabric composition enables breathability during work in hot and wet conditions.



BERGEN FLEX

8BERGJS
siva/gray

8BERGJC
crna/black

BERGEN FLEX RADNA JAKNA

Sastav tkanine: 59% pamuk, 38% poliestersko vlakno, 3% elastan, 250 g/m², CANVAS

Džepovi: 4 gornja džepa, 2 bočna džepa

Zatvaranje: patentni zatvarač

Rukavi: Velcro traka

Veličina: 46-64

Original pakovanje: 1/20

BERGEN FLEX WORK JACKET

Fabric composition: 59% cotton, 38% polyester, 3% elastane, 250 g/m², CANVAS

Pockets: four top pockets and two side pockets

Fastening: zipper


Sleeves: velcro tightening

Size: 46-64

Original packaging: 1/20



LACUNA



EN ISO 13688

RADNA JAKNA/ WORK JACKET	46	48	50	52	54	56	58	60	62	64
SIVA/GRAY	8BERGJS46	8BERGJS48	8BERGJS50	8BERGJS52	8BERGJS54	8BERGJS56	8BERGJS58	8BERGJS60	8BERGJS62	8BERGJS64
CRNA/BLACK	8BERGJC46	8BERGJC48	8BERGJC50	8BERGJC52	8BERGJC54	8BERGJC56	8BERGJC58	8BERGJC60	8BERGJC62	8BERGJC64

BERGEN FLEX

8BERGPS
siva/gray

8BERGPC
crna/black

BERGEN FLEX RADNE PANTALONE

Sastav tkanine: 59% pamuk, 38% poliestersko vlakno, 3% elastan, 250 g/m², CANVAS

Džepovi: mnoštvo multifunkcionalnih džepova

Zatvaranje: gumb i patentni zatvarač

Kolena: dodatno pojačanje od tkanine sa džepom za štitnike za kolena

Veličina: 46-64

Original pakovanje: 1/20

BERGEN FLEX PANTS

Fabric composition: 59% cotton, 38% polyester, 3% elastane, 250 g/m², CANVAS


Pockets: a number of multifunctional pockets

Closure: button and zipper

Knees: extra pocket for knee pad

Size: 46-64

Original packaging: 1/20



EN ISO 13688

RADNE PANTALONE/ WORKPANTS	46	48	50	52	54	56	58	60	62	64
SIVA/GRAY	8BERGPS46	8BERGPS48	8BERGPS50	8BERGPS52	8BERGPS54	8BERGPS56	8BERGPS58	8BERGPS60	8BERGPS62	8BERGPS64
CRNA/BLACK	8BERGPC46	8BERGPC48	8BERGPC50	8BERGPC52	8BERGPC54	8BERGPC56	8BERGPC58	8BERGPC60	8BERGPC62	8BERGPC64

BERGEN FLEX

8BERGBS
siva/gray

8BERGBC
crna/black

BERGEN FLEX RADNE FARMER PANTALONE

Sastav tkanine: 59% pamuk, 38% poliestersko vlakno, 3% elastan, 250 g/m², CANVAS

Džepovi: mnoštvo multifunkcionalnih džepova

Zatvaranje: gumb i patentni zatvarač

Kolena: dodatno pojačanje od tkanine sa džepom za štitnike za kolena

Veličina: 46-64

Original pakovanje: 1/20

BERGEN FLEX BIB & BRACE PANTS

Fabric composition: 59% cotton, 38% polyester, 3% elastane, 250 g/m², CANVAS


Pockets: a number of multifunctional pockets

Closure: button and zipper

Knees: extra pocket for knee pad

Size: 46-64

Original packaging: 1/20



EN ISO 13688

FARMER PANTALONE/ BIB & BRACE PANTS	46	48	50	52	54	56	58	60	62	64
SIVA/GRAY	8BERGBS46	8BERGBS48	8BERGBS50	8BERGBS52	8BERGBS54	8BERGBS56	8BERGBS58	8BERGBS60	8BERGBS62	8BERGBS64
CRNA/BLACK	8BERGBC46	8BERGBC48	8BERGBC50	8BERGBC52	8BERGBC54	8BERGBC56	8BERGBC58	8BERGBC60	8BERGBC62	8BERGBC64



MIX & MATCH

MOVE FLEX





MOVE FLEX kolekcija je izrađena od fleksibilne, rastezljive poliamidne tkanine sa velikim učešćem elastina. Tkanina je ujedno i izdržljiva, sa visokim nivoom otpornosti na habanje te se optimalno prilagođava telu i omogućuje slobodu pokreta.

Poliamid u sastavu osigurava visoku čvrstinu materijala u suvim i vlažnim okruženjima, dugotrajnu otpornost na habanje i sunčevu svetlost. Jedna od prednosti je lako održavanje jer se tkanina ne skuplja i ne gužva.

Zbog udela elastina u sastavu, odeća dobro pristaje uz telo pa je osigurana udobnost pri obavljanju radnih aktivnosti zbog rastezanja u 4 smera.

The MOVE FLEX collection is made of flexible, stretchy polyamide fabric with a high proportion of elastin. The fabric is durable, with a high level of resistance to wear and tear and optimally adapts to the body and allows freedom of movement.

Polyamide in the composition ensures high strength of the material in dry and wet environments, as well as long-lasting resistance to wear and sunlight. One of advantages is also easy maintenance since the fabric does not shrink or wrinkle.

Due to the proportion of elastan in the composition and stretching in 4 directions, the clothes fit the body well and ensures comfort during performing work activities.

MOVE FLEX

8MOVEJH
siva/gray

8MOVEJP
plava/blue

MOVE FLEX RADNA JAKNA

Sastav tkanine: 90% poliamid, 10% elasthan, 260 g/m²

Džepovi: 1 prsni džep, 2 bočna džepa

Zatvaranje: patentni zatvarač

Veličina: S-XXXL

Original pakovanje: 1/20

MOVE FLEX WORK JACKET

Fabric composition: 90% polyamide, 10% elastan, 260 g/m²

Pockets: 1 chest and 2 side pockets

Closure: zipper

Size: S-XXXL

Original packaging: 1/20



EN ISO 13688

RADNA JAKNA/ WORK JACKET	S	M	L	XL	XXL	XXXL
SIVA/GRAY	8MOVEJHS	8MOVEJHM	8MOVEJHL	8MOVEJHXL	8MOVEJHXXL	8MOVEJHXXXL
PLAVA/BLUE	8MOVEJPS	8MOVEJPM	8MOVEJPL	8MOVEJPXL	8MOVEJPXXL	8MOVEJPXXXL





MOVE FLEX

8MOVEPH
siva/gray

8MOVEPP
plava/blue

MOVE FLEX RADNE PANTALONE
Sastav tkanine: 90% poliamid, 10% elasthan, 260 g/m²
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Kolena: dodatno pojačanje od tkanine sa džepom za štitnike
Veličine: 46-66
Originalno pakovanje: 1/20

MOVE FLEX PANTS
Fabric composition: 90% polyamide, 10% elastane, 260g/m²
Pockets: a number of multifunctional pockets
Closure: button and zipper
Knees: extra pocket for knee pad
Size: 46-66
Original packaging: 1/20



EN ISO 13688

RADNE PANTALONE/ WORK PANTS	46	48	50	52	54	56	58	60	62	64	66
SIVA/GRAY	8MOVEPH46	8MOVEPH48	8MOVEPH50	8MOVEPH52	8MOVEPH54	8MOVEPH56	8MOVEPH58	8MOVEPH60	8MOVEPH62	8MOVEPH64	8MOVEPH66
PLAVA/BLUE	8MOVEPP46	8MOVEPP48	8MOVEPP50	8MOVEPP52	8MOVEPP54	8MOVEPP56	8MOVEPP58	8MOVEPP60	8MOVEPP62	8MOVEPP64	8MOVEPP66

MOVE FLEX

8MOVEKH
siva/gray

8MOVEKP
plava/blue

MOVE FLEX KRATKE PANTALONE
Sastav tkanine: 90% poliamid, 10% elasthan, 260 g/m²
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Veličine: 46-66
Originalno pakovanje: 1/20

MOVE FLEX SHORT PANTS
Fabric composition: 90% polyamide, 10% elastane, 260 g/m²
Pockets: a number of multifunctional pockets
Closure: button and zipper
Size: 46-66
Original packaging: 1/20



EN ISO 13688

KRATKE PANTALONE/ SHORT PANTS	46	48	50	52	54	56	58	60	62	64	66
SIVA/GRAY	8MOVEKH46	8MOVEKH48	8MOVEKH50	8MOVEKH52	8MOVEKH54	8MOVEKH56	8MOVEKH58	8MOVEKH60	8MOVEKH62	8MOVEKH64	8MOVEKH66
PLAVA/BLUE	8MOVEKP46	8MOVEKP48	8MOVEKP50	8MOVEKP52	8MOVEKP54	8MOVEKP56	8MOVEKP58	8MOVEKP60	8MOVEKP62	8MOVEKP64	8MOVEKP66

NORTH TECH

NORTH TECH

8NORTJS
sivo-zelena/gray-green

8NORTJP
plava/blue

8NORTJH
sivo-plava/gray-blue

NORTH TECH RADNA JAKNA


Sastav tkanine: 60% pamuk,
40% poliestersko vlakno, 245 g/m²
Džepovi: 2 gornja džepa, 2 bočna džepa
Zatvaranje: patentni zatvarač
Veličina: S-XXXL
Original pakovanje: 1/20

NORTH TECH JACKET

Fabric composition: 60% cotton,
40% polyester, 245 g/m²
Pockets: two top pockets and two side pockets
Fastening: zipper
Size: S-XXXL
Original packaging: 1/20



LACUNA



EN ISO 13688

RADNA JAKNA/ WORK JACKET	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVO-ZELENA/ GRAY-GREEN	8NORTJSS	8NORTJSM	8NORTJSL	8NORTJSXL	8NORTJSXXL	8NORTJSXXXL
PLAVA/BLEU	8NORTJPS	8NORTJPM	8NORTJPL	8NORTJPXL	8NORTJPXXL	8NORTJPXXXL
SIVO-PLAVA/ GRAY-BLEU	8NORTJHS	8NORTJHM	8NORTJHL	8NORTJHXL	8NORTJHXXL	8NORTJHXXXL



NORTH TECH

8NORTPS
sivo-zelena/gray-green

8NORTPP
plava/blue


8NORTPH
sivo-plava/gray-blue

NORTH TECH RADNE PANTALONE

Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Kolena: dodatno pojačanje od tkanine sa džepom za štitnike za kolena
Veličina: 46-66
Original pakovanje: 1/20

NORTH TECH PANTS

Fabric composition: 60% cotton 40% polyester, 245 g/m²
Pockets: a number of multifunctional pockets **Closure:** button and zipper
Knees: extra pocket for knee pad
Size: 46-66
Original packaging: 1/20



LACUNA



EN ISO 13688

KRATKEPANTALONE/ SHORTPANTS	46	48	50	52	54	56	58	60	62	64	66
SIVO-ZELENA/ GRAY-GREEN	8NORTPS46	8NORTPS48	8NORTPS50	8NORTPS52	8NORTPS54	8NORTPS56	8NORTPS58	8NORTPS60	8NORTPS62	8NORTPS64	8NORTPS66
PLAVA/BLUE	8NORTPP46	8NORTPP48	8NORTPP50	8NORTPP52	8NORTPP54	8NORTPP56	8NORTPP58	8NORTPP60	8NORTPP62	8NORTPP64	8NORTPP66
SIVO-PLAVA/ GRAY-BLUE	8NORTPH46	8NORTPH48	8NORTPH50	8NORTPH52	8NORTPH54	8NORTPH56	8NORTPH58	8NORTPH60	8NORTPH62	8NORTPH64	8NORTPH66

NORTH TECH

8NORTBS
sivo-zelena/gray-green

8NORTBP
plava/blue


8NORTBH
sivo-plava/gray-blue

NORTH TECH RADNE PANTALONE

Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Kolena: dodatno pojačanje od tkanine sa džepom za štitnike za kolena
Veličina: 46-66
Original pakovanje: 1/20

NORTH TECH BIB & BRACE PANTS

Fabric composition: 60% cotton 40% polyester, 245 g/m²
Pockets: a number of multifunctional pockets
Closure: button and zipper
Knees: extra pocket for knee pad
Size: 46-66
Original packaging: 1/20



EN ISO 13688

FARMERPANTALONE/ BB&BRACEPANTS	46	48	50	52	54	56	58	60	62	64	66
SIVO-ZELENA/ GRAY-GREEN	8NORTBS46	8NORTBS48	8NORTBS50	8NORTBS52	8NORTBS54	8NORTBS56	8NORTBS58	8NORTBS60	8NORTBS62	8NORTBS64	8NORTBS66
PLAVA/BLUE	8NORTBP46	8NORTBP48	8NORTBP50	8NORTBP52	8NORTBP54	8NORTBP56	8NORTBP58	8NORTBP60	8NORTBP62	8NORTBP64	8NORTBP66
SIVO-PLAVA/ GRAY-BLUE	8NORTBH46	8NORTBH48	8NORTBH50	8NORTBH52	8NORTBH54	8NORTBH56	8NORTBH58	8NORTBH60	8NORTBH62	8NORTBH64	8NORTBH66



**NORTH
TECH**



NORTH TECH

8NORTGS
sivo-zelena/gray-green

8NORTGP
plava/blue

8NORTGH
sivo-plava/sivo-modra

NORTH RADNI PRSLUK


Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Džepovi: 2 gornja džepa, 2 bočna džepa
Zatvaranje: patentni zatvarač
Veličina: S-XXXL
Original pakovanje: 1/20

NORTH TECH WORK VEST

Fabric composition: 60% cotton, 40% polyester, 245g/m²
Pockets: two top pockets and two side pockets
Fastening: zipper
Size: S-XXXL
Original packaging: 1/20



LACUNA



EN ISO 13688

RADNI PRSLUK/ WORK VEST	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVO-ZELENA/ GRAY-GREEN	8NORTGSS	8NORTGSM	8NORTGSL	8NORTGSXL	8NORTGSXXL	8NORTGSXXXL
PLAVA/BLUE	8NORTGPS	8NORTGPM	8NORTGPL	8NORTGPXL	8NORTGPXXL	8NORTGPXXXL
SIVO-PLAVA/ GRAY-BLUE	8NORTGHS	8NORTGHM	8NORTGHL	8NORTGHXL	8NORTGHXXL	8NORTGHXXXL

NORTH TECH

8NORTKS
sivo-zelena/gray-green

8NORTKP
plava/blue


NORTKH
sivo-plava/sivo-modra

NORTH TECH KRATKE PANTALONE

Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Veličina: 46-66
Original pakovanje: 1/20

NORTH TECH SHORT PANTS

Fabric composition: 60% cotton, 40% polyester, 245 g/m²
Pockets: a number of multifunctional pockets
Closure: button and zipper
Size: 46-66
Original packaging: 1/20



EN ISO 13688

KRATKE PANTALONE/ SHORT PANTS	46	48	50	52	54	56	58	60	62	64	66
SIVO-ZELENA/ GRAY-GREEN	8NORTKS46	8NORTKS48	8NORTKS50	8NORTKS52	8NORTKS54	8NORTKS56	8NORTKS58	8NORTKS60	8NORTKS62	8NORTKS64	8NORTKS66
PLAVA/BLUE	8NORTKP46	8NORTKP48	8NORTKP50	8NORTKP52	8NORTKP54	8NORTKP56	8NORTKP58	8NORTKP60	8NORTKP62	8NORTKP64	8NORTKP66
SIVO-PLAVA/ GRAY-BLUE	8NORTKH46	8NORTKH48	8NORTKH50	8NORTKH52	8NORTKH54	8NORTKH56	8NORTKH58	8NORTKH60	8NORTKH62	8NORTKH64	8NORTKH66





NORTH TECH


8NORTWH
sivo-plava/gray-blue

NORTH RADNI ZIMSKI PRSLUK

Sastav tkanine: 60% pamuk,
40% poliestersko vlakno, 245 g/m²
Džepovi: 2 gornja džepa, 2 bočna džepa
Zatvaranje: patentni zatvarač
Veličina: S-XXXL
Original pakovanje: 1/20

NORTH TECH WINTER WORK VEST

Fabric composition: 60% cotton,
40% polyester, 245 g/m²
Pockets: two top pockets and two side pockets
Fastening: zipper
Size: S-XXXL
Original packaging: 1/20



EN ISO 13688

RADNI PRSLUK/ WORK VEST	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVO-PLAVA/ GRAY-BLUE	8NORTWHS	8NORTWHM	8NORTWHL	8NORTWHXL	8NORTWHXXL	8NORTWHXXXL

NORTH TECH

5NORTDG
sivo-crna/gray-black

NORTH TECH FLIS VESTA

Sastav tkanine: polarni flis 250 g/m²,
100% poliestersko vlakno
Džepovi: 2 donja džepa, 1 prsni
Zatvaranje: patentni zatvarač
Veličina: S-XXXL
Original pakovanje: 1/10

NORTH TECH FLEECE JACKET

Fabric composition: polar fleece 250g/m²,
100% polyester
Pockets: two side pockets and one chest pocket
Fastening: zipper
Size: S-XXXL
Original packaging: 1/10



EN ISO 13688

FLIS VESTA/ FLEECE JACKET	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVO-CRNA/ GRAY-BLACK	5NORTDGS	5NORTDGM	5NORTDGL	5NORTDGXL	5NORTDGXXL	5NORTDGXXXL



GREENLAND



GREENLAND

8GREEJS
siva/gray

8GREEJP
plava/blue

8GREEJH
svijetlo siva/light gray

8GREEJR
kraljevsko plava/
royal blue



LACUNA



NOVO
NEW

REGULAR
FITTING

GREENLAND RADNA JAKNA

Sastav tkanine: 100% pamuk, 260 g/m²
Džepovi: 4 gornja džepa, 2 bočna džepa
Zatvaranje: patentni zatvarač
Rukavi: Velcro traka
Veličina: S-XXXL
Original pakovanje: 1/20

GREENLAND JACKET

Fabric composition: 100% cotton, 260 g/m²
Pockets: four top pockets and two side pockets
Fastening: zipper
Sleeves: velcro tightening
Size: S-XXXL
Original packaging: 1/20



CE EN ISO 13688

RADNA JAKNA/ WORK JACKET	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVA/GRAY	8GREEJSS	8GREEJSM	8GREEJSL	8GREEJSXL	8GREEJSXXL	8GREEJSXXXL
PLAVA/BLEUE	8GREEJPS	8GREEJPM	8GREEJPL	8GREEJPXL	8GREEJPXXL	8GREEJPXXXL
SVIJETLO SIVA/ LIGHT GRAY	8GREEJHS	8GREEJHM	8GREEJHL	8GREEJHXL	8GREEJHXXL	8GREEJHXXXL
KRALJEVSKO PLAVA/ ROYAL BLUE	8GREEJRS	8GREEJRM	8GREEJRL	8GREEJRXL	8GREEJRXXL	8GREEJRXXXL

GREENLAND

8GREEPS
siva/gray

8GREEPP
plava/blue

8GREEPH
svijetlo siva/light gray

8GREPR
kraljevsko plava/
royal blue



NOVO
NEW

GREENLAND RADNE PANTALONE

Sastav tkanine: 100% pamuk, 260 g/m²

Džepovi: mnoštvo multifunkcionalnih džepova

Zatvaranje: gumb i patentni zatvarač

Kolena: dodatan džep; reflektirajuća traka

Veličina: 46-66

Original pakovanje: 1/20

GREENLAND WORK PANTS

Fabric composition: 100% cotton, 260g/m²

Pockets: a number of multifunctional pockets

Closure: button and zipper

Knees: extra pocket for knee pad

Size: 46-66

Original packaging: 1/20



LACUNA



EN ISO 13688

RADNA JAKNA/ WORK PANTS	46	48	50	52	54	56	58	60	62	64	66
SIVA/GRAY	8GREEPS46	8GREEPS48	8GREEPS50	8GREEPS52	8GREEPS54	8GREEPS56	8GREEPS58	8GREEPS60	8GREEPS62	8GREEPS64	8GREEPS66
PLAVA/BLUE	8GREEPP46	8GREEPP48	8GREEPP50	8GREEPP52	8GREEPP54	8GREEPP56	8GREEPP58	8GREEPP60	8GREEPP62	8GREEPP64	8GREEPP66
SVIJETLO SIVA/ LIGHT GRAY	8GREEPH46	8GREEPH48	8GREEPH50	8GREEPH52	8GREEPH54	8GREEPH56	8GREEPH58	8GREEPH60	8GREEPH62	8GREEPH64	8GREEPH66
KRALJEVSKO PLAVA/ROYAL BLUE	8GREEP46	8GREEP48	8GREEP50	8GREEP52	8GREEP54	8GREEP56	8GREEP58	8GREEP60	8GREEP62	8GREEP64	8GREEP66



GREENLAND

8GREEBS
siva/gray

8GREEBP
plava/blue

8GREEBH
svijetlo siva/light gray

8GREEBR
kraljevsko plava/
royal blue



**NOVO
NEW**

GREENLAND RADNE PANTALONE

Sastav tkanine: 100% pamuk, 260 g/m²

Džepovi: mnoštvo multifunkcionalnih džepova

Zatvaranje: gumb i patentni zatvarač

Kolena: dodatan džep; reflektirajuća traka

Veličina: 46-66

Original pakovanje: 1/20

GREENLAND BIB & BRACE PANTS

Fabric composition: 100% cotton, 260 g/m²

Pockets: a number of multifunctional pockets

Closure: button and zipper

Knees: extra pocket for knee pad, reflective tape

Size: 46-66

Original packaging: 1/20



LACUNA



EN ISO 13688

RADNA JAKNA/ BIB & BRACE PANTS	46	48	50	52	54	56	58	60	62	64	66
SIVA/GRAY	8GREEBS46	8GREEBS48	8GREEBS50	8GREEBS52	8GREEBS54	8GREEBS56	8GREEBS58	8GREEBS60	8GREEBS62	8GREEBS64	8GREEBS66
PLAVA/BLUE	8GREEBP46	8GREEBP48	8GREEBP50	8GREEBP52	8GREEBP54	8GREEBP56	8GREEBP58	8GREEBP60	8GREEBP62	8GREEBP64	8GREEBP66
SVIJETLO SIVA/ LIGHT GRAY	8GREEBH46	8GREEBH48	8GREEBH50	8GREEBH52	8GREEBH54	8GREEBH56	8GREEBH58	8GREEBH60	8GREEBH62	8GREEBH64	8GREEBH66
KRALJEVSKO PLAVA/ROYAL BLUE	8GREEBR46	8GREEBR48	8GREEBR50	8GREEBR52	8GREEBR54	8GREEBR56	8GREEBR58	8GREEBR60	8GREEBR62	8GREEBR64	8GREEBR66





MNOGO DŽEPOVA *A LOT OF POCKETS*

Da bismo vam osigurali što više mogućnosti za praktično spremanje, npr. alata, naši modeli su dizajnirani sa brojnim džepovima različitih oblika, prilagođenih vašim potrebama.

To provide you with as much as possible convenient handy tools deposits, our models are designed with lots of different pocket shapes, customized to your needs.



POJAČANI ŠAVOVI *REINFORCED SEAMS*

Pružaju dodatnu trajnost i doprinose celokupnom izgledu.

They provide extra durability and add to the overall look.



POJAČANA ZAŠTITA KOLENA *REINFORCEMENT ON KNEES*

Pružaju dodatnu trajnost i doprinose celokupnom izgledu.

They provide extra durability and add to the overall look.



ŠTITNICI ZA KOLENA *KNEES PROECTION*

Mogućnost umetanja štitnika za kolena osigurava bezbedniji rad.

The possibility to insert knee pads ensures safer operation.

SPEKTAR

OJAČANI ŠAVOVI
REINFORCED SEAMS

OJAČANI ŠAVOVI
REINFORCED SEAMS

POJAČANA Kolena
REINFORCEMENT ON KNEES





SPEKTAR

8SPEKJC
crvena/red

SPEKTAR – RADNA JAKNA
Sastav tkanine: 65% poliestersko vlakno, 35% pamuk, 245 g/m²
Zatvaranje: klapna na čičak
Ovratnik: klasičan
Džepovi: 5
Pritezanje: čičak traka
Veličina: S-XXXL
Originalno pakovanje: 1/10

SPEKTAR - WORK JACKET
Fabric composition: 65% polyester, 35% cotton, 245 g/m²
Fastening: Velcro strap
Collar: classic
Pockets: 5
Tightening: Velcro strap
Size: S-XXXL
Original packaging: 1/10



LACUNA



MADE IN EUROPE



REGULAR FITTING



EN ISO 13688



RADNA JAKNA/WORK JACKETS

	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
CRVENA/RED	8SPEKJCS	8SPEKJCM	8SPEKJCL	8SPEKJCXL	8SPEKJCXXL	8SPEKJCXXXL



SPEKTAR

8SPEKPC
crvena/red

SPEKTAR – RADNE PANTALONE
Sastav tkanine: 65% poliestersko vlakno, 35% pamuk, 245 g/m²
Zatvaranje: zatvarač
Džepovi: 4
Kolena: dodatno pojačanje tkanine sa depom za štitnike za kolena
Veličina: S-XXXL
Originalno pakovanje: 1/10

SPEKTAR - WORK PANTS
Fabric composition: 65% polyester, 35% cotton, 245 g/m²
Fastening: zipper
Pockets: 4
Knees: Additional fabric reinforcement with knee protection pocket
Size: S-XXXL
Original packaging: 1/10



LACUNA



MADE IN EUROPE



REGULAR FITTING



EN ISO 13688



RADNE PANTALONE/WORK PANTS

	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
CRVENA/RED	8SPEKPCS	8SPEKPCM	8SPEKPCL	8SPEKPCXL	8SPEKPCXXL	8SPEKPCXXXL



SPEKTAR

8SPEKBC
crvena/red

SPEKTAR – FARMER PANTALONE
Sastav tkanine: 65% poliestersko vlakno, 35% pamuk, 245 g/m²
Zatvaranje: zatvarač
Džepovi: 6
Kolena: dodatno pojačanje tkanine sa depom za štitnike za kolena
Veličina: S-XXXL
Originalno pakovanje: 1/10

SPEKTAR - BIB & BRACE PANTS
Fabric composition: 65% polyester, 35% cotton, 245 g/m²
Fastening: zipper
Pockets: 6
Knees: reinforcing fabric with pockets for knee protection
Size: S-XXXL
Original packaging: 1/10



LACUNA



MADE IN EUROPE



REGULAR FITTING



EN ISO 13688



FARMER PANTALONE/BIB & BRACE PANTS

	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
CRVENA/RED	8SPEKBCS	8SPEKBCM	8SPEKBCL	8SPEKBCXL	8SPEKBCXXL	8SPEKBCXXXL



8SPEKJB
plava/blue



8SPEKJW
bela/white



8SPEKJR
royal/royal blue



RADNA JAKNA/WORK JACKET	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA/BLUE	8SPEKJBS	8SPEKJBM	8SPEKJBL	8SPEKJBXL	8SPEKJBXXL	8SPEKJBXXXL
BELA/WHITE	8SPEKJWS	8SPEKJWM	8SPEKJWL	8SPEKJWXL	8SPEKJWXXL	8SPEKJWXXXL
ROYAL/ROYAL BLUE	8SPEKJRS	8SPEKJRM	8SPEKJRL	8SPEKJRXL	8SPEKJRXXL	8SPEKJRXXXL

8SPEKPB
plava/blue



8SPEKPW
bela/white



8SPEKPR
royal/royal blue



RADNE PANTALONE/WORK PANTS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA/BLUE	8SPEKPBS	8SPEKPB M	8SPEKPB L	8SPEKPBXL	8SPEKPBXXL	8SPEKPBXXXL
BELA/WHITE	8SPEKPWS	8SPEKPWM	8SPEKPWL	8SPEKPWXL	8SPEKPWXXL	8SPEKPWXXXL
ROYAL/ROYAL BLUE	8SPEKPRS	8SPEKPRM	8SPEKPR L	8SPEKPRXL	8SPEKPRXXL	8SPEKPRXXXL

8SPEKBB
plava/blue



8SPEKBW
bela/white



8PA 8SPEKBR
royal/royal blue



FARMER PANTALONE/BIB & BRACE PANTS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA/BLUE	8SPEKBBS	8SPEKBBM	8SPEKBB L	8SPEKBBXL	8SPEKBBXXL	8SPEKBBXXXL
BELA/WHITE	8SPEKBWS	8SPEKBWM	8SPEKBWL	8SPEKBWXL	8SPEKBWXXL	8SPEKBWXXXL
ROYAL/ROYAL BLUE	8SPEKBRS	8SPEKBRM	8SPEKBR L	8SPEKBRXL	8SPEKBRXXL	8SPEKBRXXXL



8SPEKJG <i>siva/gray</i>		8SPEKJN <i>crna/black</i>		8SPEKJS <i>braon/brown</i>	
------------------------------------	--	-------------------------------------	--	--------------------------------------	--



RADNA JAKNA/WORK JACKET	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVA/GRAY	8SPEKJGS	8SPEKJGM	8SPEKJGL	8SPEKJGXL	8SPEKJGXXL	8SPEKJGXXXL
CRNA/BLACK	8SPEKJNS	8SPEKJNM	8SPEKJNL	8SPEKJNXL	8SPEKJNXXL	8SPEKJNXXXL
BRAON/BROWN	8SPEKJSS	8SPEKJSM	8SPEKJSL	8SPEKJSXL	8SPEKJSXXL	8SPEKJSXXXL

8SPEKPG <i>siva/gray</i>		8SPEKPN <i>crna/black</i>		8SPEKPS <i>braon/brown</i>	
------------------------------------	--	-------------------------------------	--	--------------------------------------	--



RADNE PANTALONE/WORK PANTS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVA/GRAY	8SPEKPGS	8SPEKPGM	8SPEKPGL	8SPEKPGXL	8SPEKPGXXL	8SPEKPGXXXL
CRNA/BLACK	8SPEKPNs	8SPEKPNM	8SPEKPNL	8SPEKPNXL	8SPEKPNXXL	8SPEKPNXXXL
BRAON/BROWN	8SPEKPSs	8SPEKPSM	8SPEKPSL	8SPEKPSXL	8SPEKPSXXL	8SPEKPSXXXL

8SPEKBG <i>siva/gray</i>		8SPEKBN <i>crna/black</i>		8SPEKBS <i>braon/brown</i>	
------------------------------------	--	-------------------------------------	--	--------------------------------------	--



FARMER PANTALONE/BIB & BRACE PANTS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVA/GRAY	8SPEKBGS	8SPEKBGM	8SPEKBGL	8SPEKBGXL	8SPEKBGXXL	8SPEKBGXXXL
CRNA/BLACK	8SPEKBNS	8SPEKBNM	8SPEKBNL	8SPEKBNXL	8SPEKBNXXL	8SPEKBNXXXL
BRAON/BROWN	8SPEKBSS	8SPEKBSM	8SPEKBSL	8SPEKBSXL	8SPEKBSXXL	8SPEKBSXXXL

CITY II

5NAV
tamno plava/dark blue

NAVY II – RADNA JAKNA

Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Ovratnik: klasičan
Zatvaranje: jednosmjerni zatvarač
Rukavi: Velcro trake na stezanje
Džepovi: gore 5, dole 3
Veličina: S-XXXL
Boja: TAMNO PLAVA - SIVA
Original pakovanje: 1/10

NAVY II - WORK JACKET

Fabric composition: 60% cotton, 40% polyester, 245 g/m²
Collar: classic
Fastening: one-way zipper
Sleeves: fastening with Velcro
Pockets: upper 5, lower 3
Size: S-XXXL
Original packaging: 1/10



coverguard



CE



RADNA BLUZA/WORK JACKET	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
TAMNO PLAVA/DARK BLUE	5NAV05000S	5NAV05000M	5NAV05000L	5NAV0500XL	5NAV0502XL	5NAV0503XL

CITY II

5NAP
tamno plava/dark blue

NAVY II – PANTALONE KLASIČNE

Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Zatvaranje: patent zatvarač
Kolena: pojačana, prostor za umetanje štitnika
Nogavice: vezica za pritezanje, na dnu čičak traka
Džepovi: 7
Veličina: XS-XXXL
Original pakovanje: 1/10

NAVY II - WORK PANTS

Fabric composition: 60% cotton, 40% polyester, 245 g/m²
Closure: zipper
Knees: reinforced, a place to insert the protection
Legs: drawstring, at the bottom
Velcro tape
Pockets: 7
Size: XS-XXXL
Original packaging: 1/10



coverguard



EN 14404
TYPE 2



KLASIČNE PANTALONE/WORK PANTS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
TAMNO PLAVA/DARK BLUE	5NAP05000S	5NAP05000M	5NAP05000L	5NAP0500XL	5NAP0502XL	5NAP0503XL

CITY II

5NAB
tamno plava/dark blue

NAVY II – PANTALONE FARMER

Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Zatvaranje: patent zatvarač
Kolena: pojačana, mjesto za umetanje štitnika za koljeno
Nogavice: vezica za pritezanje
Džepovi: 10
Veličina: S-XXL
Original pakovanje: 1/10

NAVY II - BIB & BRACE PANTS

Fabric composition: 60% cotton, 40% polyester, 245 g/m²
Closure: zipper
Knees: Reinforced, place for inserting knee protection
Legs: drawstring
Pockets: 10
Size: S-XXL
Original packaging: 1/10



coverguard



EN 14404
TYPE 2



FARMER PANTALONE/BIB & BRACE PANTS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
TAMNO PLAVA/DARK BLUE	5NAB05000S	5NAB05000M	5NAB05000L	5NAB0500XL	5NAB0502XL	5NAB0503XL



CITY II

5NAC
tamno plava/dark blue

NAVY II – KOMBINEZON

Sastav tkanine: 60% pamuk, 40% Poliestersko vlakno, 245 g/m²
Zatvaranje: patent zatvarač
Kolena: pojačana, mjesto za umetanje štitnika za koljeno.
Nogavice: vezica za pritezanje
Džepovi: 11
Veličina: S-XXXL

NAVY II - WORK COVERALL

Fabric composition: 60% cotton, 40% polyester, 245 g/m²
Closure: zipper
Knees: Reinforced, place for inserting a knee protection.
Legs: drawstring
Pockets: 11
Size: S-XXXL
Original packaging: 1/10



coverguard



EN 14404
TYPE 2



KOMBINEZON/COVERALL	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
TAMNO PLAVA/DARK BLUE	5NAC05000S	5NAC05000M	5NAC05000L	5NAC0500XL	5NAC0502XL	5NAC0503XL

CITY II

5NAK/5NAS
tamno plava/dark blue

NAVY II – BERMUDE

Sastav tkanine: 60% pamuk, 40% Poliestersko vlakno, 245 g/m²
Zatvaranje: patent zatvarač
Džepovi: 6
Veličina: S-XXXL
Original pakovanje: 1/10

NAVY II – BERMUDA

Composition of fabrics: 60% cotton, 40% polyester, 245 g/m²
Fastening: zipper
Pockets: 6
Size: S-XXXL
Original packaging: 1/10



coverguard



CE



BERMUDE/BERMUDA	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
TAMNO PLAVA/TEMNO MODRA	5NAK05000S	5NAK05000M	5NAK05000L	5NAK0500XL	5NAK0502XL	5NAK0503XL
BERMUDE/BERMUDA	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
TAMNO PLAVA/DARK BLUE	5NAS05000S	5NAS05000M	5NAS05000L	5NAS0500XL	5NAS0502XL	5NAS0503XL

CITY II

5NAG
tamno plava/dark blue

NAVY II – RADNI PRSLUK

Sastav tkanine: 60% pamuk, 40% Poliestersko vlakno, 245 g/m²
Ovratnik: ravan
Zatvaranje: jednospmjerni zatvarač
Džepovi: 6
Veličina: S-XXXL
Original pakovanje: 1/10

NAVY II - WORK VEST

Fabric composition: 60% cotton, 40% polyester, 245 g/m²
Collar: classic
Fastening: zipper
Pockets: 6
Size: S-XXXL
Original packaging: 1/10



coverguard



CE EN ISO 13688



RADNI PRSLUK/WORK VEST	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
TAMNO PLAVA/DARK BLUE	5NAG05000S	5NAG05000M	5NAG05000L	5NAG0500XL	5NAG0502XL	5NAG0503XL

CITY II

5PAV
siva/gray

PADDOCK II – RADNA BLUZA

Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Ovratnik: klasičan
Zatvaranje: jednosmjerni zatvarač
Rukavi: velcro trake na stezanje
Džepovi: gore 5, dole 3
Veličina: S-XXXL
Original pakovanje: 1/10

PADDOCK II - WORK JACKET

Fabric composition: 60% cotton, 40% polyester, 245 g/m²
Collar: classic
Closure: one-way zipper
Sleeves: Velcro straps
Pockets: top 5, bottom 3
Size: S-XXXL
Original packaging: 1/10



coverguard



CE



RADNA BLUZA/WORK JACKET	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVA/GRAY	5PAV15000S	5PAV15000M	5PAV15000L	5PAV15000XL	5PAV1502XL	5PAV1503XL

CITY II

5PAP
siva/gray

PADDOCK II – PANTALONE KLASIČNE

Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Zatvaranje: patent zatvarač
Kolena: pojačana, prostor za umetanje štitnika
Nogavice: vezica za pritezanje
Džepovi: 7
Veličina: S-XXXL
Original pakovanje: 1/10

PADDOCK II - WORK PANTS

Fabric composition: 60% cotton, 40% polyester, 245 g/m²
Fastening: zipper
Knees: reinforced, possibility of inserting knee pads
Legs: fastening straps, with covering tape
Pockets: 7
Size: S-XXXL
Original packaging: 1/10



coverguard



EN 14404
TYPE 2



KLASIČNE PANTALONE/WORK PANTS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVA/GRAY	5PAP15000S	5PAP15000M	5PAP15000L	5PAP15000XL	5PAP1502XL	5PAP1503XL

CITY II

5PAB
siva/gray

PADDOCK II – PANTALONE FARMER

Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Zatvaranje: patent zatvarač
Kolena: pojačana
Nogavice: vezica za pritezanje
Džepovi: 10
Veličina: S-XXXL
Original pakovanje: 1/10

PADDOCK II - BIB & BRACE PANTS

Fabric composition: 60% cotton, 40% polyester, 245 g/m²
Closure: zipper
Knees: reinforced, possibility of inserting knee pads
Socks: drawstring
Pockets: 10
Size: S-XXXL
Original packaging: 1/10



coverguard



EN 14404
TYPE 2



FARMER PANTALONE/BIB & BRACE PANTS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVA/GRAY	5PAB15000S	5PAB15000M	5PAB15000L	5PAB15000XL	5PAB1502XL	5PAB1503XL



CITY II

5PAC
siva/gray

PADDOCK II – KOMBINEZON

Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²

Zatvaranje: patent zatvarač

Kolena: pojačana, prostor za štitičke

Nogavice: čičak traka na dnu

Džepovi: 11

Veličina: S-XXXL

Original pakovanje: 1/10

PADDOCK II - WORK COVERALL

Fabric composition: 60% cotton, 40% polyester, 245 g/m²

Closure: zipper

Knees: reinforced, possibility of inserting knee pads

Socks: velcro strap at the bottom

Pockets: 11

Size: S-XXXL

Original packaging: 1/10



coverguard



EN 14404
TYPE 2



KOMBINEZON/COVERALL	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVA/SIVA	5PAC15000S	5PAC15000M	5PAC15000L	5PAC15000XL	5PAC1502XL	5PAC1503XL

CITY II

5PAK/5PAS
siva/gray

PADDOCK II – BERMUDE

Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²

Zatvaranje: patent zatvarač i gumb

Džepovi: 6

Veličina: S-XXXL

Original pakovanje: 1/10

PADDOCK II – BERMUDA

Composition of fabrics: 60% cotton, 40% polyester, 245 g/m²

Fastening: zipper

Pockets: 6

Size: S-XXXL

Original packaging: 1/10



coverguard



BERMUDE/BERMUDA	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVA/GRAY	5PAK15000S	5PAK15000M	5PAK15000L	5PAK15000XL	5PAK1502XL	5PAK1503XL
BERMUDE/BERMUDA	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVA/GRAY	5PAS15000S	5PAS15000M	5PAS15000L	5PAS15000XL	5PAS1502XL	5PAS1503XL

CITY II

5PAG
siva/gray

PADDOCK II – RADNI PRSLUK

Sastav tkanine: 60% pamuk, 40% Poliestersko vlakno, 245 g/m²

Ovratnik: ravan

Zatvaranje: jednosmjerni zatvarač

Džepovi: 6

Veličina: S-XXXL

Original pakovanje: 1/10

PADDOCK II – WORK VEST

Fabric composition: 60% cotton, 40% polyester, 245 g/m²

Collar: classic

Fastening: zipper

Pockets: 6

Size: S-XXXL

Original packaging: 1/10



coverguard



RADNI PRSLUK/WORK VEST	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVA/GRAY	5PAG15000S	5PAG15000M	5PAG15000L	5PAG15000XL	5PAG1502XL	5PAG1503XL



CARGO
FLEX





CARGO FLEX

8CARFPS
siva/gray


8CARFPP
plava/blue

8CARFPN
crna/black



CARGO FLEX RADNE PANTALONE
Sastav tkanine: 98% pamuk, 2% elasthan, 255 g/m²
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Veličina: 46-62
Original pakovanje: 1/20

CARGO FLEX PANTS
Fabric composition: 98% cotton, 2% elastane, 255 g/m²
Pockets: a number of multifunctional pockets
Closure: button and zipper
Size: 46-62
Original packaging: 1/20



EN ISO 13688

RADNE PANTALONE / WORKPANTS	46	48	50	52	54	56	58	60	62
SIVA/GRAY	8CARFPS46	8CARFPS48	8CARFPS50	8CARFPS52	8CARFPS54	8CARFPS56	8CARFPS58	8CARFPS60	8CARFPS62
PLAVA/BLUE	8CARFPP46	8CARFPP48	8CARFPP50	8CARFPP52	8CARFPP54	8CARFPP56	8CARFPP58	8CARFPP60	8CARFPP62
CRNA/BLACK	8CARFPN46	8CARFPN48	8CARFPN50	8CARFPN52	8CARFPN54	8CARFPN56	8CARFPN58	8CARFPN60	8CARFPN62



CHONCO

5CHP420

CHONCO – JEANS PANTALONE

Sastav tkanine: 98% pamuk,
2% elastan, 310 g/m²
Zatvarač: gumb i patentni zatvarač
Džepovi: 6
Veličina: S-XXXL
Originalno pakovanje: 1/10

 coverguard

**NOVO
NEW**

CHONCO - JEANS

Fabric composition: 98% cotton,
2% elastan, 310 g/m²
Closure: zipper and button
Pockets: 6
Size: S-XXXL
Original packaging: 1/10



 
**EN 14404
TYPE 2**

VELIČINE/SIZE

S M L XL XXL XXXL

TRAPER/DŽINS

5CHP42000S

5CHP42000M

5CHP42000L

5CHP4200XL

5CHP4202XL

5CHP4203XL



DŽEP NA SKIDANJE REMOVABLE POCKET

8DZEP

Sastav tkanine: 100% poliester + PU
Odjeljci: 3
Zatvaranje: na zatvarač i na čičak
Veličina: ONE SIZE
Original pakovanje: 1/20
Stavlja se na remen

Fabric composition: 100% polyester + PU
Sections: 3
Closure: zipper and velcro
Size: ONE SIZE
Original packaging: 1/20
Is placed on belt



NOVO
NEW




REMEN BELT

8REMEC/8REEMEE

8REMEC - Sastav tkanine: 100% pamuk
8REEMEE - Sastav tkanine: 50% poliester, 50% elastan
Zatvaranje: metalna kopča
Boja: crna
Veličina: ONE SIZE
Original pakovanje: 1/20

8REMEC - Fabric composition: 100% cotton
8REEMEE - Fabric composition: 50% polyester, 50% elastane
Closure: metal buckle
Color: black
Size: ONE SIZE
Original packaging: 1/20





ATLANTIC

8ATLAJP
plava/blue

8ATLAJS
siva/gray

ATLANTIC – RADNA JAKNA

Sastav tkanine: 65% poliester, 35% pamuk, 245 g/m²

Zatvaranje: patent zatvarač sakriven s klapnom na drukere

Ovratnik: klasik

Džepovi: 5, s klapnom na drukere

Rukavi: elastični rubovi

Veličina: S-XXXL

Originalno pakovanje: 1/20

ATLANTIC - WORK JACKET

Fabric composition: 65% polyester, 35% cotton, 245 g/m²

Fastening: zipper hidden with press buttons

Collar: classic

Pockets: 5 flap pockets with pressbuttons

Sleeves: elastic hems

Size: S-XXXL

Original packaging: 1/20



LACUNA



EN ISO 13688



RADNA JAKNA/DWORK JACKET	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA/BLUE	8ATLAJPS	8ATLAJPM	8ATLAJPL	8ATLAJPXL	8ATLAJPXXL	8ATLAJPXXXL
SIVA/GRAY	8ATLAJSS	8ATLAJSM	8ATLAJSL	8ATLAJSXL	8ATLAJSXXL	8ATLAJSXXXL



ATLANTIC

8ATLAPP
plava/blue

8ATLAPS
siva/gray

ATLANTIC – KLASIČNE PANTALONE

Sastav tkanine: 65% poliester, 35% pamuk, 245 g/m²

Zatvaranje: patent zatvarač

Džepovi: 7, s klapnom na drukere

Kolena: dodatno pojačanje tkanine sa đepom za štitnike za kolena

Veličina: S-XXXL

Originalno pakovanje: 1/20

ATLANTIC - WORK PANTS

Fabric composition: 65% polyester, 35% cotton, 245 g/m²

Closure: zipper

Pockets: 7 flap pockets with buttons

Knees: Additional reinforcement achieved by fabric with a knee protection pocket

Size: S-XXXL

Original packaging: 1/20



LACUNA



EN ISO 13688

RADNE PANTALONE/WORK PANTS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA/BLUE	8ATLAPPS	8ATLAPPM	8ATLAPPL	8ATLAPPXL	8ATLAPPXXL	8ATLAPPXXXL
SIVA/GRAY	8ATLAPSS	8ATLAPSM	8ATLAPSL	8ATLAPSEXL	8ATLAPSXXL	8ATLAPSXXXL

ATLANTIC

8ATLABP
plava/blue

8ATLABS
siva/gray

ATLANTIC – FARMER PANTALONE

Sastav tkanine: 65% poliester, 35% pamuk, 245 g/m²

Zatvaranje: patent zatvarač

Džepovi: 8, s klapnom na drukere

Kolena: dodatno pojačanje tkanine sa đepom za štitnike za kolena

Veličina: S-XXXL

Originalno pakovanje: 1/20

ATLANTIC - BIB & BRACE PANTS

Fabric composition: 65% polyester, 35% cotton, 245 g/m²

Closure: zipper

Pockets: 8 flap pockets with pressbuttons

Sleeves: elastic edges

Knees: Additional fabric reinforcement with knee protective pad

Size: S-XXXL

Original packaging: 1/20



LACUNA



EN ISO 13688

FARMER PANTALONE/BIB & BRACE PANTS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA/BLUE	8ATLABPS	8ATLABPM	8ATLABPL	8ATLABPXL	8ATLABPXXL	8ATLABPXXXL
SIVA/GRAY	8ATLABSS	8ATLABSM	8ATLABSL	8ATLABSEXL	8ATLABSXXL	8ATLABSXXXL



CLASSIC SMART

CLASSIC SMART

8CLSMJP
plava/blue

8CLSMJS
siva/gray

CLASSIC SMART RADNA JAKNA

Sastav tkanine: 65% poliestersko vlakno, 35% pamuk, 245 g/m²

Džepovi: 7 funkcionalnih džepova

Zatvaranje: patentni zatvarač

Kragna: klasična

Veličina: S-XXXL

Original pakovanje: 1/20

CLASSIC SMART - WORK JACKET

Fabric composition: 65% polyester, 35% cotton, 245 g/m²

Fastening: zipper

Collar: classic

Pockets: 7

Size: S-XXXL

Original packaging: 1/20



LACUNA



CASUAL FITTING



POLY COTTON

EN ISO 13688

RADNA JAKNA/WORK JACKET	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA/BLUE	8CLSMJPS	8CLSMJPM	8CLSMJPL	8CLSMJPXL	8CLSMJPXXL	8CLSMJPXXXL
SIVA/GRAY	8CLSMJSS	8CLSMJSM	8CLSMJSL	8CLSMJSXL	8CLSMJSXXL	8CLSMJSXXXL



CLASSIC SMART

8CLSMPP
plava/blue

8CLSMPS
siva/gray

CLASSIC SMART RADNE PANTALONE 2U1

Sastav tkanine: 65% poliestersko vlakno, 35% pamuk, 245 g/m²

Džepovi: 7 funkcionalnih džepova

Zatvaranje: gumb i patentni zatvarač

Kolena: patentni zatvarač za odvajanje

Veličina: S-XXXL

Original pakovanje: 1/20

CLASSIC SMART - WORK PANTS 2in1

Fabric composition: 65% polyester, 35% cotton, 245 g/m²

Closure: zipper and button

Pockets: 7

Legs: zip off

Size: S-XXXL

Original packaging: 1/20



LACUNA



CE EN ISO 13688

RADNE PANTALONE/WORK PANTS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA/BLUE	8CLSMPPS	8CLSMPPM	8CLSMPLL	8CLSMPPXL	8CLSMPPXXL	8CLSMPPXXXL
SIVA/GRAY	8CLSMPS	8CLSMPSM	8CLSMPSL	8CLSMPSXL	8CLSMPSXXL	8CLSMPSXXXL

CLASSIC SMART

8CLSBP
plava/blue

8CLSB
siva/gray

CLASSIC SMART RADNE FARMER PANTALONE

Sastav tkanine: 65% poliestersko vlakno, 35% pamuk, 245 g/m²

Džepovi: 10 funkcionalnih džepova

Zatvaranje: gumb i patentni zatvarač

Veličina: S-XXXL

Original pakovanje: 1/20

CLASSIC SMART - BIB & BRACE PANTS

Fabric composition: 65% polyester, 35% cotton, 245 g/m²

Closure: zipper and button

Pockets: 10

Size: S-XXXL

Original packaging: 1/20



LACUNA



CE EN ISO 13688

FARMER PANTALONE/BIB & BRACE PANTS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA/BLUE	8CLSBP	8CLSBP	8CLSBP	8CLSBPXL	8CLSBPXXL	8CLSBPXXXL
SIVA/GRAY	8CLSB	8CLSB	8CLSB	8CLSBXL	8CLSBXXL	8CLSBXXXL



LACUNA

CORPORATE WEAR

Kod radnika u servisnim industrijama profesionalan i elegantan izgled posebno je važan. Zbog toga je njihova odeća izrađena od tkanina koje svojim karakteristikama doprinose lepom i profesionalnom izgledu čak i nakon dugotrajnog nošenja i ponovljenih pranja.

TenCate tkanine jedinstvene su po svojoj beloj boji i blistavosti, a dostupne su u paleti modernih i industrijskih boja koje ostaju potpuno postojane nakon pranja. Na taj način tkanine zadržavaju svoj profesionalni izgled.

CORPORATE WEAR
CORPORATE WEAR

CORPORATE WEAR


For workers in the service industry, a professional and elegant look is especially important. Therefore, their clothes are made of fabrics with supreme properties and a professional look even after prolonged wear and repeated washing.

TenCate fabrics are unique in their white color and brilliance and are available in a palette of modern and industrial colors, long-lasting even after frequent washing. This way the fabrics retain their professional look.

LACUNA ne odgovara za eventualne štamparske greške u katalogu./LACUNA is not responsible for misprints in the catalogue.

Zadnje važeće cene molimo proverite na LACUNA B2B/Last valid recommended prices check at www.lacuna.hr

Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/Full Lacuna range available at www.lacuna.hr



LACUNA CORPORATE

TenCate KG317 215g/m², 65% poliester, 35% pamuk
Lacuna Corporate odeća je izrađena od TenCate tkanina koje svojim karakteristikama doprinose profesionalnom izgledu.

Tokom više decenija, TenCate Tecawork – KG 317 tkanine su nosile hiljade ugostiteljskih, medicinskih i zdravstvenih radnika, svakodnevno.

Klijenti su zadovoljni kvalitetom TenCate materijala: proizvodi se najsvetlija i najtrajnije bela tkanina, skoro neprozirna za tako laganu tkaninu, sa visokim nivoom otpornosti na gužvanje čak i u uslovima industrijskih praonica. To su samo neki od razloga zbog kojih te tkanine imaju široku primenu u izradi radne odeće za ugostiteljske objekte, dečje vrtiće, medicinske ordinacije i bolnice. TenCate stavlja TenCate Tecawork™

– KG 317 taknine na stroga ispitivanja kvaliteta. Ispunjeni su svi standardi koje je postavilo Evropsko udruženje proizvođača tekstila (eng. European Textile Services Association - ETSA). To znači da ne postoje ograničenja u smislu primene tkanina: urađena su ispitivanja vezana uz: čvrstinu, skupljanje i otpornost na gužvanje i trošenje. Uz ovakve rezultate izvedenih ispitivanja, možete biti sigurni da su tkanine potpuno odgovarajuće za radnu odeću koja se održava u industrijskim praonicama odeće.

TenCate Tecawork™ tkanine ostvaruju najbolje rezultate u sledećem:

- Otpornost na gužvanje
- Čvrstina
- Otpornost na trošenje
- Promenu boje nakon pranja (75°C)
- Otpornost boje na bleđenje
- Otpornost boje na tragove znojenja

TenCate KG317 215g/m², 65% polyester, 35% cotton Lacuna Corporate clothing are made of TenCate materials which, with their excellent properties, contribute to their professional look.


TenCate Tecawork - KG 317 materials, have been worn by thousands of hotels, medical and healthcare professionals, every day for decades. Customers are satisfied with the quality of TenCate: the brightest and most durable white textile, almost opaque, light fabric with high performances even in industrial surrounding. These are just a few reasons why these fabrics are often used for the production of work clothes for catering facilities, kindergartens, medical surgeries and hospitals. TenCate belongs to TenCate Tecawork™

- KG 317 fabrics with strict quality tests. All standards set by the European Textile Service Association - ETSA are met. This means that there are no restrictions on the use of fabrics and tests have been done related to: strength, shrinkage and resistance to creases and wear. With the best results, you can be sure that the fabrics are very suitable for industrial work clothes and laundering.

TenCate Tecawork™ achieves the best results in the following:

- Resistance to creasing
- Firmness
- Wear resistance
- Color change after washing (75 °C)
- Color resistance to fading
- Color resistance to sweat marks





Koja je moja veličina?

Koristite se standardima veličina i ispravno naručite!

OBIM PRSA: na najširem mestu

OBIM STRUKA: stavite metar (ne pretesno) oko struka

OBIM BOKOVA: na mestu gde su vam bokovi i stražnjica najširi

DUŽINA RUKAVA: od ramena celom dužinom ruke do zgloba

DUŽINA NOGAVICE: od struka preko bokova do tabana

OBIM VRATA: stavite metar (ne pretesno) na donji širi deo vrata

What is my size?

Use size standards to order correctly!

CHESTS: at the widest point

WAIST: place the meter around the waist (not too tight)

HIPS: where the hips and buttocks are widest

SLEEVE LENGTH: from shoulder down to wrists

PANTS LENGTH: from the waist to the heels

NECK: place a meter (not too tight) around the widest part of the neck

MEN/MEN	46	48	50	52	54	56	58	60	62	64
1. Opseg prsa/Chest	92	96	100	104	108	112	116	120	124	128
2. Opseg struka/Waist	80	84	88	92	96	100	104	108	112	116
3. Opseg bokova/Hips	100	104	108	112	116	120	124	128	132	136
4. Duljina do struka/Waist length	44	44,5	45	45,5	46	46,5	47	47,5	48	48,5
5. Dužina leđa/Back length	47	48	49	50	51	52	53	54	55	56
6. Duljina rukava/Sleeve length	61	62	63	64	65	66	67	68	69	70
7. Duljina nogavice/Legs length	98	99,5	101	102,5	104	105,5	107	108,5	110	111,5
8. Opseg nogavice/Legs size	23	23,5	24	24,5	25	25,5	26	26,5	27	27,5
9. Opseg vrata/Neck circumference	38	39	40	41	42	43	44	45	46	47

WOMEN/WOMAN	36	38	40	42	44	46	48	50	52	54
1. Opseg prsa/Bust	84	88	92	96	100	104	110	116	122	128
2. Opseg struka/Waist	66	70	74	78	82	86	92	98	104	110
3. Opseg bokova/Hips	90	94	98	102	106	110	116	122	128	134
4. Dubina prsa/Chest depth	26	27	28	29	30	31	32	33	34	35
5. Duljina do struka (prsa)/Waist length	44	45	46	47	48	49	50	51	52	53
6. Duljina do struka (iza)/Waist length (back)	41	42	42	43	43	44	44	45	45	46
7. Dužina leđa/Back length	36	37	38	39	40	42	44	46	47	48
8. Duljina rukava/Sleeve length	59	60	60	61	61	61	61	62	62	63
9. Opseg nadlaktice/Upper arm circumference	27	28	29	30	31	32	34	36	38	40
10. Opseg vrata/Neck circumference	35	36	37	38	39	40	41	42	43	44
11. Duljina pantalone/Pants length	102	102,5	103	104	104,5	105	105,5	106	106	107



ADRIATIC

8ADRIMCB



MUŠKA BLUZA ADRIATIC BELA, CHEF

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Zatvaranje: dugmad u dva retka

Džepovi: 1 na rukavu

Opis: uspravni ovratnik, dugi rukav

Veličina: 48-60

Boja: bela

Originalno pakovanje: 1/20

ADRIATIC CHEF MEN WHITE BLOUSE

Material: 65% polyester, 35% cotton, 215 g/m²

Fastening: Two-line buttons

Pockets: 1 on the sleeve

Description: upright collar, long sleeves

Size: 48-60

Color: white

Original packaging: 1/20



LACUNA



TENCATE
protectivefabrics

TENCATE
Tecawork™



CE EN ISO 13688

ADRIATIC

8ADRIMCC

MUŠKA BLUZA ADRIATIC CRNA, CHEF

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Zatvaranje: dugmad u dva retka

Džepovi: 1 na rukavu

Opis: uspravni ovratnik, dugi rukav

Veličina: 48-60

Boja: crna

Originalno pakovanje: 1/20

ADRIATIC CHEF MEN BLACK BLOUSE

Material: 65% polyester, 35% cotton, 215 g/m²

Fastening: Two-line buttons

Pockets: 1 on the sleeve

Description: upright collar, long sleeves

Size: 48-60

Color: black

Original packaging: 1/20



LACUNA



TENCATE
protectivefabrics

TENCATE
Tecawork™



CE EN ISO 13688



ERTI*

VANILIJA

SLADOLED

MATCHA / 2. ČAS

YOGURT / AMARET

DULCE / DELE

PISTACIJA

ČOKOLADA

VANILIJA

OVNICA

SORBET

* BOSILJAK / JABO

* LIMETA / MENTH

* VARANČA / VANILIJA

* MANGO



ADRIATIC

8ADRIMBB



MUŠKA BLUZA ADRIATIC BELA

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Zatvaranje: skriveno sa kopčanjem na drukere

Džepovi: 1 na rukavu

Opis: uspravni ovratnik, dugi rukav

Veličina: 48-60

Boja: bela

Originalno pakovanje: 1/20

ADRIATIC MEN WHITE BLOUSE

Material: 65% polyester, 35% cotton, 215 g/m²

Fastening: pressbuttons

Pockets: 1 on the sleeve

Description: upright collar, long sleeves

Size: 48-60

Color: white

Original packaging: 1/20



LACUNA



MADE IN EUROPE



REGULAR FITTING



TENCATE
protectivefabrics

TENCATE
Tecawork™



POLY COTTON



CE EN ISO 13688

ADRIATIC

8ADRIMBC

MUŠKA BLUZA ADRIATIC CRNA

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Zatvaranje: skriveno sa kopčanjem na drukere

Džepovi: 1 na rukavu

Opis: uspravni ovratnik, dugi rukav

Veličina: 48-60

Boja: crna

Originalno pakovanje: 1/20

ADRIATIC MEN BLACK BLOUSE

Material: 65% polyester, 35% cotton, 215 g/m²

Fastening: pressbuttons

Pockets: 1 on the sleeve

Description: upright collar, long sleeves

Size: 48-60

Color: black

Original packaging: 1/20



LACUNA



MADE IN EUROPE



REGULAR FITTING



TENCATE
protectivefabrics

TENCATE
Tecawork™



POLY COTTON



CE EN ISO 13688



ADRIATIC

SADRIŽCB



ŽENSKA BLUZA ADRIATIC BELA, CHEF

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Zatvaranje: dugmad u dva reda

Džepovi: 1 na rukavu

Opis: uspravni ovratnik, dugi rukav

Veličina: 36-48

Boja: bela

Originalno pakovanje: 1/20

ADRIATIC CHEF WOMEN WHITE BLOUSE

Material: 65% polyester, 35% cotton, 215 g/m²

Fastening: Two-line buttons

Pockets: 1 on the sleeve

Description: upright collar, long sleeves

Size: 36-48

Color: white

Original packaging: 1/20



LACUNA



MADE IN EUROPE

REGULAR FITTING



TENCATE
protectivefabrics

TENCATE
Tecawork™



CE EN ISO 13688

ADRIATIC

SADRIŽCC

ŽENSKA BLUZA ADRIATIC CRNA, CHEF

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Zatvaranje: dugmad u dva reda

Džepovi: 1 na rukavu

Opis: uspravni ovratnik, dugi rukav

Veličina: 36-48

Boja: crna

Originalno pakovanje: 1/20

ADRIATIC CHEF WOMEN BLACK BLOUSE

Material: 65% polyester, 35% cotton, 215 g/m²

Fastening: Two-line buttons

Pockets: 1 on the sleeve

Description: upright collar, long sleeves

Size: 36-48

Color: black

Original packaging: 1/20



LACUNA



MADE IN EUROPE

REGULAR FITTING



TENCATE
protectivefabrics

TENCATE
Tecawork™



CE EN ISO 13688




ADRIATIC

SADRIŽBB



ŽENSKA BLUZA ADRIATIC BELA,
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Zatvaranje: skriveno sa kopčanjem na drukere
Džepovi: 1 na rukavu
Opis: uspravni ovratnik, dugi rukav
Veličina: 36-48
Boja: bela
Originalno pakovanje: 1/20

ADRIATIC WOMEN WHITE BLOUSE
Material: 65% polyester, 35% cotton, 215 g/m²
Fastening: pressbuttons
Pockets: 1 on the sleeve
Description: upright collar, long sleeves
Size: 36-48
Color: white
Original packaging: 1/20




CE EN ISO 13688

ADRIATIC

SADRIŽBC

ŽENSKA BLUZA ADRIATIC CRNA,
Materijal: 65% poliester, 35% pamuk, 215g g/m²
Zatvaranje: skriveno sa kopčanjem na drukere
Džepovi: 1 na rukavu
Opis: uspravni ovratnik, dugi rukav
Veličina: 36-48
Boja: crna
Originalno pakovanje: 1/20

ADRIATIC WOMEN BLACK BLOUSE
Material: 65% polyester, 35% cotton, 215 g/m²
Fastening: cpressbuttons
Pockets: 1 on the sleeve
Description: upright collar, long sleeves
Size: 36-48
Color: black
Original packaging: 1/20



CE EN ISO 13688



ADRIATIC

8ADRMHB



MUŠKE HLAČE ADRIATIC, BELE

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Zatvarač: patentni zatvarač

Džepovi: 2 prednja džepa, 1 stražnji džep

Veličina: 48-60

Boja: bela

Originalno pakovanje: 1/20

ADRIATIC MEN WHITE PANTS

Material: 65% polyester, 35% cotton, 215 g/m²

Closure: zipper

Pockets: 2 front pockets, 1 back pocket

Size: 48-60

Color: white

Original packaging: 1/20



LACUNA



MADE IN EUROPE



REGULAR FITTING



TENCATE
protectivefabrics

TENCATE
Tecawork™

CE EN ISO 13688

ADRIATIC

8ADRMHC

MUŠKE PANTALONE ADRIATIC, CRNE

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Zatvarač: patentni zatvarač

Džepovi: 2 prednja džepa, 1 stražnji džep

Veličina: 48-60

Boja: crna

Originalno pakovanje: 1/20

ADRIATIC MEN BLACK PANTS

Material: 65% polyester, 35% cotton, 215 g/m²

Closure: zipper

Pockets: 2 front pockets, 1 back pocket

Size: 48-60

Color: black

Original packaging: 1/20



LACUNA



MADE IN EUROPE



REGULAR FITTING



TENCATE
protectivefabrics

TENCATE
Tecawork™

CE EN ISO 13688

ADRIATIC

8ADRMHP

MUŠKE PANTALONE ADRIATIC, PRUGASTE

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Zatvarač: patentni zatvarač

Džepovi: 2 prednja džepa, 1 stražnji džep

Veličina: 48-60

Boja: crne i bele pruge

Originalno pakovanje: 1/20

ADRIATIC MEN STRIPED PANTS

Material: 65% polyester, 35% cotton, 215 g/m²

Closure: zipper

Pockets: 2 front pockets, 1 back pocket

Size: 48-60

Color: black and white strips

Original packaging: 1/20




LACUNA



MADE IN EUROPE



REGULAR FITTING



TENCATE
protectivefabrics

TENCATE
Tecawork™

CE EN ISO 13688

ADRIATIC

8ADRIŽHB

ŽENSKÉ PANTALONE ADRIATIC, BELE

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Zatvarač: patentni zatvarač

Džepovi: 2 prednja džepa, 1 stražnji džep

Veličina: 36-48

Boja: bela

Originalno pakovanje: 1/20

ADRIATIC WOMEN WHITE PANTS

Material: 65% polyester, 35% cotton, 215 g/m²

Closure: zipper

Pockets: 2 front pockets, 1 back pocket

Size: 36-48

Color: white

Original packaging: 1/20



TENCATE
protectivefabrics

TENCATE
Tecawork™



CE EN ISO 13688

ADRIATIC

8ADRIŽHC

ŽENSKÉ PANTALONE ADRIATIC, CRNE

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Zatvarač: patentni zatvarač

Džepovi: 2 prednja džepa, 1 stražnji džep

Veličina: 36-48

Boja: crna

Originalno pakovanje: 1/20

ADRIATIC WOMEN BLACK PANTS

Material: 65% polyester, 35% cotton, 215 g/m²

Closure: zipper

Pockets: 2 front pockets, 1 back pocket

Size: 36-48

Color: black

Original packaging: 1/20



TENCATE
protectivefabrics

TENCATE
Tecawork™



CE EN ISO 13688

ADRIATIC

8ADRIŽHP

ŽENSKÉ PANTALONE ADRIATIC, PRUGASTE

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Zatvarač: patentni zatvarač

Džepovi: 2 prednja džepa, 1 stražnji džep

Veličina: 36-48

Boja: crne i bele pruge

Originalno pakovanje: 1/20

ADRIATIC WOMEN STRIPED PANTS

Material: 65% polyester, 35% cotton, 215 g/m²

Closure: zipper

Pockets: 2 front pockets, 1 back pocket

Size: 36-48

Color: black and white strips

Original packaging: 1/20



TENCATE
protectivefabrics

TENCATE
Tecawork™



CE EN ISO 13688





ADRIATIC

SADRIKKB



KAPA ADRIATIC, BELA

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Veličina: univerzalna

Boja: bela

Originalno pakovanje: 1/50

ADRIATIC HAT, WHITE

Material: 65% polyester, 35% cotton, 215 g/m²

Size: universal

Color: white

Original packaging: 1/50



LACUNA



TENCATE
protectivefabrics

TENCATE
Tecawork™



CE EN ISO 13688

ADRIATIC

SADRIKKB

KAPA ADRIATIC, CRNA

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Veličina: univerzalna

Boja: bela

Originalno pakovanje: 1/50

ADRIATIC HAT, BLACK

Material: 65% polyester, 35% cotton, 215 g/m²

Size: universal

Color: black

Original packaging: 1/50



LACUNA



TENCATE
protectivefabrics

TENCATE
Tecawork™



CE EN ISO 13688

ADRIATIC

8ADRIPKB

KECELJA KRATKA ADRIATIC, BELA

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Opis: pritezanje u struku, jedan džep za olovku;

Veličina: univerzalna

Boja: bela

Originalno pakovanje: 1/50

ADRIATIC SHORT APRON, WHITE

Material: 65% polyester, 35% cotton, 215 g/m²

Description: sewn-in belt, pencil pocket

Size: universal

Color: white

Original packaging: 1/50



LACUNA



TENCATE
protectivefabrics

TENCATE
Tecawork™



CE EN ISO 13688

ADRIATIC

8ADRIBKC

KECELJA KRATKA ADRIATIC, CRNA

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Opis: pritezanje u struku, jedan džep za olovku;

Veličina: univerzalna

Boja: bela

Originalno pakovanje: 1/50

ADRIATIC SHORT APRON, BLACK

Material: 65% polyester, 35% cotton, 215 g/m²

Description: sewn-in belt, pencil pocket

Size: universal

Color: black

Original packaging: 1/50



LACUNA



TENCATE
protectivefabrics

TENCATE
Tecawork™



CE EN ISO 13688





ADRIATIC

8ADRIPHIC

KECELJA DUGA ADRIATIC HALF LINE, CRNA

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Opis: pritezanje u struku, jedan džep za olovku;

Veličina: univerzalna

Boja: črna

Originalno pakovanje: 1/50

ADRIATIC HALF LINE LONG BLACK APRON

Material: 65% polyester, 35% cotton, 215 g/m²

Description: sewn-in belt, pencil pocket

Size: universal

Color: black

Original packaging: 1/50



LACUNA



TENCATE
protectivefabrics

TENCATE
Tecawork™

CE EN ISO 13688

ADRIATIC

8ADRIPFC



KECELJA DUGA ADRIATIC FULL LINE, CRNA
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Opis: pritezanje u struku, jedan džep za olovku;
Veličina: univerzalna
Boja: crna
Originalno pakovanje: 1/50

ADRIATIC FULL LINE LONG BLACK APRON
Material: 65% polyester, 35% cotton, 215 g/m²
Description: sewn-in belt, pencil pocket
Size: universal
Color: black
Original packaging: 1/50



LACUNA



TENCATE
protectivefabrics

TENCATE
Tecawork™

CE EN ISO 13688

ADRIATIC

8ADRIPHB

KECELJA DUGA ADRIATIC HALF LINE, BELA
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Opis: pritezanje u struku, jedan džep za olovku;
Veličina: univerzalna
Boja: bela
Originalno pakovanje: 1/50

ADRIATIC HALF LINE WHITE APRON
Material: 65% polyester, 35% cotton, 215 g/m²
Description: sewn-in belt, pencil pocket
Size: universal
Color: white
Original packaging: 1/50



LACUNA



TENCATE
protectivefabrics

TENCATE
Tecawork™

CE EN ISO 13688

ADRIATIC

8ADRIPFB

KECELJA DUGA ADRIATIC FULL LINE, BELA
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Opis: pritezanje u struku, jedan džep za olovku;
Veličina: univerzalna
Boja: bela
Originalno pakovanje: 1/50

ADRIATIC FULL LINE LONG WHITE APRON
Material: 65% polyester, 35% cotton, 215 g/m²
Description: sewn-in belt, pencil pocket
Size: universal
Color: white
Original packaging: 1/50



LACUNA



TENCATE
protectivefabrics

TENCATE
Tecawork™

CE EN ISO 13688



GASTRO

8GASTMHP



MUŠKE PANTALONE GASTRO PRO LINE

Zatvarač: patentni zatvarač

Džepovi: 2 prednja džepa

Veličina: 46-64

Boja: pepito uzorak

Originalno pakovanje: 1/20

MAN TROUSERS GASTRO PRO LINE

Material: 100% cotton

Closure: zipper

Pockets: 2 front

Sizes: 46-64

Colors: pepito pattern

Original packaging: 1/20



CE EN ISO 13688

GASTRO

8GASTŽHP

ŽENSKE PANTALONE GASTRO PRO LINE

Zatvarač: patentni zatvarač

Džepovi: 2 prednja džepa

Veličina: 36-56

Boja: pepito uzorak

Originalno pakovanje: 1/20

WOMAN TROUSERS GASTRO PRO LINE

Material: 100% cotton

Closure: zipper

Pockets: 2 front

Sizes: 36-56

Colors: pepito pattern

Original packaging: 1/20



CE EN ISO 13688

GASTRO

8GASTMHB

8GASTMHBCO

MUŠKE PANTALONE GASTRO CLASSIC

Materijal: 8GASTMHB: 65% poliester, 35% pamuk

8GASTMHBCO: 100% pamuk

Zatvarač: patentni zatvarač

Džepovi: 2 prednja džepa

Veličina: 44-46

Boja: bela

Originalno pakovanje: 1/20

MAN GASTRO CLASSIC TROUSERS

Material: 8GASTMHB: 65% polyester, 35% cotton

8GASTMHBCO: 100% cotton

Closure: zipper

Pockets: 2 front

Sizes: 44-66

Colors: white

Original packaging: 1/20



CE EN ISO 13688

GASTRO

8GASTŽHB

8GASTŽHBCO

ŽENSKE PANTALONE GASTRO CLASSIC

Materijal: 8GASTŽHB: 65% poliester, 35% pamuk

8GASTŽHBCO: 100% pamuk

Zatvarač: patentni zatvarač

Džepovi: 2 prednja džepa

Veličina: 34-56

Boja: bela

Originalno pakovanje: 1/20

WOMAN GASTRO CLASSIC TROUSERS

Material: 8GASTŽHB: 65% polyester, 35% cotton

8GASTŽHBCO: 100% cotton

Closure: zipper

Pockets: 2 front

Sizes: 34-56

Colors: white

Original packaging: 1/20



CE EN ISO 13688

GASTRO

8GASTMKB

8GASTMKBCO

MUŠKI RADNI MANTIL GASTRO CLASSIC

Materijal: 8GASTMKB: 65% poliester, 35% pamuk

8GASTMKBCO: 100% pamuk

Zatvaranje: dugmad

Džepovi: 3

Opis: klasična kragna, dugi rukavi

Veličina: 46-64

Boja: bela

Originalno pakovanje: 1/20

MAN GASTRO CLASSIC COAT

Material: 8GASTMKB: 65% polyester, 35% cotton

8GASTMKBCO: 100% cotton

Closure: buttons

Pockets: 3 outside

Description: collar classic, long sleeve

Sizes: 46-64

Color: white

Original packaging: 1/20



CE EN ISO 13688

GASTRO

8GASTŽKB

8GASTŽKBCO



ŽENSKI RADNI MANTIL GASTRO CLASSIC

Materijal: 8GASTŽKB: 65% poliester, 35% pamuk

8GASTŽKBCO: 100% pamuk

Zatvaranje: dugmad

Džepovi: 3

Opis: klasična kragna, dugi rukavi

Veličina: 36-54

Boja: bela

Originalno pakovanje: 1/20

MAN GASTRO CLASSIC COAT

Material: 8GASTMKB: 65% polyester, 35% cotton

8GASTMKBCO: 100% cotton

Closure: buttons

Pockets: 3 outside

Description: collar classic, long sleeve

Sizes: 46-64

Color: white

Original packaging: 1/20



LACUNA



REGULAR FITTING

MADE IN EUROPE

CE EN ISO 13688

GASTRO

8GASTMBB

8GASTMBBCO

MUŠKA BLUZA GASTRO CLASSIC

Materijal: 8GASTMBB: 65% poliester, 35% pamuk

8GASTMBBCO: 100% pamuk

Zatvaranje: dvostruko, dugmad

Opis: uspravni ovratnik, dugi rukav

Veličina: 46-64

Boja: bela

Originalno pakovanje: 1/20

MAN GASTRO CLASSIC BLOUSE

Material: 8GASTMBB: 65% polyester, 35% cotton

8GASTMBBCO: 100% cotton

Closure: double buttons

Description: collar up, long sleeve

Sizes: 46-64

Color: white

Original packaging: 1/20



LACUNA



REGULAR FITTING

MADE IN EUROPE

CE EN ISO 13688

GASTRO

8GASTMPB

8GASTMPBCO

ŽENSKA BLUZA GASTRO PRO LINE

Materijal: 8GASTMPB: 65% poliester, 35% pamuk

8GASTMPBCO: 100% pamuk

Zatvaranje: dvostruko, dugmad

Džepovi: 2

Opis: uspravni ovratnik, dugi rukav

Veličina: 46-64

Boja: bela sa pepito uzorkom oko kragne

Originalno pakovanje: 1/20

MAN GASTRO PRO LINE BLOUSE

Material: 8GASTMPB: 65% polyester, 35% cotton

8GASTMPBCO: 100% cotton

Closure: double, buttons

Pockets: 2

Description: collar up, long sleeve

Sizes: 46-64

Color: white with pepito pattern round collar

Original packaging: 1/20



LACUNA



REGULAR FITTING

MADE IN EUROPE

CE EN ISO 13688



GASTRO

8GASTKGB

8GASTKBCO



KAPA S MREŽICOM GASTRO

Materijal: 8GASTKGB: 65% poliester, 35% pamuk

8GASTKBCO: 100% pamuk

Veličina: univerzalna

Boja: bela

Originalno pakovanje: 1/50

CAP GASTRO WITH NET, WHITE

Material: 8GASTKGB: 65% polyester, 35% cotton

8GASTKBCO: 100% cotton

Size: universal

Color: white

Original packaging: 1/50



LACUNA



CE EN ISO 13688

GASTRO

8GASTMKB

8GASTMKBCO

KAPA GASTRO CLASSIC

Materijal: 8GASTMKB: 65% poliester, 35% pamuk

8GASTMKBCO: 100% pamuk

Boja: bela

Originalno pakovanje: 1/50

CAP GASTRO CLASSIC, WHITE

Material: 8GASTMKB: 65% polyester, 35% cotton

8GASTMKBCO: 100% cotton

Color: white

Original packaging: 1/50



LACUNA



CE EN ISO 13688

GASTRO

8GASTKKB

8GASTKKBCO

KUVARSKA KAPA GASTRO PRO LINE, VISOKA

Materijal: 8GASTKKB: 65% poliester, 35% pamuk

8GASTKKBCO: 100% pamuk

Veličina: univerzalna

Boja: bela

Originalno pakovanje: 1/50

COOKING CAP GASTRO PRO LINE, HIGH

Material: 8GASTKKB: 65% polyester, 35% cotton

8GASTKKBCO: 100% cotton

Size: universal

Color: white

Original packaging: 1/50



LACUNA



CE EN ISO 13688



GASTRO

8GASTPOB

8GASTPOBCO



KECELJA GASTRO SA OTVOROM ZA VRAT

Materijal: **8GASTPOB**: 65% poliester, 35% pamuk

8GASTPOBCO: 100% pamuk

Veličina: univerzalna

Originalno pakovanje: 1/50

APRON GASTRO CLASSIC AROUND NECK, WHITE

Material: **8GASTPOB**: 65% polyester, 35% cotton

8GASTPOBCO: 100% cotton

Size: universal

Original packaging: 1/50



LACUNA



CE EN ISO 13688

GASTRO

8GASTPDB

8GASTPDBCO

KECELJA DUGA GASTRO CLASSIC

Materijal: **8GASTPDB**: 65% poliester, 35% pamuk

8GASTPDBCO: 100% pamuk

Veličina: univerzalna

Originalno pakovanje: 1/50

APRON GASTRO CLASSIC LONG, WHITE

Material: **8GASTPDB**: 65% polyester, 35% cotton


8GASTPDBCO: 100% cotton

Size: universal

Original packaging: 1/50



LACUNA



CE EN ISO 13688

GASTRO

8GASTPKB

8GASTPKBCO

KECELJA KRATKA GASTRO CLASSIC

Materijal: **8GASTPKB**: 65% poliester, 35% pamuk

8GASTPKBCO: 100% pamuk

Veličina: univerzalna

Originalno pakovanje: 1/50

APRON GASTRO CLASSIC SHORT, WHITE

Material: **8GASTPKB**: 65% polyester, 35% cotton

8GASTPKBCO: 100% cotton

Size: universal

Original packaging: 1/50



LACUNA



CE EN ISO 13688

ODEĆA ZA SPECIJALNE VREMENSKE USLOVE CLOTHING FOR SPECIAL WEATHER CONDITIONS



LACUNA

 **coverguard**

ODEĆA ZA SPECIJALNE VREMENSKE USLOVE

Asortiman odeće za specijalne vremenske uslove kao što su kiša, sneg, hladnoća i vetar, karakterizuju vodonepropusne tkanine i premazi, pa sneg ili kiša klize po površini tkanine; ne upijaju se u tkaninu pa odeća ostaje suva.

SPECIFIC WEATHER CONDITIONS CLOTHING

Our range of clothing for specific weather conditions such as rain, snow, cold and wind are made from fabrics with waterproof coating which is slick on the surface of material so nothing is absorbed into fabrics and clothes stay dry.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/LACUNA is not responsible for misprints in the catalogue.

Zadnje važeće cene molimo proverite na LACUNA B2B/Last valid recommended prices check at www.lacuna.hr

Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/Full Lacuna range available at www.lacuna.hr



KISHA - ODIELO NYLON-PVC
KISHA - PVC SUIT

5KISSG
zelena/green

5KISSY
žuta/yellow

5KISSB
plava/blue

Materijal: poliamid sa slojem PVC-a, vodonepropusan;

Debljina: 0,18 mm;

Šavovi: šiveni i lepljeni;

Boja: tamnoplava, zelena, žuta;

Originalno pakovanje: 1/10

JAKNA: zatvaranje zatvaračem, visoki ovratnik sa skrivenom, odjeljivom kapuljačom

PANTALONE: elastične u struku

Material: poliamid with PVC layer, waterproof

Thickness: 0.18 mm

Seams: sewn and glued;

Color: dark blue, green yellow

Original packaging: 1/10

JACKET: zip closure, high collar with hidden removable hood

PANTS: elastic waist



LACUNA



CE EN ISO 13688

VELIČINA/SIZE	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
ZELENO/GREEN	5KISSGM	5KISSGL	5KISSGXL	5KISSGXXL	5KISSGXXXL
ŽUTO/YELLOW	5KISSYM	5KISSYL	5KISSYXL	5KISSYXXL	5KISSYXXXL
PLAVO/BLUE	5KISSBM	5KISSBL	5KISSBXL	5KISSBXXL	5KISSBXXXL

REGEN - ODIELO PU
REGEN - PU SUIT

5REGB
plava/blue

Materijal: 100% poliuretan,
Originalno pakovanje: 1/20

JAKNA

Kapuljača: elastično pričvršćena;

Zatvaranje: sa patent zatvaračem;

Džepovi: 2 džepa sa horizontalnim zatvaranjem;

Pričvršćivanje: elastično;

PANTALONE

Struk: elastično pričvršćen;

Nogavice: elastično pričvršćene

Material: 100% polyurethane

Original packaging: 1/20

JACKET

Hood: adjustable with elastic band

Closing: with zipper

Pockets: 2 pockets with horizontal closing

Attachment: elastic

PANTS

Waist: elastic waistband

Legs: adjustable with elastic band



LACUNA



CE EN ISO 13688

VELIČINA/SIZE	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
ODIELO PU/PU SUIT	5REGBM	5REGBL	5REGBXL	5REGBXXL	5REGBXXXL

RAINY - ODIELO PVC
RAINY - OBLAČILA PVC

5RAISY
žuta/yellow

5RAISG
zelená/green

Materijal: dvostruki PVC premaz na pamuku, vodootporno
Dobljina: 0,32
Originalno pakovanje: 1/10
JAKNA
Kapuljača: elastično pričvršćena
Zatvaranje: sa patent zatvaračem
Džepovi: 2 džepa sa horizontalnim zatvaranjem
Pričvršćivanje: elastično
PANTALONE
Struk: elastično pričvršćen
Nogavice: elastično pričvršćene
Originalno pakovanje: 1/10

Material: cotton with double PVC coating, waterproof
Range: 0.32
Original packaging: 1/10
JACKET
Hood: adjustable with elastic band
Closing: with zipper
Pockets: 2 pockets with horizontal closing
Attachment: elastic
PANTS
Waist: elastic waistband
Legs: adjustable with elastic band



CE EN ISO 13688

VELIČINA/SIZE	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
ZELENO/GREEN	5RAISYM	5RAISYL	5RAISYXL	5RAISYXXL	5RAISYXXXL
ŽUTO/YELLOW	5RAISGM	5RAISGL	5RAISGXL	5RAISGXXL	5RAISGXXXL

RAINY - OGRTAČ PVC
RAINY - PVC COAT

5RAICY
žuta/yellow

5RAICG
zelená/green

Materijal: dvostruki PVC premaz na pamuku, vodootporno
Dobljina: 0,32
Duljina: 120 cm
Zatvaranje: sa patent zatvaračem
Kapuljača: elastično pričvršćena
Džepovi: 2 vanjska
Originalno pakovanje: 1/10

Material: cotton with double PVC coating, waterproof
Thickness: 0.32
Length: 120 cm
Closing: with zipper
Hood: adjustable with elastic band
Pockets: 2 external
Original packaging: 1/10



CE EN ISO 13688

VELIČINA/SIZE	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
ZELENO/GREEN	5RAICYM	5RAICYL	5RAICYXL	5RAICYXXL	5RAICYXXXL
ŽUTO/YELLOW	5RAICGM	5RAICGL	5RAICGXL	5RAICGXXL	5RAICGXXXL

MIX & MATCH



KISHA - OGRTAČ NYLON-PVC KISHA - COAT NYLON-PVC

5KISCB
plava/blue

Materijal: poliamid sa slojem pvc-a, vodonepropusan
Zatvaranje: patent zatvarač
Kapuljača: pripojena, s vrpcom za zatezanje
Rukavi: s unutarnje strane elastična zaštita od vjetra
Džepovi: 2 vanjska
Hlače: elastična gumica u struku, na nogama dole metalnim druckerima
Veličine: M-3XL
Originalno pakovanje: 1/20

Material: polyamide with pvc layer, waterproof
Closure: zipper
Hood: attached, with string
Sleeves: elastic protection against wind on the inside
Pockets: 2 external
Pants: elastic waistband, legs with metal pressbuttons
Sizes: M-3XL
Original packaging: 1/20



LACUNA



CE EN ISO 13688

VELIČINA/SIZE	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
OGRTAČ NYLON-PVC/ONYLON-PVC COAT	5KISCBM	5KISCBL	5KISCBXL	5KISCBXXL	5KISCBXXXL

RAINET

5RAC120

Materijal: 100% poliester
Reflektirajuće trake: dve vodoravne trake na središnjem delu i dve na rukavima
Zatvaranje: dugmad
Boja: tamno plava
Veličine: S - XXXL
Originalno pakovanje: 1/10

Material: 100% polyester
Reflective tape: two belts bands and two bands on sleeves
Closure: buttons
Color: navy blue
Size: S-XXXL
Original packaging: 1/10



coverguard



NOVO
NEW



CE EN17353:2020

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
PVC OGRTAČ/PVC COAT	5RAC12000S	5RAC12000M	5RAC12000L	5RAC1200XL	5RAC1202XL	5RAC1203XL

BEAVER

57630

Materijal: 60% pamuk, 40% poliestersko vlakno, vodoodbojan

Podstava: 100% poliestersko krzno

Zatvaranje: patent zatvarač sa preklopom na drukere

Kapuljača: uklonjiva, na drukere, s podstavljenim krznom

Pričvršćivanje: elastično

Veličina: S-XXXL

Boja: plava

Original pakovanje: 1/10

Material: 60% cotton, 40% polyester fibers, water repellent

Lining: 100% polyester fur

Closure: zipper with flap and pressbuttons

Hood: removable, with pressbuttons, lined with fur

Fastening: elastic fastening

Size: S-XXXL

Color: blue

Original packaging: 1/10

coverguard



CE EN 342:2017

VELIČINA/SIZE	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
BEAVER PARKA	57629	57630	57631	57632	57633	57634

BEAVER

57650

Materijal: 60 % pamuk, 40 % poliestersko vlakno, vodoodbojan

Podstava: 100 % poliestersko vlakno

Zatvaranje: podesive naramenice, patent zatvarač

Nogavice: retroreflektivni pojas s prednje i stražnje strane

Veličina: S-XXXL

Boja: plava

Original pakovanje: 1/10

Material: 60% cotton, 40% polyester fibers, water repellent

Lining: 100% polyester fiber

Closure: adjustable straps, zipper

Legs: reflective strips on the front and back

Size: S-XXXL

Color: blue

Original packaging: 1/10

coverguard



CE EN 342:2017

VELIČINA/SIZE	40/42 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
FARMER PANTALONE/BIB & BRACE PANTS	57649	57650	57651	57652	57653	57654

BEAVER

57620

Materijal: 60% pamuk, 40% poliestersko vlakno, vodoodbojan
Podstava: 100 % poliestersko krzno
Zatvaranje: patent zatvarač
Kapuljača: s podstavljenim krznom
Nogavice: zatvarač s vanjske strane od stopala do list, retroreflektivni pojas s prednje i stražnje strane
Veličina: S-XXXL
Boja: plava
Original pakovanje: 1/5

*Material: 60% cotton, 40% polyester fibers, and repulsive
 Lining: 100% polyester fur
 Closure: zipper
 Hood: with fur lining
 Legs: zipper on the outside feet to shins
 reflective strip on the front and back
 Size: S-XXXL
 Color: blue
 Original packaging: 1/5*



coverguard



CE EN 342:2017

VELIČINA/SIZE	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
BEAVER ODELO/BEAVER COVERALL	57619	57620	57621	57622	57623	57624

ZIMSKA KAPA/WINTER CAP

57151

57150

Materijal: najlon
Podstava: 100% akril
Zaštita ušiju i potiljka: krzno na spuštanje
Boja: crna, zelena
Original pakovanje: 1/10

*Material: nylon
 Lining: 100% acryl
 Ear and neck protection: lowering fur
 Color: black, green
 Original packaging: 1/10*



coverguard



VELIČINA/SIZE	UNIVERSAL
WINTER CAP BLACK	57151
WINTER CAP GREEN	57150

MULTISAFE ZAŠTITNA ODEĆA

MULTISAFE CLOTHING



LACUNA

MULTISAFE ZAŠTITNA ODEĆA

Kako bi zaštitila ljude u okruženju visokog rizika, Lacuna se specijalizovala u dizajnu i proizvodnji MULTISAFE radne zaštitne odeće. Naša multisafe odeća značajno smanjuje šanse za ozbiljne povrede u slučaju nezgode. Zaštitna odeća Lacuna MULTISAFE se deli na multinorm odeću i zaštitnu odeću kod rada sa motornom pilom.

Naši multisafe proizvodi ispunjavaju evropske standarde koji se odnose na otpornost na vatru i antistatičke karakteristike, zavarivanje, zaštitu od električnog luka i hemikalija: EN 14116, 11612, 1149-5, 11611 i 13034. Neki naši multi-norm proizvodi su takođe u skladu sa EN 20471 i obezbeđuju visoku vidljivost danju i noću.

Radna odeća MULTINORM je podeljena u nekoliko grupa, u zavisnosti od vrste i stepena rizika kojem su radnici izloženi: EXTREME, HIGH, REGULAR. Naša najnovija kolekcija CHAINSAW je u skladu sa najnovijom regulativom (EU) 2016/425 Evropskog parlamenta i Veća i usklađena je sa evropskim standardom EN 381, zaštitna odeća za korisnike motornih pila.

MULTISAFE CLOTHING

To protect people in high-risk environments, Lacuna specializes in the design and manufacture of protective clothing MULTISAFE. Our multisafe protective clothing reduce significantly the possibility of injuries in accidents. Protective Lacuna MULTISAFE clothing are catalogued as multi-purpose clothing and protective clothing when using a chainsaw.

Our products comply with European fire standards in resistance and antistatic properties, chemical protection, welding safety equipment and coating: EN 14116, 11612, 1149-5, 11611 and 13034. Some of our many standard products fit as well EN 20471 and provide high visibility, day and night.

MULTINORM workwear is divided into several groups, depending on the type and level of risk to which workers are exposed to: EXTREME, HIGH, REGULAR. Our last collection CHAINSAW complies with the latest Regulation (EU) 2016/425 of the European Parliament and of the Council and is in line with the European norm EN 381, protective clothing for motor saws.

LACUNA ne odgovara za eventualne štamparske greške u katalogu./LACUNA is not responsible for misprints in the catalogue.

Zadnje važeće cene molimo proverite na LACUNA B2B/Last valid recommended prices check at www.lacuna.hr

Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/Full Lacuna range available at www.lacuna.hr



MULTISAFE ZAŠTITNA ODJEĆA

Lacuna multinorm proizvodi su u skladu sa standardom **EN ISO 13688:2013** (zaštitna odeća - opšti zahtevi) kao i Evropskim standardima koji se odnose na zapaljive i antistatičke karakteristike, zavarivanje, zaštitu od električnog luka i hemikalija: EN 11612, EN 1149-5, EN 11611, EN 61482-1-2, EN 13034. Neki od naših proizvoda sa više standarda su takođe u skladu sa EN 20471, i nude dobru vidljivost, danju i noću.

Radna odeća **MULTINORM** je podeljena u nekoliko, grupa, u zavisnosti od vrste i stepena rizika kojem su radnici izloženi na: EXTREME, HIGH, REGULAR.

Postoje dva različita načina za proizvodnju vatrootpornih tkanina, a asortiman Lacuna Multinorm nudi odevne komade izrađene od obe vrste tkanina, hemijski obrađene tkanine i inherentne tkanine. Inherentna tkanina znači da je tkanina sama tkana od vatrootpornih vlakna, pa je zaštita od plamena već ugrađena u tkaninu. Ove karakteristike su doživotne i ne mogu se „oprati“. Naša hemijski tretirana FR tkanina je tretirana PROBAN®-om, što pruža dobru zaštitu i još uvek omogućuje tkanini da zadrži svoju mekoću i prozračnost.

PROBAN® se ne može se ukloniti pranjem već se uklanja samo mehaničkim abrazijom ili pogrešnim pranjem. Bezbednost i visok nivo zaštite u kreiranju optimalne radne odeće je 100% fokus Lacune. Iz tog razloga preporučujemo da za taj odevni predmet pratite uputstva za negu i korišćenje.

Lacunina **CHAINSAW** kolekcija za rad sa motornom pilom je u skladu sa najnovijom Regulativom **(EU) 2016/425** Evropskog parlamenta i Veća i sa evropskim usklađenim standardima.

Zbog visoke opasnosti od povređivanja, preporuka je da se u radu sa motornim pilama nosi isključivo zaštitna odeća; zato je Lacuna razvila **CHAINSAW** kolekciju koja je isključivo namenjena radnicima koji rade sa pogonskim motornim pilama. Osim bezbednosti koja je najvažnija, fokus ove kolekcije je na udobnosti, kvalitetu i dizajnu.

MULTISAFE PROTECTIVE WORKWEAR

Lacuna multinorm products are accordance with the standard **EN ISO 13688:2013** (protective clothing-general requirements) and European standards concerning flame retardant and antistatic properties, welding, protection against electric arc flashovers and chemicals: EN 11612, EN 1149-5, EN 11611, EN 61482-1-2, EN 13034. Some of our multi-norm products also comply with EN 20471 to offer a good visibility, day and night.

MULTINORM work clothing is divided into several, groups, depending on the type and degree of risk the workers are exposed to: EXTREME, HIGH, REGULAR.

There are two different methods for producing flame-retardant fabrics, and the Lacuna Multinorm range offers garments made in both kinds of fabric, chemical treated fabric and inherent fabric. Inherent fabric means that the fabric itself is woven from flameretardant fibres, so the flame protection is built into the fabric. These properties are life-long, and cannot be “washed out”. Our chemically treated FR fabric is treated with PROBAN®, which provides good protection and still lets the fabric keeps its softness and breathability. There is a direct link between the fibre and PROBAN®, so the treatment cannot be removed over time.

PROBAN® It can not be removed by washing and can only be removed by mechanical abrasion or rendered ineffective through incorrect laundering. The safety and high level of protection are the 100% focus for Lacuna, to give you the optimal workwear.

Therefore, we strongly recommend you only use the garment for its recommended life and you follow the care instructions.

Lacuna **CHAINSAW** collection are in conformity with newest Regulation **(EU) 2016/425** of the European Parliament and of the Council and with the European harmonised standards.

Safety practices generally recommend that chainsaw users wear protective clothing, while operating chainsaws which is extremely danger. Therefore Lacuna developed **CHAINSAW** collection which can workers use during working with chainsaw. Besides safety which is the most important for chainsaw collection, our goal it to offer the best products with focus on comfort, fit, quality and design.

INDUSTRIJA UPOTREBE/INDUSTRY APPLICATIONS



Naftna industrija
Petroleum industry



Metalna industrija
Metal industry




Energetika
Energetic



Hemijska industrija
Chemical Industry

Tablica za određivanje veličine jakna/pantalona/Size chart jacket/pants

VELIČINA/SIZE	S		M		L		XL		XXL	
	44	46	48	50	52	54	56	58	60	62
A Visina/Height (cm)	170 - 174		174-178		178-182		182-186		186-190	
B Opseg grudi/Chests(cm)	90-94		98-102		106-110		114-118		122-129	
C Opseg struka/Waist (cm)	78-82		86-90		94-99		102-109		114-119	



STANDARDI



EN ISO 11612:2015

Zaštitna odeća, sertifikovana u skladu sa standardom ISO 11612 štiti od kratkog dodira sa toplotom i plamenom. Standard je podeljen u različite kategorije, gde kodne oznake označavaju koje zahteve za zaštitu od toplote i gasa odevni predmet ispunjava. Svaka kategorija dodatno je podeljena u različite nivoe, u zavisnosti od nivoa zaštite.

- (A1) Ograničeno širenje plamena
- (A2) Ograničeno širenje plamena, opšiveni uzorci
- (B) Konvektivna toplota, stepeni 1-3 gde je 3 najbolji
- (B) Radijacijska toplota, stepeni 1-4 gde je 4 najbolji
- (D) Prskanje livenog aluminijuma, stepeni 1-3 gde je 3 najbolji
- (E) Prskanje livenog gvožđa, stepeni 1-3 gde je 3 najbolji
- (F) Kontaktna toplina, stepeni 1-3 gde je 3 najbolji



EN ISO 11611:2015

Zaštitna odeća, sertifikovana u skladu sa standardom ISO 11611 pruža zaštitu od prskanja (male kapljice livenog metala) i kratkog kontakta sa plamenom. Klasa 1 - štiti protiv manje opasnih zavarivačkih tehnika i situacija, koje uzrokuju niže nivoe prskanja i radijacijske toplote. Klasa 2 - štiti protiv manje rizičnih zavarivačkih tehnika i situacija, koje uzrokuju više nivoe prskanja i radijacijske toplote.

- (A1) Ograničeno širenje plamena
- (A2) Ograničeno širenje plamena, opšiveni uzorci



EN 1149-5:2008

Zaštitna odeća, sertifikovana u skladu sa standardom EN 1149 , . pruža zaštitu protiv elektrostatickog elektriciteta i ograničava moguću rizik od zapaljenja. Odevni predmet je potrebno koristiti kao deo uzemljenja električnog sistema kako bi se sprečilo nastajanje iskri.



IEC 61482-1-2:2014; EN 61482-1-2:2014

Zaštitna odeća, sertifikovana u skladu sa standardom EN 61482- 1-2, pruža zaštitu od toplotnog efekta električnog luka. Ovaj standard pokazuje da li odevni predmet štiti od toplotnog efekta električnog luka i deli se u klase. Klasa 1 - Zaštita od toplotnog efekta električnog luka 4kA. Klasa 2 - Zaštita od toplotnog efekta električnog luka 7kA. Odevni predmet se testira pri naponu električnog luka od otprilike 400 V sa dužinom luka od 500 ms.



EN 13034:2005+A1:2009 (TYPE 6)

Zaštitna odeća, sertifikovana u skladu sa standardom EN 13034 pruža zaštitu od tečnih hemikalija i namenjena je za upotrebu ako su rizici procenjeni kao niski i nije potrebna potpuna nepropusnost za tečnosti, tj. kad ljudi koji nose odeću mogu na vreme preduzeti odgovarajuće radnje ako njihova odeća postane kontaminirana. Niski rizici mogu biti potencijalna izloženost malim količinama raspršene tečnosti ili slučajno prskanje, u malom obimu.



EN ISO 20471:2013

Zaštitna odeća, sertifikovana u skladu sa standardom ISO 471, pruža visoku vidljivost u opasnim situacijama tokom celog dana. Zahtevi su postavljeni za osvetljenost i refleksiju. Odevni predmet je sertifikovan s obzirom na površinu vidljivog površinskog materijala.



EN 381

Evropski standard EN 381, u skladu sa zahtevima za zaštitnom odećom za radnike koji rukuju motornim pilama. Standard je podeljen u dva dela a svaki je vezan uz zaštitu određenog dela tela.

- EN 381-5 - Zahtevi za zaštitnike nogu
- EN 381-11 - Zahtevi za gornji deo tela

STANDARDI

Protective clothing certified to ISO 11612 protects against brief contact with heat and flame. The standard is divided into different categories, where the code letters indicate which heat and flame requirements the garment fulfils. Each category is subdivided into different levels, depending on how good the protection is.

- (A1) Limited flame spread
- (A2) Limited flame spread, hemmed specimens
- (B) Convective heat, scale 1-3 where 3 is the best
- (C) Radiant heat, scale 1-4, where 4 is the best
- (D) Molten aluminium splash, scale 1-3 where 3 is the best
- (E) Molten iron splash, scale 1-3 where 3 is the best
- (F) Contact Heat, scale 1-3 where 3 is the best

Protective clothing certified to EN 11611 provides protection against spatter (small splashes of molten metal) and brief contact with flame.

- Class 1 - Protects against less hazardous welding techniques and situations, causing lower spatter and radiant heat
- Class 2 - Protects against riskier welding techniques and situations, which causes higher levels of spatter and radiant heat
- (A1) Limited flame spread
- (A2) Limited flame spread, hemmed Specimens

Protective clothing certified to EN 1149-5 provides protection against electrostatic build up and limits the potential risk of ignition. The garment should be used as a part of an earthed electrical system to prevent sparks.

Protective clothing certified to EN 61482-1-2 provides protection against the thermal hazards of an electric arc. The standard tells if the garment protects against electric arc and it is divided into classes.

- Class 1 - Protection against electric arc 4kA
- Class 2 - Protection against electric arc 7kA

The garment is tested at an arc voltage of up to approximately 400 V with an arc duration of 500 ms.

Protective clothing to EN 13034 provides protection against liquid chemicals and is intended for use if the risks are assessed as low and a full liquid permeation barrier is not necessary, i.e. when wearers are able to take timely adequate action if their clothing becomes contaminated. Low risks could be a potential exposure to small quantities of spray or accidental, low volume, splashes.

Protective clothing certified to EN 471 provides high visibility in dangerous situations during all hours of the day. Requirements are set for luminance and reflection. The garment is certified relative to the area of visible surface material.

The European standard EN 381 complies with protective clothing for chainsaw users. This norm is divided into different parts (or designs).

- EN 381-5 — Requirements for leg protectors
- EN 381-11 — Requirements for upper part of the body



LAWU

HIGH MULTINORM

WORKING RISK ENVIROMENTS



Proizvedeno od **TenCate Tecasafe® Plus** tkanine. Zaštitna odeća, proizvedena od tkanine sa najboljim rezultatima na testu. Šiveno negorivim koncem, označeno negorivim reflektujućim trakama.

Sastav: 79% pamuk, 20% poliester, 1% statička vlakna
Težina: 450 g/m²

Standardna boja/Standard color



Developed with **TenCate Tecapro® fabric**. Protective clothing made of fabric with highest score on the fabric test. Sewn with flame retardant thread and marked with flame retardant reflective strips.

Composition: 79% cotton, 20% polyester, 1% static fiber
Weight: 450 g/m²

Pranje u domaćinstvu/Household laundry



Industrijsko pranje/Industrial Wash



LAWU

MN/LAB

ZAŠTITNA RADNA JAKNA

Bluza klasičnoga kroja sa ruskom kragom. Prekriveno zatvaranje na drukere. Džepovi na prsima i sa preklopom. Našiveni prednji donji džepovi koji se zatvaraju sa preklopom. Mogućnost regulacije na ručnom zglobu. U području ramena i na završecima rukava reflektujuća traka.

PROTECTIVE WORK JACKET

Classic blouse with a Russian collar. Overlapping closure with pressbuttons. Flap pockets on chest. Front lower pockets, closing with a flap. Possibility of wrist adjustment. Reflective strips on shoulders and sleeves.



EN 1162 EN 11611 EN 1149



TENCATE
protectivefabrics

TENCATE
Tecapro®

CE EN ISO 13688

VELIČINA/SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
NAVY	MN/LABS	MN/LABM	MN/LABL	MN/LABXL	MN/LABXXL

LAWU

MN/LAP

ZAŠTITNE FARMER HLAČE

Zatvaranje jednosmjerni zatvarač, gumb u struku.
Dvostruki šavovi. Plastron džep sa preklopom.
Koso ušiveni džepovi. Pojačanje na koljenima.
Straga džep s preklopom. Džep za alat.

PROTECTIVE WORK BIB&BRACE PANTS

Closing one-way zipper, button on the belt. Double stitching. Flap plastron pocket. Oblique pockets. Reinforcement on the knees. Back flap pocket. Tool pocket.



CE EN ISO 13688

EN 11612

EN 11611

EN 1149



TENCATE
protectivefabrics

TENCATE
Tecapro

VELIČINA/SIZE

44/46 S

48/50 M

52/54 L

56/58 XL

60/62 XXL

NAVY

MN/LAPS

MN/LAPM

MN/LAPL

MN/LAPXL

MN/LAPXXL

LAWU

MN/LAT

ZAŠTITNE KLASIČNE HLAČE

Zatvaranje jednosmjerni zatvarač, gumb u struku.
Dvostruki šavovi. Plastron džep sa preklopom.
Koso ušiveni džepovi. Pojačanje na koljenima.
Straga džep s preklopom. Džep za alat.

PROTECTIVE WORK PANTS

Closing one-way zipper, button on the belt. Double stitching. Flap plastron pocket. Oblique pockets. Reinforcement on the knees. Back flap pocket. Tool pocket.



CE EN ISO 13688

EN 11612

EN 11611

EN 1149



TENCATE
protectivefabrics

TENCATE
Tecapro

VELIČINA/SIZE

44/46 S

48/50 M

52/54 L

56/58 XL

60/62 XXL

NAVY

MN/LATS

MN/LATM

MN/LATL

MN/LATXL

MN/LATXXL

EREBUS

HIGH MULTINORM

WORKING RISK ENVIROMENTS



Proizvedeno od **TenCate Tecasafe® Plus** tkanine. Zaštitna odjeća proizvedena od tkanine s najboljim rezultatima na testu. Šivano negorivim koncem te označeno negorivim reflektirajućim trakama.

Sastav: 79% pamuk, 20% poliester, 1% statička vlakna
Težina: 350 g/m²

Developed with **TenCate Tecapro® fabric**. Protective clothing made of fabric with highest score on the fabric test. Sewn with flame retardant thread and marked with flame retardant reflective strips.

Composition: 79% cotton, 20% polyester, 1% static fiber
Weight: 350 g/m²

Standardna boja/Standard color



Pranje u domaćinstvu/Household laundry



Industrijsko pranje/Industrial Wash



EREBUS


MN/ERB

ZAŠTITNA RADNA JAKNA

Jakna klasičnoga kroja sa ruskom kragom. Prekriveno zatvaranje na drukere. Prsni džepovi sa preklopom. Našiveni prednji donji džepovi koji se zatvaraju sa preklopom. Mogućnost regulacije u zapešću. U području ramena i na završecima rukava reflektirajuća traka.

PROTECTIVE WORK JACKET

Classic blouse with a Russian collar. Flap pockets with pressbuttons. Folding pockets on chest. Front lower pockets, closing with a flap. Possibility of wrist adjustment. Reflective strips on shoulders and sleeves.



CE EN ISO 13688

VELIČINA/SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
RIVER	MN/ERBRS	MN/ERBRM	MN/ERBRL	MN/ERBRXL	MN/ERBRXXL
NAVY	MN/ERBNS	MN/ERBNM	MN/ERBNL	MN/ERBNXL	MN/ERBNXXL

EREBUS

MN/ERP

ZAŠTITNE FARMER PANTALONE

Zatvaranje-jednosmerni zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep sa preklopom. Džep za alat.

PROTECTIVE WORK BIB&BRACE PANTS


Closing one-way zipper, button on the belt on the waist. Double stitching. Flap plastron pocket. Oblique pockets. Reinforcement on the knees. Back flap pocket. Tool pocket.



EN 11612 EN 11611 EN 1149



EN 61482 EN 13034



TENCATE
protectivefabrics
TENCATE
Tecapro



CE EN ISO 13688

VELIČINA/SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
RIVER	MN/ERPRS	MN/ERPRM	MN/ERPRL	MN/ERPRXL	MN/ERPRXXL
NAVY	MN/ERPNS	MN/ERPNM	MN/ERP NL	MN/ERP NXL	MN/ERP NXXL

EREBUS

MN/ERT

ZAŠTITNE KLASIČNE PANTALONE

Zatvaranje jednosmjerni zatvarač, gumb u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na koljenima. Straga džep s preklopom. Džep za alat.

PROTECTIVE WORK PANTS


Closing one-way zipper, button on the belt. Double stitching. Flap plastron pocket. Oblique pockets. Reinforcement on the knees. Back flap pocket. Tool pocket.



EN 11612 EN 11611 EN 1149



EN 61482 EN 13034



TENCATE
protectivefabrics
TENCATE
Tecapro



CE EN ISO 13688

VELIČINA/SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
RIVER	MN/ERTRS	MN/ERTRM	MN/ERTRL	MN/ERTRXL	MN/ERTRXXL
NAVY	MN/ERTNS	MN/ERTNM	MN/ERTNL	MN/ERTNXL	MN/ERTNXXL

MERU

HIGH MULTINORM

WORKING RISK ENVIROMENTS



Proizvedeno od TenCate Tecasafe® Plus tkanine. Zaštitna odjeća proizvedena od tkanine s najboljim rezultatima na testu. Šivano negorivim koncem te označeno negorivim reflektirajućim trakama.

Sastav: 79% pamuk, 20% poliester, 1% statik
Težina: 260 g/m²

Standardna boja/Standard color



Navy

Papaya

Developed with TenCate Tecapro® fabric. Protective clothing made of fabric with highest score on the fabric test. Sewn with flame retardant thread and marked with flame retardant reflective strips.

Composition: 79% cotton, 20% polyester, 1% static fiber
Weight: 260 g/m²

Pranje u domaćinstvu/Household laundry



Industrijsko pranje/Industrial Wash



MERU

MN/MEB

ZAŠTITNA RADNA JAKNA

Jakna klasičnoga kroja sa ruskom kragom. Prekriveno zatvaranje na drukere. Prsni džepovi sa preklopom. Našiveni prednji donji džepovi koji se zatvaraju sa preklopom. Mogućnost regulacije u ručnom zglobu. U području ramena i na završecima rukava reflektujuća traka.

PROTECTIVE WORK JACKET

Classic blouse with a Russian collar. Overlapping closure with pressbuttons. Chest flap pockets. Front sewn in flap lower pockets. Possibility of regulation at wrists. Shoulders and sleeves with reflectice strips.



LACUNA

MADE IN EUROPE

REGULAR FITTING



EN 11612



EN 11611



EN 1149



EN 61482



EN 13034



TENCATE
protectivefabrics

TENCATE
Tecapro®



EN ISO 13688

VELIČINA/SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
NAVY	MN/MEBNS	MN/MEBNM	MN/MEBNL	MN/MEBNXL	MN/MEBNXXL
PAPAYA	MN/MEBPS	MN/MEBPM	MN/MEBPL	MN/MEBPXL	MN/MEBPXXL

MERU

MN/MEP

ZAŠTITNE FARMER PANTALONE

Zatvaranje - jednosmerni zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep s preklopom. Džep za alat.


PROTECTIVE WORK BIB&BRACE PANTS

Closing one-way zipper, button on the waist. Double stitching. Flap plastron pocket. Oblique pockets. Reinforcement on knees. Back flap pocket. Tool pocket.

EN 11612 EN 11611 EN 1149



EN 61482 EN 13034



TENCATE
protectivefabrics
TENCATE
Tecapro



CE EN ISO 13688

VELIČINA/SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
NAVY	MN/MEPNS	MN/MEPNM	MN/MEPNL	MN/MEPNXL	MN/MEPNXXL
PAPAYA	MN/MEPPS	MN/MEPPM	MN/MEPPL	MN/MEPPXL	MN/MEPPXXL

MERU

MN/MET

ZAŠTITNE KLASIČNE PANTALONE

Zatvaranje - jednosmerni zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Iza džep sa preklopom. Džep za alat.


PROTECTIVE WORK PANTS

Closing one-way zipper, button on the waist. Double stitches. Flap plastron pocket. Oblique pockets. Reinforcement on the knees. Back flap pocket. Tool pocket.

EN 11612 EN 11611 EN 1149



EN 61482 EN 13034



TENCATE
protectivefabrics
TENCATE
Tecapro



CE EN ISO 13688

VELIČINA/SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
NAVY	MN/METNS	MN/METNM	MN/METNL	MN/METNXL	MN/METNXXL
PAPAYA	MN/METPS	MN/METPM	MN/METPL	MN/METPXL	MN/METPXXL



MERU 2

HIGH MULTINORM

WORKING RISK ENVIROMENTS



Proizvedeno od **TenCate Tecasafe® Plus** tkanine. Zaštitna odeća proizvedena od tkanine sa najboljim rezultatima na testu. Šiveno negorivim koncem i označeno negorivim reflektujućim trakama.

Sastav: 79% pamuk, 20% poliester, 1% statička vlakna
Težina: 260 g/m²

Standardna boja/Standard color



HV žuta/HV yellow

Developed with **TenCate Tecapro® fabric**. Protective clothing made of fabric with highest score on the fabric test. Sewn with flame retardant thread and marked with flame retardant reflective strips.

Composition: 79% cotton, 20% polyester, 1% static fiber
Weight: 260 g/m²

Pranje u domaćinstvu/Household laundry



Industrijsko pranje/ Industrial Wash



MERU 2

MN/ME2BY

ZAŠTITNA RADNA JAKNA

Jakna klasičnog kroja sa ruskom kragom. Prekriveno zatvaranje na drukere. Prsni džepovi sa preklopom. Našiveni prednji donji džepovi koji se zatvaraju preklopom. Mogućnost regulacije na ručnom zglobu. U području ramena i na završecima rukava reflektujuća traka.

PROTECTIVE WORK JACKET

Classic cut blouse with Russian collar. Covered closure with pressbuttons. Chest flap pockets. Sewn front lower pockets closed with a flap. Possibility of regulation in wrist. In the shoulder area and at the ends of the sleeves are reflective tapes.



EN 1162



EN 1161



EN 1149



EN 61482



EN 13034



EN 20471



TENCATE
protectivefabrics

TENCATE
Tecapro®

CE EN ISO 20471

VELIČINA/SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
HV YELLOW	MN/ME2BYS	MN/ME2BYM	MN/ME2BYL	MN/ME2BYXL	MN/ME2BYXXL

MERU 2

MN/ME2PY

ZAŠTITNE FARMER PANTALONE

Zatvaranje - jednosmerni zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep sa preklopom. Džep za alat.

PROTECTIVE WORK BIB&BRACE PANTS

Closing one-way zipper, button on the belt on the waist. Double stitching. Flap plastron pocket. Oblique pockets. Reinforcement on knees. Back flap pocket. Tool pocket.

EN 11612 EN 11611 EN 1149



EN 61482 EN 13034 EN 20471



TENCATE
protectivefabrics
TENCATE
Tecapro



CE EN ISO 20471

VELIČINA/SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
HV YELLOW	MN/ME2PYS	MN/ME2PYM	MN/ME2PYL	MN/ME2PYXL	MN/ME2PYXXL

MERU 2

MN/ME2TY

ZAŠTITNE KLASIČNE PANTALONE

Zatvaranje - jednosmerni zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep sa preklopom. Džep za alat.

PROTECTIVE CLASSIC PANTS

Closing one-way zipper, button at the waist. Double seams. Flap plastron pocket. Obliquely sewn pockets. Reinforcement on the knees. Back flap pocket. Tool pocket.

EN 11612 EN 11611 EN 1149



EN 61482 EN 13034 EN 20471



TENCATE
protectivefabrics
TENCATE
Tecapro



CE EN ISO 20471

VELIČINA/SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
HV YELLOW	MN/ME2TYS	MN/ME2TYM	MN/ME2TYL	MN/ME2TYXL	MN/ME2TYXXL





ETNA

HIGH MULTINORM WORKING RISK ENVIROMENTS



Proizvedeno od **TenCate Tecasafe® Plus** tkanine. Zaštitna odeća proizvedena od tkanine sa najboljim rezultatima na testu. Šiveno negorivim koncem i označeno negorivim reflektujućim trakama.

Sastav: 99% pamuk, 1% statička vlakna
Težina: 335 g/m²

Standardna boja/Standard color



Developed with **TenCate Tecapro® fabric**. Protective clothing made of fabric with highest score on the fabric test. Sewn with flame retardant thread and marked with flame retardant reflective strips.

Composition: 99% cotton, 1% static fiber
Weight: 335 g/m²

Pranje u domaćinstvu/Household laundry



Industrijsko pranje/Industrial Wash



ETNA

MN/ETB

ZAŠTITNA RADNA JAKNA

Bluza klasičnoga kroja sa ruskom kragom. Prekriveno zatvaranje na drukere. Prsni džepovi sa preklopom. Našiveni prednji donji džepovi koji se zatvaraju sa preklopom. Mogućnost regulacije u ručnom zglobu. U području ramena i na završecima rukava reflektujuća traka.

PROTECTIVE WORK JACKET

Classic cut jacket with Russian collar. Closing with pressbuttons. Chest flap pockets. Front sewn in flap lower pockets. Possibility of regulation in the wrist. In the shoulder area and at the ends of the sleeves reflective tape.



TENCATE
protectivefabrics
TENCATE
Tecapro®

CE EN ISO 13688

VELIČINA/SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
KOBLAT BLUE	MN/ETBKBS	MN/ETBKBM	MN/ETBKBL	MN/ETBKEXL	MN/ETBKEXXL
INK BLUE	MN/ETBIBS	MN/ETBIBM	MN/ETBIBL	MN/ETBIBXL	MN/ETBIBXXL

ETNA

MN/ETP

ZAŠČITNE FARMER PANTALONE

Zatvaranje - jednosmerni zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep sa preklopom. Džep za alat.

PROTECTIVE WORK BIB&BRACE PANTS

Closing one-way zipper, button on the belt. Double stitching. Flap plastron pocket. Oblique pockets. Reinforcement on the knees. Back flap pocket. Tool pocket.



LACUNA



MADE IN EUROPE



REGULAR FITTING



EN 11612

EN 11611

EN 1149



TENCATE
protectivefabrics

TENCATE
Tecapro

CE EN ISO 13688

VELIČINA/SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
KOBALT BLUE	MN/ETPKBS	MN/ETPKBM	MN/ETPKBL	MN/ETPKBXL	MN/ETPKBXXL
INK BLUE	MN/ETPIBS	MN/ETPIBM	MN/ETPIBL	MN/ETPIBXL	MN/ETPIBXXL

ETNA

MN/ETT

ZAŠČITNE KLASIČNE PANTALONE

Zatvaranje - jednosmerni zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep sa preklopom. Džep za alat.

PROTECTIVE WORK PANTS

Closing one-way zipper, button on the belt. Double stitching. Flap plastron pocket. Oblique pockets. Reinforcement on the knees. Back flap pocket. Tool pocket.



LACUNA



MADE IN EUROPE



REGULAR FITTING



EN 11612

EN 11611

EN 1149



TENCATE
protectivefabrics

TENCATE
Tecapro

CE EN ISO 13688

VELIČINA/SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
KOBALT BLUE	MN/ETTKBS	MN/ETTKBM	MN/ETTKBL	MN/ETTKBXL	MN/ETTKBXXL
INK BLUE	MN/ETTIBS	MN/ETTIBM	MN/ETTIBL	MN/ETTIBXL	MN/ETTIBXXL



ETNA 2

REGULAR MULTINORM

WORKING RISK ENVIROMENTS



Proizvedeno od **TenCate Tecasafe® Plus** tkanine. Zaštitna odeća proizvedena od tkanine sa najboljim rezultatima na testu. Šiveno negorivim koncem i označeno negorivim reflektujućim trakama.

Sastav: 65% pamuk, 34% poliester, 1% statička vlakna
Težina: 245 g/m²

Standardna boja/Standard color



Navy

Developed with **TenCate Tecawork® fabric**. Protective clothing made of fabric with highest score on the fabric test. Sewn with flame retardant thread and marked with flame retardant reflective strips.

Composition: 65% cotton, 34% polyester, 1% static fiber
Weight: 245 g/m²

Pranje u domaćinstvu/Household laundry



Industrijsko pranje/Industrial wash



ETNA 2

MN/ET2B

ZAŠTITNA RADNA JAKNA

Prekriveno zatvaranje na drukere. Prsni džepovi sa preklopom. Našiveni prednji donji džepovi koji se zatvaraju sa preklopom. Mogućnost regulacije na ručnom zglobu. U području ramena i na završecima rukava reflektujuća traka.

PROTECTIVE WORK JACKET

Classic blouse with a Russian collar. Overlapping closure with pressbuttons. Chest flap pockets. Front lower flap pockets. Possibility of wrist adjustment. Reflective strips on shoulders and sleeves.



EN 1149

TENCATE
protectivefabrics



TENCATE
Tecapro®

EN ISO 13688

VELIČINA/SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
NAVY	MN/ET2BNS	MN/ET2BNM	MN/ET2BNL	MN/ET2BNXL	MN/ET2BNXXL

ETNA 2

MN/ET2P

ZAŠTITNE FARMER PANTALONE

Zatvaranje - jednosmerni zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep sa preklopom. Džep za alat.

ZAŠTITNE FARMER HLAČE

Zapiranje enosmerna zadržga, gumb na pasu. Dvojni šivi. Zložljivi plastron žep. Poševni žepi. Okrepitev na kolenih. Zadnji žep na prekrivanje. Žep za orodje.



EN 1149



TENCATE
protectivefabrics

TENCATE
Tecapro



CE EN ISO 13688

VELIČINA/SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
NAVY	MN/ET2PNS	MN/ET2PNM	MN/ET2PNL	MN/ET2PNXL	MN/ET2PNXXL

ETNA 2

MN/ET2T

ZAŠTITNE KLASIČNE PANTALONE

Zatvaranje - jednosmerni zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep sa preklopom. Džep za alat.

PROTECTIVE WORK BIB&BRACE PANTS

Closing one-way zipper; button on the belt. Double stitching. Flap plastron pocket. Oblique pockets. Reinforcement on the knees. Back flap pocket. Tool pocket.



EN 1149



TENCATE
protectivefabrics

TENCATE
Tecapro



CE EN ISO 13688

VELIČINA/SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
NAVY	MN/ET2TNS	MN/ET2TNM	MN/ET2TNL	MN/ET2TNXL	MN/ET2TNXXL



TARANIS

5TRB010

Materijal: 65% poliester, 33% pamuk,
2% antistatik tkanina
Rukavi: fiksni
Ovratnik: klasični
Zatvaranje: skriveno sa kopčanjem na drukere
Veličine: XS - XXXL
Originalno pakovanje: 1/10

Material: 65% polyester, 33% cotton,
2% antistatic fiber
Sleeves: fixed
Collar: classic
Closure: hidden metal snaps
Size: XS-XXXL
Original packaging: 1/10



coverguard

NOVO
NEW



EN 1149 EN61340-5-1-2016



CE

VELIČINA/SIZE	XS	S	M	L	XL	XXL	XXXL
Bela/WHITE	5TRB01000XS	5TRB01000S	5TRB01000M	5TRB01000L	5TRB010XL	5TRB0102XL	5TRB0103XL

TARANIS

5TRP010

Materijal: 65% poliester, 33% pamuk,
2% antistatik tkanina
Zatvaranje: gumb i patentni zatvarač
zatvaračem prekrivenim blendom
Džepovi: 5 džepa; uključujući 2 cargo džepa
Veličine: XS - XXXL
Originalno pakovanje: 1/10

Material: 65% polyester, 33% cotton,
2% antistatic fiber
Closure: zipper and button
Pockets: 5 pockets including 2 cargo pockets
Size: XS-XXXL
Original packaging: 1/10



coverguard

NOVO
NEW

EN 1149 EN61340-5-1-2016



CE

VELIČINA/SIZE	XS	S	M	L	XL	XXL	XXXL
Bela/WHITE	5TRP01000XS	5TRP01000S	5TRP01000M	5TRP01000L	5TRP010XL	5TRP0102XL	5TRP0103XL

ZAŠTITNA ODEĆA ZA RAD SA MOTORNOM PILOM CHAINSAW PROTECTIVE APPAREL



LACUNA

ZAŠTITNA ODEĆA ZA RAD SA MOTORNOM PILOM

Lacuna je razvila asortiman zaštitne odeće koji štiti korisnike od opasnosti u radu sa motornim pilama. Naše polazište (i ono najvažnije) kod razvoja ove kolekcije bilo je zaštita i bezbednost korisnika koji rade sa motornim pilama, ali i moderan dizajn i udobnost. Svi su modeli izrađeni od izdržive spoljne tkanine u kombinaciji poliestera i pamuka. Za asortiman zaštitne odeće za rad sa motornom pilom koristimo tkanine najvišeg kvaliteta kako bi se postigla maksimalna zaštita korisnika. U ovom rangu zaštitne odeće naći ćete zaštitnu odeću za rad sa motornom pilom klase 1 tipa A. Naša najnovija kolekcija CHAINSAW je u skladu sa najnovijom regulativom (EU) 2016/425 Evropskog parlamenta i Veća i usklađena je sa evropskim standardom EN 381, zaštitna odeća za korisnike motornih pila. Standard je podeljen u dva dela a svaki je vezan uz zaštitu određenog dela tela.

EN 381-5 - Zahtevi za zaštitnike nogu

EN 381-11 - Zahtevi za gornji deo tela

SAFETY CLOTHING FOR WORK WITH CHAINSAW

Lacuna has developed a range of safety clothing that protects users from hazards when operating a chainsaw. Our starting point (and the most important) in the development of this collection was the protection and safety of chainsaw users, along with modern design and good comfort. All models are made of durable outer fabrics, cotton and polyester combined. In order to achieve maximum user protection, we utilize only highest quality fabrics. In this collection you will find protective clothing for working with a Class 1 chainsaw, design A. Our latest collection CHAINSAW complies with the latest regulation (EU) 2016/425 of the European Parliament and the Council and complies with the European standard EN 381, protective clothing for users of chainsaws. The norm is divided into two parts and each one is related to the protection of certain parts of the body.

EN 381-5 - Requirements for foot protection
EN 381-11 - Upper body

LACUNA ne odgovara za eventualne štamparske greške u katalogu/LACUNA is not responsible for misprints in the catalogue.

Zadnje važeće cene molimo proverite na LACUNA B2B/Last valid recommended prices check at www.lacuna.hr

Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/Full Lacuna range available at www.lacuna.hr





LOGGER

8LOGGJG

LOGGER - RADNA JAKNA

Sastav tkanine: 65% poliester, 35% pamuk, 245 g/m²

Zatvarač: patentni zatvarač, klapna s čičak trakom

Ovratnik: visoki ovratnik

Džepovi: 2 na dnu, 1 na prsima

Veličina: 48-62

Originalno pakovanje: 1/10

LOGGER - WORK JACKET

Fabric composition: 65% polyester, 35% cotton, 245 g/m²

Zipper: zipper, Velcro strip covering

Collar: High collar

Pockets: 2 lower pockets, 1 chest pocket

Size: 48-62

Original packaging: 1/10



LACUNA



EN ISO 13688

VELIČINA/SIZE	48	50	52	54	56	58	60	62
SIVA/GRAY	8LOGGJG48	8LOGGJG50	8LOGGJG52	8LOGGJG54	8LOGGJG56	8LOGGJG58	8LOGGJG60	8LOGGJG62

LOGGER

MN/LOGGTG

LOGGER - ZAŠTITNE PANTALONE ZA RAD S

MOTORNOM PILOM - KLASA 1 - DIZAJN A

Sastav tkanine: 65% poliester, 35% pamuk, 245 g/m²

Zaštitna mrežica: 100% poliester, 155 g/m²

Zatvarač: patent zatvarač sa dugmetom

Džepovi: 5

Veličina: 48-62

Originalno pakovanje: 1/1

*u paketu sa hlačama dolaze i naramenice na skidanje

LOGGER - SAFETY PANTS FOR

CHAINSAW WORK - CLASS 1 - DESIGN A

Fabric composition: 65% polyester, 35% cotton, 245 g/m²

Chainsaw protection: 100% polyester, 155 g/m²

Zipper: zipper with button

Pockets: 5


Size: 48-62

Original packaging: 1/10

* removable straps included



LACUNA



EN 381-5



EN ISO 13688

VELIČINA/SIZE	48	50	52	54	56	58	60	62
SIVA/GRAY	MN/LOGGTG48	MN/LOGGTG50	MN/LOGGTG52	MN/LOGGTG54	MN/LOGGTG56	MN/LOGGTG58	MN/LOGGTG60	MN/LOGGTG62



HEWER

8HEWEJG

HEWER - RADNA JAKNA

Sastav tkanine: 80% poliester, 20% pamuk, 225 g/m²

Zatvarač: patentni zatvarač, klapna sa čičak trakom

Ovratnik: visoki ovratnik

Džepovi: 2 na dnu, 1 na prsima

Veličina: 48-62

Originalno pakovanje: 1/10

HEWER - WORK JACKET

Fabric composition: 80% polyester, 20% cotton, 225 g/m²

Zipper: zipper, Velcro straps covering

Collar: High collar

Pockets: 2 lower pockets, 1 chest pocket

Size: 48-62

Original packaging: 1/10



LACUNA



TENCATE
protectivefabrics

TENCATE
Tecapro



EN ISO 13688

VELIČINA/SIZE	48	50	52	54	56	58	60	62
SIVA/GRAY	8HEWEJG48	8HEWEJG50	8HEWEJG52	8HEWEJG54	8HEWEJG56	8HEWEJG58	8HEWEJG60	8HEWEJG62

HEWER

MN/HEWETG

LOGGER - ZAŠTITNE PANTALONE ZA RAD S

MOTORNOM PILOM - KLASA 1 - DIZAJN A

Sastav tkanine: 80% poliester, 20% pamuk, 225 g/m²

Zaštitna mrežica: 100% poliester, 155 g/m²

Zatvarač: patentni zatvarač sa dugmetom

Džepovi: 5

Veličina: 48-62

Originalno pakovanje: 1/1

*u paketu sa hlačama dolaze i naramenice na skidanje

LOGGER - SAFETY PANTS FOR CHAINSAW

WORK - CLASS 1 - DESIGN A

Fabric composition: 80% polyester, 20% cotton, 225 g/m²

Chainsaw protection: 100% polyester, 155 g/m²

Zipper: zipper with button

Pockets: 5


Size: 48-62

Original packaging: 1/1

* removable straps included



LACUNA



TENCATE
protectivefabrics

TENCATE
Tecapro



EN ISO 13688

VELIČINA/SIZE	48	50	52	54	56	58	60	62
SIVA/GRAY	MN/HEWETG48	MN/HEWETG50	MN/HEWETG52	MN/HEWETG54	MN/HEWETG56	MN/HEWETG58	MN/HEWETG60	MN/HEWETG62



LACUNA

coverguard

ODEĆA VISOKE VIDLJIVOSTI

Odeća visoke vidljivosti ima za cilj vizuelnu signalizaciju na prisutnost korisnika koji istu nosi, kako danju tako i noću. Reflektujući materijali i fluorescentne boje od kojih je izrađena odeća visoke vidljivosti omogućuju identifikaciju učesnika u saobraćaju u uslovima otežane vidljivosti. HI-VIZ radna odeća je obavezna za radnike koji rade na održavanju puteva i autoputeva, saobraćajne policajce, radnike na aerodromima, radnike u pomorskom saobraćaju, radnike na železničkim i autobuskim stanicama.

ODEĆA VISOKE VIDLJIVOSTI REFLECTIVE WORKWEAR

REFLECTIVE WORKWEAR

The purpose of high visibility clothing is to make the presence of the person wearing it highly noticeable, day and night. Reflective materials and fluorescent paints, designed for high visibility clothing, allow the users to be visible even in poor visibility conditions. HI-VIS work clothes are mandatory for employees on road and highway maintenance, traffic police officers, employees at airports, in maritime traffic and bus stations.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/LACUNA is not responsible for misprints in the catalogue.

Zadnje važeće cene molimo proverite na LACUNA B2B/Last valid recommended prices check at www.lacuna.hr

Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/Full Lacuna range available at www.lacuna.hr



HI-VIZ

High visibility

NAŠ IZBOR MATERIJALA *OUR CHOICE OF MATERIALS*



Pleteno poliestersko vlakno
Knitted polyester fiber



Vodootporno poliestersko vlakno Oxford sa premazom neprozirnog PU
Oxford waterproof polyester fibers with opaque PU coating



Neprozirni poliuretan
Opaque polyurethane



Breathane®
prozirni poliuretan
Breathane® Breathable polyurethane

VISOKO VIDLJIVI MATERIJALI

Signalizirajuća odeća je izrađena je od reflektujućih materijala koji dozvoljavaju reflektiranje svetlosti na optimalan način. Osnovni materijal je izrađen u fluorescentnim bojama kako bi odeća bila što vidljivija. Fluorescentne boje deluju dublje od ostalih standardnih boja i čine čoveka koji ih nosi vidljivijim danju. Retroreflektivni materijal deluje kao reflektor šaljući svetlo koje izvire kod slabog izvora nazad tom izvoru, čineći pri tome objekt laganom vidljivim, čak i u slučaju slabog svetla.

Kombinovani materijal istovremeno predstavlja karakteristike fluorescentnog i retroreflektujućeg materijala (nije ponuđen u našoj kolekciji).

HIGH-VISIBLE MATERIALS

Signal clothing is made of reflective materials that allow light to be reflected in an optimal way. The base material is made of fluorescent colors, and clothes are as visible as possible. Fluorescent colors work deeper than other, standard colors and should make the person wearing them more visible during the day.

The reflective material acts as a reflector that emits light from a weak source back to the source, while the object is slightly visible even in low light.

The combined material simultaneously represents the properties of fluorescent and reflective material (not available in our collection).

EN ISO 20471:2013

Evropski standard za Hi-Viz
European standard for HI-VIZ

Odeća visoke vidljivosti namenjena je vizuelnoj signalizaciji prisutnosti čoveka, kako danju tako i noću.

High visibility clothing is intended to visually signal the presence of persons during the day and at night.

HI-VIZ

High visibility

MODELI I STEPENI VIDLJIVOSTI

Odeća visoke vidljivosti je podeljena u tri klase. Svaka klasa zahteva minimalno osnovnog materijala, kao i retroreflektujućeg materijala ili kombinaciju jednog i drugog prema donjoj tabeli.

KLASA 3 sadrži najveći nivo vidljivosti, a tu spadaju jakne sa dugim rukavima, parke, kabanice i odela.

KLASA 2 sadrži srednji nivo vidljivosti koju možemo videti na prslucima ili jaknama bez retroreflektujućih traka na rukavima.

KLASA 1 sadrži najmanji stepen vidljivosti npr. na pantalonama bez jakne, majicama ili manjim proizvodima (rukavicama ili kapama).

PATTERNS AND LEVELS OF VISIBILITY

Reflective clothing is divided into three classes. Each class requires at least a basic material as well as reflective materials or a combination of both following the table below.

Class 3 contains the highest level of visibility, and this includes jackets with long sleeves, parkas, raincoats and suits.

Class 2 contains the middle level of visibility that can be found on jackets or blazers without reflective straps on the sleeves.

Class 1 contains the lowest level of visibility and can be seen at pants without jackets, T-shirts or small items (gloves or hats).

	ODJEĆA/CLOTHES CLASS 3	ODJEĆA/CLOTHES CLASS 2	ODJEĆA/CLOTHES CLASS 1
OSNOVNI MATERIJAL BASIC MATERIAL	0,80 m ²	0,50 m ²	0,14 m ²
RETROREFLEKTIRAJUĆI MATERIJAL RETROREFLECTIVE MATERIAL	0,20 m ²	0,13 m ²	0,10 m ²
KOMBINIRANI MATERIJAL COMBINED MATERIAL			0,20 m ²



Označavanje /Označevanje

ljivosti je označena oznakom koju prikazuje piktoqram, a koji pokazuje i stepen kvaliteta. Broj X pored piktoqrana ukazuje na klasu površine pozadine materijala prema gornjoj tabeli.

High visibility signaling clothing is marked with a sign which is shown by a pictogram that also shows the degree of quality. The number X next to the pictogram indicates the surface area class of the material according to the table above.

STANDARD HRN EN ISO 20471:2013 STANDARD EN ISO 20471:2013

Načini ispitivanja i zahtevi za signalizirajuću odeću visoke vidljivosti koju koriste profesionalci. Sertifikovana ovim standardima, odeća vizualno ukazuje na prisutnost korisnika, kako bi ga druga lica primetila u opasnim situacijama.

Zahtevi za performanse obuhvataju boju, retrorefleksije, minimalnu površinu i materijal za pozicioniranje. Postoje 3 klase signalizirajuće odeće, definisane na osnovu korišćene površine za «propratne materijale» (fluorescentni materijal u boji) i «retroreflektujuć materijal» u manjem obimu.

Test methods and requirements for high visibility signaling clothing used by professionals.

Clothes certified by these standards visually indicate the presence of the user, in order for them to be noticeable in dangerous situations.

Requirements include color, retro reflections, minimal surface area and material for positioning. There are 3 classes of clothing signaling defined on the basis of the surface used for "accompanying materials" (colored fluorescent material) and "retro reflective material" to a lesser extent.

NORMA

HRN EN ISO 20471:2013

STANDARD

EN ISO 20471:2013

Novi standard EN20471 pruža nove dokaze koji će dodatno povećati bezbednost korisnika. Među promenama, sledeće nam se čini najznačajnije: Odeća koja pokriva samo torzo (prsluci, prsluk) mora imati najmanje retroreflektujuću horizontalnu traku oko torza, uz dopunu drugog horizontalnog pojasa oko torza ili dve trake koje povezuje horizontalnu traku od napred prema nazad kroz ramena. Odeća koja pokriva telo i ruke (prsluci, jakne, majice,) mora imati najmanje retroreflektujuću horizontalnu traku oko torza, uz nadopunu drugog horizontalnog pojasa oko torza ili dve trake, horizontalne, napred-nazad preko ramena. Ako rukav ne dozvoljava razlikovanje trake torza, rukav treba biti opšiven trakom.

Ako rukav ne dozvoljava razlikovanje trake torza, rukav treba biti opšiven sa dve trake. Ako se radi o dugim rukavima, oni moraju biti opšiveni sa dve trake.

Odeća koja pokriva noge (pantalone) mora imati dve trake oko svake noge.

Odeća Klase 3 mora:

- Pokriti torzo

- Mora imati ili duge rukave ili nogavice, ili oboje, sa trakama.

Test na postojanost boje na trenje i znoj materijala odeće visoke vidljivosti i kontrast potreban je za sertifikaciju.

Test na puštanje boje kod pranja/ pranja u hemijskoj čistionici /pranje i peglanje materijala odeće visoke vidljivosti i kontrast, potreban je za sertifikaciju.

Test otpornosti na vodene pare je potreban za sertifikaciju.

Definisana je novi logo:

Logo:



Prethodni logo:



Postoji više referenci kvaliteta retroreflektujućih traka na etiketi proizvoda, ali samo u klasi proizvoda:



Konačno, novi standard u Dodatku A širi informacije koje se odnose na rizik i identifikuje odgovarajuću klasu odeće:

Brzina vozila	Tip korisnika	Nivo rizika	Klasa odjeće
> 60km/h	Pasivan	Visok	3 prema EN ISO 20471
≤ 60km/h	Pasivan	Visok	2 prema EN ISO 20471
≤ 30km/h	Pasivan	Visok	1 prema EN ISO 20471
≤ 60km/h	Aktivan	Umjeren	—
≤ 15km/h	Pasivan	Umjeren	—

Pasivan korisnik: osoba na cesti koja ne sudjeluje u kontroli prometa.
PRIMJER: radnik na cesti, osoba u hitnoj situaciji.

Aktivan korisnik: osoba koja se kreće po cesti i usredotočena je na promet.

PRIMJER: biciklist, pješak

The new EN20471 standard offers new evidence that will continue to increase user safety. Among the changes, we consider the following to be the most important: Clothing that covers only the torso (jackets, vests) must have at least reflective horizontal lines around the torso, with the addition of another horizontal strap around the torso or two straps connected by a horizontal band front to back through the shoulders.

Clothing covering the body and arms (vests, jackets, T-shirts,) must have at least a reflective horizontal strip around the torso complemented with the second horizontal strip around the torso or two strips horizontally back and forth along the shoulders. If the sleeve does not allow the torso to be distinguished, the sleeve must be surrounded by a strap. If the sleeve does not allow the torso to be distinguished, the sleeve should be surrounded by two straps. When it comes to long term sleeve must have two bands.

Clothes covering the legs (pants) should have two straps on legs. Clothing class 3 must:

- Cover upper body

- It must have long sleeves or legs or both with straps. Visibility and contrast are required to test the resistance of colors for the clothing material for certification.

Testing on dyes for washing / dry cleaning / washing and ironing clothing material requires high visibility and contrast for certification. A water vapor resistance test is required for certification.

A new logo has been set:

Logo:



Previous logo:



There are several references to the quality of tape reflections on the product label, but only in the product class:



Finally, the new standard in Appendix A disseminates risk-related information and identifies the appropriate class of clothing:

Vehicles speed	Type of user	Risk level	Clothes class
> 60km/h	Passive	High	3 according EN ISO 20471
≤ 60km/h	Passive	High	3 according EN ISO 20471
≤ 30km/h	Passive	High	3 according EN ISO 20471
≤ 60km/h	Active	Moderate	—
≤ 15km/h	Passive	Moderate	—

Passive user: a person on the road who does not participate in the control of the traffic.

EXAMPLE: road worker, person in emergency.

Active user: a person walking on the road and is focused on traffic.

EXAMPLE: cyclist, pedestrian.

PRONAĐITE SVOJU VELIČINU

FIND YOUR SIZE

Odredite veličinu/Determine size

A, B ili C/A, B or C

Meere u cm/Measures in cm

A PRSA/CHEST

B STRUK/WAIST

C BOKOVI/HIPS


2u1



3u1




4u1




Za jakne, parke, prsluke i veste/For jackets, parkas, vests and sweaters

A or B




Za pantalone, kratke pantalone i farmer pantalone/For pants, shorts and jeans

B or C



Za kombinezon/For overalls

A, B or C



MUŠKARCI/MEN

VELIČINA/SIZE	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
A prsa/chest	81	88	89	96	97	104	105	112	113	120	121	128	129	136	137	144
B struk/waist	69	76	77	84	85	92	93	100	101	108	109	116	117	124	125	132
C bokovi/hips	85	92	93	100	101	108	109	116	117	124	125	132	133	140	141	148
Slovne o./Letter code	XS		S			M		L		XL		XXL		XXXL		XXXXL
Brojčane o./Number codes	0		1			2		3		4		5		6		7

HI-VIZ

MODELI I STEPENI VIDLJIVOSTI

OZNAČAVANJE

Dajući kakarakterističnost standardnoj odeći, istu prilagođavamo potrebama lica koje je nosi, kao i kompanije ili kupaca; međutim, istovremeno pojačavamo vlastiti imidž i osećaj pripadnosti kompaniji. Svi modeli koje ćete naći u ovom katalogu su posebno označeni. Pažnja pri odabiru klase: preporučljivo je ponovno ispitati odeću visoke vidljivosti nakon što je jednom označena.

TEHNIKE OZNAČAVANJA:

VEZ

Vezenje nudi najčvršću i najprestižniju personalizaciju. Danas se to radi pomoću kompjutera i zbog toga je potrebno napraviti kompjuterski program vezenja.

Moderne mašine dozvoljavaju vezenje sa do 12 različitih boja na istom logu. Rezultat je odličan. Može biti korišten (ko, LOGO?) na bilo kojem tekstilnom materijalu, ali mora imati otvor na podstavi, kako bi dao bolji rezultat. Svakako oprezno sa vodootpornom odećom.

ŠTAMPA

Direktno štampanje jednom ili više boja. Mastilo prolazi kroz ekran sa predmetom poput strugala. Na tamnim podlogama je potrebno prvo primeniti belu boju (koja zahteva komplementarnu boju). Mastilo za štampanje takođe mora biti posebno, tamnije za lakše obeležavanje ili fotografski sjajno kako bi bilo vidljivo u mraku. To je najstarija i najkorišćenija tehnika obeležavanja. Za manje serije, ta tehnika se više ne radi; istu je zamenilo vezenje, koje je, zahvaljujući kompjuterima, postalo vrlo efikasno. Može biti primenjeno na velikom broju tekstilnog materijala.

INDIREKTNO DIGITALNO ŠTAMPANJE NA TEKSTIL.

Logo, iako u nekoliko boja, štampan je na posebnoj podlozi ili postupkom reprografije (laser). Postavlja se na proizvod vrućim pritiskom. Taj postupak se najčešće koristi na svetlijoj jednobojnoj podlozi (bela ili bež). Mnoge opcije su moguće, sve dok je podloga otporna na temperaturu (oko 160°C u 15 sekundi u zavisnosti od podloge). Idealan proces za male serije ili kada kompleks 4 boje ne dozvoljava direktnu aplikaciju na podlogu.

Napomena: Uvek treba utvrditi mogućnost označavanja svakog modela i napraviti test-označavanje pre štampanja serije.

PATTERNS AND LEVELS OF VISIBILITY

LABELLING

With the personalisation of the standard clothing, we adapt it to the needs of the person wearing it, the company or customers and at the same time we strengthen our own image and sense of belonging to the company. All models you will find in this catalog are specially labelled. Carefull in choosing the mark: it is recommended to re-examine the clothes once high visibility is labelled.

LABELLING TECHNIQUES:

EMBROIDERY

Embroidery offers the strongest and most prestigious personalization.

Today, it is done using a computer, so it must be done with computer embroidery program. Modern machines allow you to embroider up to 12 different colors

on the same logo. The result is excellent. It can be used on any textile, but there must have an opening in the lining to get a better result. Be careful with waterproof clothing.

PRINT


Direct printing with one or more colors. The ink passes through the screen with an object like a scraper. On dark surfaces it is necessary to first apply white (which requires a complementary color). The printing ink must also be special, darker for brighter markings or photo-gloss to be visible in the dark. This is the oldest and most commonly used labeling technique. For smaller batches that technique was abandoned and was replaced by embroidery, which thanks to computers have become very efficient. It can be used for a large number of textile materials.

INDIRECT DIGITAL PRINTING ON TEXTILES.

The logo, although in several colors, is printed on a special base or by the process of reprography (laser). It is placed on a product by hot pressure. This procedure is most often used on a lighter onecolor background (white or beige). Many options are possible if the material is temperature resistant (approximately 160°C in 15 seconds, depending on the material). Ideal procedure for small batches or when the complex of 4 colors does not allow direct application to the material.

Note: Always specify the labels of each model and do a test labelling before batch printing.







4U1 SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ PARKA KANATA

Materijal: PU obložen poliester 300D Oxford
Podstava: 100% poliester
Reflektirajuće trake: dve horizontalne trake, dve okomite preko ramena i po dve na svakom rukavu
Rukavi: fiksni
Ovratnik: visoki
Posebne karakteristike: zatvaranje zatvaračem koji je prekriven blendom, vareni šavovi, fiksna sakrivena kapuljača
Veličine: S - XXXXL
Originalno pakovanje: 1/10

UNUTARNJA JAKNA

Materijal: PU obložen poliester 300D Oxford
Podstava: flis 100% poliester
Reflektirajuće trake: dve vodoravne trake, dve okomite preko ramena i po dve na svakom rukavu
Rukavi: na skidanje
Ovratnik: visoki
Posebne karakteristike: zatvaranje zatvaračem, vareni šavovi



4IN1 SIGNAL PROTECTIVE HI-VIZ PARKA KANATA

Material: PU coated polyester 300D Oxford
Lining: 100% polyester
Reflective strips: two horizontal strips, two vertical
Sleeves: attached
Collar: high
Special features: shutter closure, welded seams, fixed hidden hood
Sizes: S-XXXXL
Original packaging: 1/10

INNER JACKET

Material: PU coated polyester 300D Oxford
Lining: fleece 100% polyester
Reflective strips: two horizontal strips, two vertical over the shoulder and two on each sleeve
Sleeves: removable
Collar: high
Special features: zipper closure, welded seams



EN ISO 20471
 Parka 4u1/Parka 4in1
 Parka/Parka



EN ISO 20471
 Telovnik/Vest



0.363 m²K/W
 1x.3.x

VELIČINA/SIZE	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL	64/66 4XL
ŽUTO/PLAVO YELLOW/BLUE	7KANY	7KANYM	7KANYL	7KANYXL	7KANYXXL	7KANYXXXL	7KANY4XL
NARANDŽASTO/PLAVO ORANGE/BLUE	7KANOS	7KANOM	7KANOL	7KANOXL	7KANOXXL	7KANOXXXL	7KANO4XL



SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ JAKNA KETA

Materijal: PU obložen poliester 300D Oxford
Podstava: 100% poliester
Reflektirajuće trake: dve horizontalne trake, dve okomite preko ramena i po dve na svakom rukavu
Rukavi: fiksni
Ovratnik: visoki
Posebne karakteristike: zatvaranje zatvaračem koji je prekriven blendom, vareni šavovi, fiksna sakrivena kapuljača
Veličine: S - XXXXL



**Originalno pakovanje: 1/10
 SIGNAL PROTECTIVE HI-VIZ JACKET KETA**

Material: PU coated polyester 300D Oxford
Lining: 100% polyester
Reflective strips: two horizontal strips, two vertical over the shoulder and two on each sleeve
Sleeves: attached
Collar: high
Special features: shutter closure, welded seams, fixed hidden hood
Sizes: S - XXXXL
Original packaging: 1/10



VELIČINA/SIZE	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL	64/66 4XL
ŽUTO/PLAVO YELLOW/BLUE	7KETYS	7KETYM	7KETYL	7KETYXL	7KETYXXL	7KETYXXXL	7KETY4XL
NARANDŽASTO/PLAVO ORANGE/BLUE	7KETOS	7KETOM	7KETOL	7KETOXL	7KETOXXL	7KETOXXXL	7KETO4XL


**SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ JAKNA
ROADWAY**

Materijal: PU obložen poliester 300D Oxford
Podstava: 100% poliester
Reflektirajuće trake: dve horizontalne trake, dve okomite preko ramena i po dve na svakom rukavu
Rukavi: fiksni
Ovratnik: visoki
Posebne karakteristike: zatvaranje zatvaračem koji je prekriven blendom, vareni šavovi, fiksna sakrivena kapuljača
Veličine: S - XXL
Originalno pakovanje: 1/10


**SIGNAL PROTECTIVE HI-VIZ JACKET
ROADWAY**

Material: PU coated polyester 300D Oxford
Lining: 100% polyester
Reflective strips: two horizontal strips, two vertical over the shoulder and two on each sleeve
Sleeves: attached
Collar: high
Special features: shutter closure, welded seams, fixed hidden hood
Sizes: S - XXL
Original packaging: 1/10




EN ISO 20471

Veličina S/Size S



EN ISO 20471

Veličina M/Size M



VELIČINA/SIZE	44/46 M	48/50 L	52/54 XL	56/58 XXL
ŽUTO/PLAVO YELLOW/BLUE	7ROAYM	7ROAYL	7ROAYXL	7ROAYXXL
NARANDŽASTO/PLAVO ORANGE/BLUE	7ROAOM	7ROAOL	7ROAOXL	7ROAOXXL

HI WAY EXTRA

7HWXY

7HWXO



2U1 SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ JAKNA EXTRA HI-WAY

Materijal: PU obložen poliester 300D Oxford

Podstava: 100% poliester

Reflektirajuće trake: dve horizontalne trake, dve okomite na ramenima i po dve na svakom rukavu

Rukavi: na skidanje

Ovratnik: visoki

Posebne karakteristike: zatvaranje zatvaračem, vareni šavovi, sakrivena kapuljača

Veličine: S - XXXXL

Originalno pakovanje: 1/10



2U1 SIGNAL PROTECTIVE HI-VIZ JACKET EXTRA HI-WAY

Material: PU coated polyester 300D Oxford

Lining: 100% polyester

Reflective strips: two horizontal strips, two vertical over the shoulder and two on each sleeve

Sleeves: removable

Collar: high


Special features: shutter closure, welded seams, fixed hidden hood

Sizes: S-XXXXL

Original packaging: 1/10



coverguard



Jakna/Jacket



EN ISO 20471
Jakna/Jacket

EN 14058



Jakna/Jacket

0.352m² K/W
1.3.xxx

VELIČINA/SIZE	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
ŽUTO/PLAVO YELLOW/BLUE	7HWXYS	7HWXYM	7HWXYL	7HWXYXL	7HWXYXXL	7HWXYXXXL
NARANDŽASTO/PLAVO ORANGE/BLUE	7HWXOS	7HWXOM	7HWXOL	7HWXOXL	7HWXOXXL	7HWXOXXXL

SOKOBIE

5SOK160

5SOK170

SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ PARKA

Materijal: PU obložen poliester 300D Oxford

Podstava: 100% poliester

Reflektirajuće trake: dve horizontalne trake, dve okomite preko ramena i po dve na svakom rukavu

Rukavi: fiksni

Ovratnik: visoki

Posebne karakteristike: zatvaranje zatvaračem koji je prekriven blendom, vareni šavovi, fiksna sakrivena kapuljača

Veličine: S - XXXL

Originalno pakovanje: 1/5

coverguard

NOVO
NEW



SIGNAL PROTECTIVE HI-VIZ PARKA SOKOBIE

Material: PU coated polyester 300D Oxford

Lining: 100% polyester

Reflective strips: two horizontal strips, two vertical over the shoulder and two on each sleeve

Sleeves: fixed

Collar: high

Special features: Central two-way zip under flap with velcro, welded seams, fixed hidden hood

Sizes: S-XXXL

Original packaging: 1/5



VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
ŽUTA/YELLOW	5SOK16000S	5SOK16000M	5SOK16000L	5SOK160XL	5SOK1602XL	5SOK1603XL
NARANDŽASTA/ORANGE	5SOK17000S	5SOK17000M	5SOK17000L	5SOK170XL	5SOK1702XL	5SOK1703XL

KAZAN

5KAP160

5KAP170

SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ PARKA

Materijal: PU obložen poliester 300D Oxford

Podstava: 100% poliester

Reflektirajuće trake: dve horizontalne trake, dve okomite preko ramena i po dve na svakom rukavu

Rukavi: fiksni

Ovratnik: visoki

Posebne karakteristike: zatvaranje zatvaračem koji je prekriven blendom, vareni šavovi, fiksna sakrivena kapuljača

Veličine: S - 4XL

Originalno pakovanje: 1/10

coverguard

NOVO
NEW



SIGNAL PROTECTIVE HI-VIZ PARKA KAZAN

Material: PU coated polyester 300D Oxford

Lining: 100% polyester

Reflective strips: two horizontal strips, two vertical over the shoulder and two on each sleeve

Sleeves: fixed

Collar: high

Special features: Central zipper with double slider under velcro flap and 2 snaps, welded seams, fixed hidden hood

Sizes: S-4XL

Original packaging: 1/10



VELIČINA/SIZE	S	M	L	XL	XXL	XXXL	XXXXL
ŽUTA/YELLOW	5KAP16000S	5KAP16000M	5KAP16000L	5KAP160XL	5KAP1602XL	5KAP1603XL	5KAP1604XL
NARANDŽASTA/ORANGE	5KAP17000S	5KAP17000M	5KAP17000L	5KAP170XL	5KAP1702XL	5KAP1703XL	5KAP1704XL

KAZAN

5KAJ160

5KAJ170

2U1 SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ JAKNA

Materijal: PU obložen poliester 300D Oxford
Podstava: 100% poliester
Reflektirajuće trake: dve horizontalne trake, dve okomite preko ramena i po dve na svakom rukavu
Rukavi: na skidanje
Ovratnik: visoki
Posebne karakteristike: zatvaranje zatvaračem koji je prekriven blendom, vareni šavovi
Veličine: S - 4XL
Originalno pakovanje: 1/10

2U1 SIGNAL PROTECTIVE HI-VIZ JACKET KAZAN

Material: PU coated polyester 300D Oxford
Lining: 100% polyester
Reflective strips: two horizontal strips, two vertical over the shoulder and two on each sleeve
Sleeves: removable
Collar: high
Special features: central zipper, welded seams
Sizes: S-4XL
Original packaging: 1/10

coverguard

NOVO
NEW



EN 14058:2017



VELIČINA/SIZE	S	M	L	XL	XXL	XXXL	XXXXL
ŽUTA/YELLOW	5KAJ16000S	5KAJ16000M	5KAJ16000L	5KAJ160XL	5KAJ1602XL	5KAJ1603XL	5KAJ1604XL
NARANDŽASTA/ORANGE	5KAJ17000S	5KAJ17000M	5KAJ17000L	5KAJ170XL	5KAJ1702XL	5KAJ1703XL	5KAJ1704XL

KAZAN

5KAS160

5KAS170

SIGNALIZIRAJUĆA SOFTSHELL HI-VIZ JAKNA

Materijal: PU obložen poliester 300D Oxford
Podstava: 100% poliester
Reflektirajuće trake: dve horizontalne trake, dve okomite preko ramena i po dve na svakom rukavu
Rukavi: fiksni
Ovratnik: visoki
Posebne karakteristike: zatvaranje zatvaračem koji je prekriven blendom, vareni šavovi
Veličine: S - 4XL
Originalno pakovanje: 1/10

SIGNAL SOFTSHELL HI-VIZ JACKET KAZAN

Material: PU coated polyester 300D Oxford
Lining: 100% polyester
Reflective strips: two horizontal strips, two vertical over the shoulder and two on each sleeve
Sleeves: fixed
Collar: high
Special features: central zipper, welded seams
Sizes: S-4XL
Original packaging: 1/10

coverguard

NOVO
NEW



EN ISO 20471

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL	XXXXL
ŽUTA/YELLOW	5KAS16000S	5KAS16000M	5KAS16000L	5KAS160XL	5KAS1602XL	5KAS1603XL	5KAS1604XL
NARANDŽASTA/ORANGE	5KAS17000S	5KAS17000M	5KAS17000L	5KAS170XL	5KAS1702XL	5KAS1703XL	5KAS1704XL

SPEKTAR HI VIZ

7SPEKJY

SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ JAKNA
SPEKTAR Materijal: 65% poliester, 35% pamuk,
 245 g/m²

Reflektirajuće trake: dve horizontalne trake na donem delu prednjice i po dve na svakom rukavu

Rukavi: fiksni

Ovratnik: visoki

Posebne karakteristike: zatvaranje zatvaračem

Veličine: S - XXXL

Originalno pakovanje: 1/10

SPEKTAR SIGNAL PROTECTIVE HI-VIZ JACKET

Material: 65% polyester, 35% cotton, 245 g/m²

Reflective lines: two horizontal lines at the lower front and two on each sleeve

Sleeves: attached

Collar: high

Special features: zipper closing

Sizes: S-XXXL

Original packaging: 1/10



LACUNA



TENCATE
 protectivefabrics

TENCATE
Tecapro



EN ISO 20471

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
RADNA JAKNA/WORK JACKET	7SPEKJYS	7SPEKJYM	7SPEKJYL	7SPEKJYXL	7SPEKJYXXL	7SPEKJYXXXL

SPEKTAR HI VIZ

7SPEKPY

SIGNALIZIRAJUĆE ZAŠTITNE HI-VIZ PANTALONE
SPEKTAR

Materijal: 65% poliester, 35% pamuk, 245 g/m²

Reflektirajuće trake: dve horizontalne trake na svakoj nogavici

Posebne karakteristike: zatvaranje patent zatvaračem prekrivenim blendom

Veličine: S - XXXL

Originalno pakovanje: 1/10

SPEKTAR SIGNAL PROTECTIVE HI-VIZ PANTS

Material: 65% polyester, 35% cotton, 245 g/m²

Reflective strips: two horizontal lines on each leg

Special features: zipper closure

Sizes: S-XXXL

Original packaging: 1/10



LACUNA



TENCATE
 protectivefabrics

TENCATE
Tecapro



EN ISO 20471

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
PANTALONE/PANTS	7SPEKPYS	7SPEKPYM	7SPEKPYL	7SPEKPYXL	7SPEKPYXXL	7SPEKPYXXXL

SPEKTAR HI VIZ

7SPEKBY

SIGNALIZIRAJUĆE ZAŠTITNE FARMER HI-VIZ PANTALONE SPEKTAR

Materijal: 65% poliester, 35% pamuk, 245 g/m²

Reflektirajuće trake: dve horizontalne trake na svakoj nogavici

Posebne karakteristike: zatvaranje patent zatvaračem prekrivenim blendom

Veličine: S - XXXL

Originalno pakovanje: 1/10

SPEKTAR SIGNAL PROTECTIVE HI-VIZ BIB&BRACE PANTS

Material: 65% polyester, 35% cotton, 245 g/m²

Reflective strips: two horizontal lines on each leg

Special features: zipper closure

Sizes: S-XXXL

Original packaging: 1/10



LACUNA



TENCATE
protectivefabrics

TENCATE
Tecapro



EN ISO 20471

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
FARMER PANTALONE/BIB & BRACE PANTS	7SPEKBYS	7SPEKBYM	7SPEKBYL	7SPEKBYXL	7SPEKBYXXL	7SPEKBYXXXL



HIBANA

5HBJ160

5HBJ170

SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ JAKNA

Materijal: 60% poliester, 40% pamuk; 270 g/m²

Reflektirajuće trake: dve horizontalne trake dole na prednjem delu, po dve na svakom rukavu i dve vodoravne na ramenima

Rukavi: fiksni

Ovratnik: visoki

Posebne karakteristike: zatvaranje zatvaračem

Veličine: S - 4XL

Originalno pakovanje: 1/10

coverguard

NOVO
NEW

SIGNAL PROTECTIVE HI-VIZ JACKET HIBANA

Material: 60% polyester, 40% cotton, 270 g/m²

Reflective lines: two horizontal lines at the lower front and two on each sleeve

Sleeves: attached

Collar: high

Special features: zipper closing

Sizes: S-4XL

Original packaging: 1/10



CE 11404

2
EN ISO 20471
Veličina/
Size S-L

3
EN ISO 20471
Veličina/
Size XL+



VELIČINA/SIZE	S	M	L	XL	XXL	XXXL	XXXXL
ŽUTA/YELLOW	5HBJ16000S	5HBJ16000M	5HBJ16000L	5HBJ160XL	5HBJ1602XL	5HBJ1603XL	5HBJ1604XL
NARANDŽASTA/ORANGE	5HBJ17000S	5HBJ17000M	5HBJ17000L	5HBJ170XL	5HBJ1702XL	5HBJ1703XL	5HBJ1704XL

HIBANA

5HBA160

5HBA170

SIGNALIZIRAJUĆE ZAŠTITNE HI-VIZ PANTALONE

Materijal: 60% poliester, 40% pamuk

Reflektirajuće trake: dve horizontalne trake na svakoj nogavici

Posebne karakteristike: zatvaranje patent zatvaračem prekrivenim blendom

Veličine: S - 4XL

Originalno pakovanje: 1/10

coverguard

NOVO
NEW

SIGNAL PROTECTIVE HI-VIZ PANTS HIBANA

Material: 60% polyester, 40% cotton, 270 g/m²

Reflective strips: two horizontal lines on each leg

Special features: zipper closure

Sizes: S-4XL

Original packaging: 1/10



CE 11404

2
EN ISO 20471
Veličina/
Size S-L

3
EN ISO 20471
Veličina/
Size XL+



VELIČINA/SIZE	S	M	L	XL	XXL	XXXL	XXXXL
ŽUTA/YELLOW	5HBA16000S	5HBA16000M	5HBA16000L	5HBA160XL	5HBA1602XL	5HBA1603XL	5HBA1604XL
NARANDŽASTA/ORANGE	5HBA17000S	5HBA17000M	5HBA17000L	5HBA170XL	5HBA1702XL	5HBA1703XL	5HBA1704XL

HIBANA

5HBB160

5HBB170

SIGNALIZIRAJUĆE ZAŠTITNE FARMER HI-VIZ PANTALONE

Materijal: 60% poliester, 40% pamuk
Reflektirajuće trake: dve horizontalne trake na svakoj nogavici

Posebne karakteristike: bočno kopčanje s 4 dugmeda

Veličine: S - 4XL

Originalno pakovanje: 1/5

SIGNAL PROTECTIVE BIB & BRACE PANTS HIBANA

Material: 60% polyester, 40% cotton, 270 g/m²
Reflective strips: two horizontal lines on each leg
Special features: side fastening by 4 tack buttons with plastic cap

Sizes: S-4XL

Original packaging: 1/5



coverguard

NOVO
NEW



VELIČINA/SIZE	S	M	L	XL	XXL	XXXL	XXXXL
ŽUTA/YELLOW	5HBB16000S	5HBB16000M	5HBB16000L	5HBB160XL	5HBB1602XL	5HBB1603XL	5HBB1604XL
NARANDŽASTA/ORANGE	5HBB17000S	5HBB17000M	5HBB17000L	5HBB170XL	5HBB1702XL	5HBB1703XL	5HBB1704XL





SIGNALIZIRAJUĆE HI-VIZ KIŠNO ODELO HYDRA

JAKNA

Materijal: PU obložen poliester 300D Oxford
Reflektirajuće trake: dve horizontalne trake, dve okomite preko ramena i po dve na svakom rukavu

Rukavi: fiksni

Ovratnik: visoki

Posebne karakteristike: zatvaranje zatvaračem koji je prekriven blendom, vareni šavovi, fiksna sakrivena kapuljača

Veličine: S - XXXXL

Originalno pakovanje: 1/10

HLAČE

Vanjski Materijal: PU obložen poliester 300D Oxford

Reflektirajuće trake: dve vodoravne trake na svakoj nogavici

Posebne karakteristike: zatvaranje na patent zatvarač prekriven blendom, guma u struku

SIGNAL RAIN SUIT HYDRA

JACKET

Material: PU coated polyester 300D Oxford

Reflective strips: two horizontal strips, two vertical over the shoulder and two on each sleeve

Sleeves: attached

Collar: high

Special features: shutter closure, welded seam fixed hidden hood

Sizes: S-XXXXL

Original packaging: 1/10


PANTS

Material: PU coated polyester 300D Oxford

Reflective strips: two horizontal lines on each legs

Special features: zipper covered with opening, elastic at the waist

coverguard



VELIČINA/SIZE	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
ŽUTO/PLAVO YELLOW/BLUE	7HYDYS	7HYDYM	7HYDYL	7HYDYXL	7HYDYXXL	7HYDYXXXL
NARANDŽASTO/PLAVO ORANGE/BLUE	7HYDOS	7HYDOM	7HYDOL	7HYDOXL	7HYDOXXL	7HYDOXXXL



SIGNALIZIRAJUĆE HI-VIZ KIŠNO ODELO HI-WAY

JAKNA

Materijal: PU obložen poliester 150D Oxford
Reflektirajuće trake: dve horizontalne trake, dve okomite preko ramena i po dve na svakom rukavu

Rukavi: fiksni

Ovratnik: visoki

Posebne karakteristike: zatvaranje zatvaračem koji je prekriven blendom, vareni šavovi, fiksna sakrivena kapuljača

Veličine: S - XXXL

Originalno pakovanje: 1/10

HLAČE:

Vanjski Materijal: PU obložen poliester 300D Oxford

Reflektirajuće trake: dve vodoravne trake na svakoj nogavici

Posebne karakteristike: zatvaranje na patent zatvarač prekriven blendom, guma u struku



SIGNAL HI-WIZ RAIN CLOTHES HI-WAY

JACKET

Material: PU coated polyester 150D Oxford
Reflective strips: two horizontal strips, two vertical over the shoulder and two on each sleeve

Sleeves: attached

Collar: high

Special features: closing with zipper, welded seams, fixed hidden hood

Sizes: S-XXXL


Original packaging: 1/10

PANTS

Material: PU coated polyester 300D Oxford
Reflective strips: two horizontal lines on each leg

Special features: zipper covered with opening, elastic at the waist

coverguard



Set/Set



EN ISO 20471
Jakna/Jacket



EN ISO 20471
Hlače/Pants

VELIČINA/SIZE	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
ŽUTO/PLAVO YELLOW/BLUE	7HWRS	7HWRYM	7HWRYL	7HWRYXL	7HWRYXXL	7HWRYXXXL



SIGNALIZIRAJUĆI ZAŠTITNI HI-VIZ PRSLUK ŽUTI

Vanjski materijal: PU obložen poliester 300D Oxford

Podstava: flis 100% poliester

Reflektirajuće trake: dve horizontalne trake i dve okomite preko ramena

Ovratnik: visok ovratnik

Posebne karakteristike: prsluk se može nositi na dve strane, zatvaranje zatvaračen do ovratnika

Veličine: M - XXXL

Originalno pakovanje: 1/10



SIGNAL PROTECTIVE VEST YELLOW

Material: PU coated polyester 300D Oxford

Lining: fleece 100% polyester

Reflective strips: two horizontal and two vertical over the shoulders

Collar: High collar

Special features: the vest can be worn on two sides, the zipper closing up to the collar

Sizes: M-XXXL

Original packaging: 1/10



EN ISO 20471

VELIČINA/SIZE	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
ŽUTI/YELLOW	70500	70501	70502	70503	70504



KANES

7KANEY

7KNEO

SIGNALIZIRAJUĆI ZAŠTITNI HI-VIZ PRSLUK KANES

Materijal: 100% poliester, 120 g/m²

Reflektirajuće trake: dve horizontalne trake

Posebne karakteristike: dolazi u više veličina

Veličine: S-XXXL

Originalno pakovanje: 1/50

KANES SIGNAL PROTECTIVE VEST

Material: 100% polyester, 120g/m²

Reflective strips: two horizontal strips

Special features: available in several sizes

Sizes: S-XXXL

Original packaging: 1/50



LACUNA



EN ISO 20471

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
ŽUTI/YELLOW	7KANEYS	7KANEYM	7KANEYL	7KANEYXL	7KANEYXXL	7KANEYXXXL
NARANDŽASTI/ORANGE	7KANEOS	7KANEOM	7KANEOL	7KANEOXL	7KANEOXXL	7KANEOXXXL

KANES MESH

7KANMYU

7KANMOU

SIGNALIZIRAJUĆI ZAŠTITNI HI-VIZ PRSLUK KANES MESH

Materijal: fluorescentni poliester - kombinacija

Mrežaste i pune tkanine, 120 g/m²

Reflektirajuće trake: dve horizontalne trake

Veličine: ONE SIZE

Originalno pakovanje: 1/50

KANES MESH SIGNAL PROTECTIVE VEST

Material: fluo polyester - combination polyester mesh/polyester knit, 120g/m²

Reflective strips: two horizontal strips

Size: ONE SIZE

Original packaging: 1/50



LACUNA



EN ISO 20471

VELIČINA/SIZE	
ŽUTI/YELLOW	ONE SIZE
NARANDŽASTI/ORANGE	ONE SIZE

HODER

5HOD160

5HOD170

SIGNALIZIRAJUĆI ZAŠTITNI HI-VIZ PRSLUK HODER

Materijal: 98% poliester, 2% antistatik tkanina
Reflektirajuće trake: dve horizontalne i dve okomite trake
Veličina: L
Originalno pakovanje: 10/50

HODER SIGNAL PROTECTIVE VEST

Material: 98% polyester, 2% antistatic fiber
Reflective strips: two horizontal and two vertical strips
Size: L
Original packaging: 10/50

coverguard

NOVO
NEW



EN 14116:2016 EN 1149



EN ISO 20471

VELIČINA/SIZE	L
ŽUTI/YELLOW	5HOD16000L
NARANČASTI/ORANGE	5HOD17000L

ŠILT KAPA

57307

Ne štiti od padajućih predmeta!

Materijal: 65% poliestersko vlakno, 35% pamuk

Zaštitni šilt: ABS
Vanjski jastuci: EVA
Unutarnji jastuci: polietilen
Metalne zračnice:
Original pakovanje: 1/60

Does not protect against falling objects!
Material: 65% polyester fiber, 35% cotton

Protective shield: ABS
Outer cushions: EVA
Inner cushions: polyethylene
Metal tubes
Original packaging: 1/60

coverguard



CE EN 812

157

OUTDOOR I PROMOTIVNI ARTIKLI OUTDOOR AND PROMOTIONAL ITEMS



PROLY

LACUNA

coverguard

JHK
T-SHIRT

OUTDOOR I PROMOTIVNI ARTIKLI

Lacuna outdoor odeća je dizajnirana za zaštitu u svakodnevnim aktivnostima, tokom rada ili u slobodno vreme. Visoki kvalitet i raznolikost materijala učiniće vaš rad i slobodno vreme prijatnijim u različitim vremenskim uslovima. Želja za očuvanjem slobode kretanja, bezbednost i udobnost su glavni ciljevi outdoor asortimana. Za vašu bezbednost i udobnost brinemo praćenjem trendova i inovacijama na području novih tehnologija tkanina i razvijamo visokokvalitetno dizajnirane i funkcionalne proizvode visokih tehničkih karakteristika.

OUTDOOR AND PROMOTIONAL ITEMS


Lacuna outdoor clothing is designed to protect you during your daily activities at work or in your free time. High quality and a variety of materials make your work and leisure enjoyable in various weather conditions. The desire to maintain freedom of movements well as safety and comfort are the main goals of the outdoor program.

We take care of your safety and comfort by following trends and innovations in the field of new fabric technologies, developing high-quality design for our functional products of top technical properties.

LACUNA ne odgovara za eventualne štamparske greške u katalogu./LACUNA is not responsible for misprints in the catalogue.

Poslednje važeće cene molimo proverite na LACUNA B2B./Last valid recommended prices check at www.lacuna.hr

Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude./Full LACUNA range available at www.lacuna.hr





SPEKTAR

5SPEKBK
crna/black

5SPEKNY
plava/blue



SPEKTAR-SOFTSHELL JAKNA

Materijal: 96% poliester, 4% elastan (Spandex), TPU - 3 sloja, 310 g/m²

Podstava: 100% poliester flis

Zatvaranje: patentni zatvarač

Rukavi: elastična manžetna

Ovratnik: brušen mikro polarni flis

Originalno pakovanje: 1/10

SPEKTAR-SOFTSHELL JACKET

Material: 96% polyester, 4% elastane (Spandex), TPU - 3 layers, 310 g/m²

Lining: 100% polyester fleece

Fastening: zipper

Sleeves: elastic cuffs

Collar: brushed micro polar fleece

Original packaging: 1/10



GETOUT™



8000MM&4000MVP

CE EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
CRNA/BLACK	5SPEKBKS	5SPEKBKM	5SPEKBKL	5SPEKBKXL	5SPEKBKXXL	5SPEKBKXXXL
PLAVA/BLUE	5SPEKNYS	5SPEKNYM	5SPEKNYL	5SPEKNYXL	5SPEKNYXXL	5SPEKNYXXXL





WILLIAM

5WILLBK
crna/black

5WILLNY
plava/blue

5WILLRD
crvena/red



WILLIAM-SOFTSHELL JAKNA

Materijal: 96% poliester, 4% Spandex, TPU membrana, 310 g/m², 3 sloja

Podstava: 100% poliester

Zatvaranje: vodootporni patentni zatvarač

Kapuljača: s elastičnim stezanjem

Rukavi: elastična manžetna s Velcro® trakama

Ovratnik: četkani mikropolarni flis

Originalno pakovanje: 1/10

WILLIAM-SOFTSHELL JACKET

Material: 96% polyester, 4% Spandex, TPU membrane, 310 g/m², 3 layers

Lining: 100% polyester

Fastening: waterproof zipper

Hood: with elastic tightening

Sleeves: elastic cuffs with velcro® straps

Collar: brushed micropolar fleece

Original packaging: 1/10



8000MM&3000MVP

CE EN ISO 13688

VELIČINA/SIZE	XS	S	M	L	XL	XXL	XXXL
● CRNA/BLACK	5WILLBKXS	5WILLBKS	5WILLBKM	5WILLBKL	5WILLBKXL	5WILLBKXXL	5WILLBKXXXL
● CRVENA/RED	5WILLRDXS	5WILLRDS	5WILLRDM	5WILLRDL	5WILLRDXL	5WILLRDXXL	5WILLRDXXXL
● PLAVA/BLUE	5WILLNYXS	5WILLNYS	5WILLNYM	5WILLNYL	5WILLNYXL	5WILLNYXXL	5WILLNYXXXL





ROLAND-SOFTSHELL JAKNA

Materijal: 96% poliester, 4% Spandex, TPU membrana, 310 g/m², 3 sloja

Podstava: 100% poliester

Zatvaranje: vodootporni patentni zatvarač

Rukavi: elastična manžetna s Velcro® trakama

Ovratnik: brušeni mikro polarni flis

Originalno pakovanje: 1/10

ROLAND-SOFTSHELL JACKET

Material: 96% polyester, 4% Spandex, Membrane TPU, 310 g/m², 3 layers

Lining: 100% polyester

Fastening: waterproof zipper

Sleeves: elastic cuffs with Velcro® straps

Collar: brushed triangular micropolar fleece

Original packaging: 1/10



8000MM&1000MVP

CE EN ISO 13688

VELIČINA/SIZE		XS	S	M	L	XL	XXL	XXXL
● CRNA/BLACK	MUŠKA/MOŠKA	5ROLBKXS	5ROLBKS	5ROLBKM	5ROLBKL	5ROLBKXL	5ROLBKXXL	5ROLBKXXXL
	ŽENSKA	5ROLWBKXS	5ROLWBKS	5ROLWBKM	5ROLWBKL	5ROLWBKXL	5ROLWBKXXL	
● CRVENA/RED	MUŠKA/MOŠKA	5ROLRDXS	5ROLRDS	5ROLRDM	5ROLRDL	5ROLRDXL	5ROLRDXXL	5ROLRDXXXL
	ŽENSKA	5ROLWRDXS	5ROLWRDS	5ROLWRDM	5ROLWRDL	5ROLWRDXL	5ROLWRDXXL	





DANTE-SOFTSHELL JAKNA

Materijal: 93% poliester, 7% Spandex, TPU membrana, 310 g/m², 3 sloja

Podstava: 100% poliester

Zatvaranje: vodootporni patentni zatvarač

Kapuljača: skrivena u ovratniku s elastičnim stezanjem

Rukavi: elastična manžetna s Velcro® trakama

Ovratnik: brušeni mikro polarni flis

Originalno pakovanje: 1/10

DANTE-SOFTSHELL JACKET

Material: 93% polyester, 7% Spandex, Membrane TPU, 310 g/m², 3 layers

Lining: 100% polyester

Fastening: waterproof zipper

Hood: hidden in the collar with elastic tightening

Sleeves: elastic cuffs with Velcro® straps

Collar: brushed micro polar fleece

Original packaging: 1/10



8000MM&3000MVP

CE EN ISO 13688

VELIČINA/SIZE	XS	S	M	L	XL	XXL	XXXL
CRNO-CRVENA/BLACK-RED	5DANBKXS	5DANBKS	5DANBKM	5DANBKL	5DANBKXL	5DANBKXXL	5DANBKXXXL

SPEKTAR WINTER

5SPEKWVBK
crna/black

5SPEKWVNY
plava/blue

5SPEKWVRD
crvena/red

SPEKTAR WINTER-SOFTSHELL ZIMSKA

JAKNA - ŽENSKA

Materijal: 96% poliester, 4% elastan (Spandex), TPU 3 sloja 100D, 310 g/m², 8000MM&4000MM

Utopljenje: 100% poliester

Zatvaranje: vodootporni zatvarač

Kapuljača: odvojiva zatvaračem

Rukavi: elastične manžetne

Originalno pakovanje: 1/10

SPEKTAR WINTER-SOFTSHELL WINTER JACKET - WOMEN

Material: 96% polyester, 4% elastane (Spandex), TPU 3 layers 100D, 310 g/m², 8000MM in 4000MM

Lining: 100% polyester

Fastening: waterproof zipper

Hood: detachable with zipper

Sleeves: elastic cuffs

Original packaging: 1/10



GETOUT™



8000MM&4000MVP

EN ISO 13688

VELIČINA/SIZE	XS	S	M	L	XL	XXL	XXXL
CRNA/BLACK	5SPEKWVBKXS	5SPEKWVBKS	5SPEKWVBKM	5SPEKWVBKL	5SPEKWVBKXL	5SPEKWVBKXXL	5SPEKWVBKXXXL
PLAVA/BLUE	5SPEKWVNYXS	5SPEKWVNYS	5SPEKWVNYM	5SPEKWVNYL	5SPEKWVNYXL	5SPEKWVNYXXL	5SPEKWVNYXXXL
CRVENA/RED	5SPEKWVRDXS	5SPEKWVRDS	5SPEKWVRDM	5SPEKWVRDL	5SPEKWVRDXL	5SPEKWVRDXXL	5SPEKWVRDXXXL

SPEKTAR WINTER

5SPEKWBK
crna/black

5SPEKWVNY
plava/blue

5SPEKVRD
crvena/red

SPEKTAR WINTER-SOFTSHELL ZIMSKA

JAKNA - MUŠKA

Materijal: 96% poliester, 4% elastan (Spandex), TPU 3 sloja 100D, 310 g/m², 8000MM&4000MM

Punjenje: 100% poliester

Zatvaranje: vodootporni zatvarač

Kapuljača: odvojiva zatvaračem

Rukavi: elastične manžetne

Originalno pakovanje: 1/10

SPEKTAR WINTER-SOFTSHELL WINTER JACKET - MEN

Material: 96% polyester, 4% elastane (Spandex), TPU 3 layers 100D, 310 g/m², 8000MM in 4000MM

Lining: 100% polyester

Fastening: waterproof zipper

Hood: detachable with zipper

Sleeves: elastic cuffs

Original packaging: 1/10




GETOUT™



8000MM&4000MVP

EN ISO 13688

VELIČINA/SIZE	XS	S	M	L	XL	XXL	XXXL
CRNA/BLACK	5SPEKWBKXS	5SPEKWBKS	5SPEKWBKM	5SPEKWBKL	5SPEKWBKXL	5SPEKWBKXXL	5SPEKWBKXXXL
PLAVA/BLUE	5SPEKWVNYXS	5SPEKWVNYS	5SPEKWVNYM	5SPEKWVNYL	5SPEKWVNYXL	5SPEKWVNYXXL	5SPEKWVNYXXXL
CRVENA/RED	5SPEKVRDXS	5SPEKVRDS	5SPEKVRDM	5SPEKVRDL	5SPEKVRDXL	5SPEKVRDXXL	5SPEKVRDXXXL



BARTON

5BARTBK
crna/black

5BARTGM
siva/gray

5BARTNY
plava/blue

BARTON-SOFTSHELL PRSLUK

Materijal: 96% poliester, 4% elasthan (Spandex), 280 g/m², 2 sloja

Podstava: 100% poliester

Zatvaranje: vodootporni patentni zatvarač

Kragna: brušeni mikro flis

Originalno pakovanje: 1/10

BARTON-SOFTSHELL VEST

Material: 96% polyester, 4% elastane (Spandex), 280 g/m², 2 layers

Lining: 100% polyester

Fastening: waterproof zipper

Collar: brushed micro fleece

Original packaging: 1/10



CE EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
CRNA/BLACK	5BARTBKS	5BARTBKM	5BARTBKL	5BARTBKXL	5BARTBKXXL	5BARTBKXXXL
SIVA/GRAY	5BARTGMS	5BARTGMM	5BARTGML	5BARTGMXL	5BARTGMXXL	5BARTGMXXXL
PLAVA/BLUE	5BARTNYS	5BARTNYM	5BARTNYL	5BARTNYXL	5BARTNYXXL	5BARTNYXXXL

QUEBEC

SS6438BK
crna/black

SS6438NY
plava/blue

SS6438RD
crvena/red

QUEBEC-SOFTSHELL PRSLUK

Materijal: 92% poliester, 8% elasthan, 300 g/m², 2 sloja

Podstava: 100% poliester

Zatvaranje: vodootporni patentni zatvarač

Kragna: brušeni mikro flis

Originalno pakovanje: 1/15

QUEBEC - SOFTSHELL VEST

Material: 92% polyester, 8% elastane, 300 g/m², 2 layers

Lining: fleece 100% polyester

Closure: inverted zipper

Collar: brushed microfleece

Original packaging: 1/15

HROLY



CE EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
CRNA/BLACK	SS6438BKS	SS6438BKM	SS6438BKL	SS6438BKXL	SS6438BKXXL	SS6438BKXXXL
PLAVA/BLUE	SS6438NYS	SS6438NYM	SS6438NYL	SS6438NYXL	SS6438NYXXL	SS6438NYXXXL
CRVENA/RED	SS6438RDS	SS6438RDM	SS6438RDL	SS6438RDXL	SS6438RDXXL	SS6438RDXXXL



BONETE

5BONJ
crna/black

5BONJW
crna/black

5BONWW
crna/black

5BONMW
crna/black



BONETE JAKNA I PRSLUK
Materijal: 100% najlon 20D ripstop
Podstava: 100% najlon
Punjenje: 100% poliester
Zatvaranje: patentni zatvarač
Kapuljača: obložena, pričvršćena
Rukavi: s elastičnom manžetnom
Originalno pakovanje: 1/10

BONETE JACKET AND VEST
Material: 100% nylon 20D ripstop
Lining: 100% nylon
Padding: 100% polyester
Fastening: zipper
Hood: padded, attached
Sleeves: with elastic cuffs
Original packaging: 1/10



8000MM&4000MVP

CE EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
MUŠKA JAKNA/MEN'S JACKET	5BONJS	5BONJM	5BONJL	5BONJXL	5BONJXXL	5BONJXXXL
ŽENSKA JAKNA/WOMEN'S JACKET	5BONJWS	5BONJWM	5BONJWL	5BONJWXL	5BONJWXXL	5BONJWXXXL
MUŠKI PRSLUK/MEN'S VEST	5BONMWS	5BONMWM	5BONMWL	5BONMWXL	5BONMWXXL	5BONMWXXXL
ŽENSKI PRSLUK/WOMEN'S VEST	5BONWWS	5BONWWM	5BONWWL	5BONWWXL	5BONWWXXL	5BONWWXXXL



ROLY NORWAY

RA5090BK
crna/black

RA5090NY
plava/blue

RA5091BK
crna/black

RA5091NY
plava/blue

NORWAY MUŠKE I ŽENSKJE JAKNE

Materijal: 100% poliester

Podstava: 100% poliester

Punjenje: 100% poliester

Zatvaranje: patentni zatvarač

Kapuljača: obložena, pričvršćena

Rukavi: s elastičnom manžetnom

Originalno pakovanje: 1/10

NORWAY MEN'S AND WOMEN'S JACKET

Material: 100% polyester

Lining: 100% polyester

Padding: 100% polyester

Fastening: zipper

Hood: padded, attached

Sleeves: with elastic cuffs

Original packaging: 1/10

ROLY



CE EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
MUŠKA JAKNA/MEN'S JACKET	RA5090BKS	RA5090BKM	RA5090BKL	RA5090BKXL	RA5090BKXXL	RA5090BKXXXL
MUŠKA JAKNA/MEN'S JACKET	RA5090NYS	RA5090NYM	RA5090NYL	RA5090NYXL	RA5090NYXXL	RA5090NYXXXL
ŽENKA JAKNA/WOMEN'S JACKET	RA5091BKS	RA5091BKM	RA5091BKL	RA5091BKXL	RA5091BKXXL	RA5091BKXXXL
ŽENSKA JAKNA/WOMEN'S JACKET	RA5091NYS	RA5091NYM	RA5091NYL	RA5091NYXL	RA5091NYXXL	RA5091NYXXXL

ROLY OSLO

RA5092BK
crna/black

RA5092NY
plava/blue

RA5093BK
crna/black

RA5093NY
plava/blue

OSLO MUŠKI I ŽENSKI PRSLUCI

Materijal: 100% poliester

Podstava: 100% poliester

Punjenje: 100% poliester

Zatvaranje: patentni zatvarač

Originalno pakovanje: 1/10

OSLO MEN'S AND WOMEN'S VEST

Material: 100% polyester

Lining: 100% polyester

Padding: 100% polyester

Fastening: zipper

Original packaging: 1/10

ROLY



NOVO
NEW



CE EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
MUŠKI PRSLUK/MEN'S VEST	RA5092BKS	RA5092BKM	RA5092BKL	RA5092BKXL	RA5092BKXXL	RA5092BKXXXL
MUŠKI PRSLUK/MEN'S VEST	RA5092NYS	RA5092NYM	RA5092NYL	RA5092NYXL	RA5092NYXXL	RA5092NYXXXL
ŽENSKI PRSLUK/WOMEN'S VEST	RA5093BKS	RA5093BKM	RA5093BKL	RA5093BKXL	RA5093BKXXL	RA5093BKXXXL
ŽENSKI PRSLUK/WOMEN'S VEST	RA5093NYS	RA5093NYM	RA5093NYL	RA5093NYXL	RA5093NYXXL	RA5093NYXXXL

YAKI

5YAK010

crna/black

YAKI JAKNA

Vanjski materijal: 100% prirodni streč poliester + TPU membrane 100 g/m²

Vodonepropusnost: 5000 mm

Prozračnost: 400 g/m²/24h

Podstava: 100% Poliester

Punjenje: 100% Poliester 230 g/m²

Zatvaranje: patentni zatvarač

Kapuljača: fiksna, skrivena u kragni,

sa elastičnom vezicom i stoperima

Originalno pakovanje: 1/10

YAKI JACKET

Exterior material: 100% natural

stretch polyester + TPU membrane

100 g/m²

Watertightness: 5000 mm

Breathability: 400 g/m²/24h

Lining: 100% Polyester

Padding: 100% Polyester 230 g/m²

Closure: zipper

Hood: fixed, hidden in the collar, with

elastic drawstring and stoppers

Original packaging: 1/10

coverguard



EN ISO 13688

VELIČINA/SIZE

S

M

L

XL

XXL

XXXL

JAKNA YAKI/JACKET

5YAK01000S

5YAK01000M

5YAK01000L

5YAK0100XL

5YAK0102XL

5YAK0103XL

TATAKI

5STAT010

crna/black

TATAKI PRSLUK

Spoljašnji materijal: 100% prirodni streč poliester + TPU

membrane 100 g/m²

Vodonepropusnost: 5000 mm

Prozračnost: 400 g/m²/24h

Podstava: 100% Poliester

Punjenje: 100% Poliester 230 g/m²

Zatvaranje: patentni zatvarač

Originalno pakovanje: 1/10

TATAKI VEST

Outer material: 100% natural stretch

polyester + TPU membrane 100 g/m²

Watertightness: 5000 mm

Breathability: 400g/m²/24h

Lining: 100% Polyester

Padding: 100% Polyester 230 g/m²

Closure: zipper

Original packaging: 1/10

coverguard



EN ISO 13688

VELIČINA/SIZE

S

M

L

XL

XXL

XXXL

PRSLUK TATAKI/VEST

5STAT01000S

5STAT01000M

5STAT01000L

5STAT0100XL

5STAT0102XL

5STAT0103XL

SUMI

5SUM010

crna/black

SUMI JAKNA

Spoljni materijal: 100% Nylon RIPSTOP (2,5 mm)
40 g/m²

Podstava: 100% Nylon 75 g/m²

Punjenje: 100% Poliester 180 g/m² (tijelo) + 100% Poliester 80 g/m² (rukavi) - Patentirana termalna tehnologija®

Pojačanja: troslojni SOFTSHELL (100% Prirodni stretch poliester + TPU membrane + Flis 230 g/m²)

Zatvaranje: patent zatvarač

Originalno pakovanje: 1/10

SUMI JACKET

External material: 100% nylon RIPSTOP (2.5 mm)
40g m²

Lining: 100% nylon 75 g/m²

Padding: 100% Polyester 180 g/m² (body) + 100% Polyester, 80 g/m² (sleeves) - Patented thermal technology®

Reinforcements: three-layer SOFTSHELL (100% Natural stretch polyester + TPU membrane + Fleece 230 g/m²)

Fastening: zipper

Original packaging: 1/10



coverguard



CE EN ISO 13688

VELIČINA/SIZE

S

M

L

XL

XXL

XXXL

JAKNA SUMI/JACKET

5SUM01000S

5SUM01000M

5SUM01000L

5SUM0100XL

5SUM0102XL

5SUM0103XL





PRIME

5PRIM
crna/black



3u1



PRIME JAKNA 3u1

Spoljašnji materijal: 100% poliamid
Taslan 320D, PU sloj, propušta vazduh, vodonepropusan, 2000 mm, 3000 mvp, vareni šavovi

Podstava: 100% poliamid, mrežasto pletivo

Podloga: crna vesta odeljiva zatvaračem, polarni flis 280 g/m², 100% poliestersko vlakno

Zatvaranje: dvosmerni patent zatvarač sa preklopom

Kapuljača: fiksirana, sakrivena, podstavljena, s trakom za pritezanje

Rukavi: 100% poliamid Taffeta, elastična manžetna, 2 drukera za pričvršćenje polarne veste

Pričvršćenje: unutrašnje, elastična podesiva vezica

Originalno pakovanje: 1/10

PRIME JACKET 3in1

Outer material: 100% polyamide
Taslan 320D, PU layer, air permeable, waterproof, 2000 mm, 3000 mvp, welded seams

Lining: 100% polyamide, mesh

Padding: detachable black vest with zipper, polar fleece 280 g/m², 100% polyester fiber

Closure: two-way zipper with flap

Hood: fixed, concealed, fitted, with drawstring

Sleeves: 100% polyamide Taffeta, elastic cuff, 2 pressbuttons for attaching the polar vest

Fastening: internal, elastic adjustable strap

Original packaging: 1/10



LACUNA



2000MM&300MVP

CE EN ISO 13688

VELIČINA/SIZE

S

M

L

XL

XXL

XXXL

CRNA/BLACK

5PRIMS

5PRIMM

5PRIML

5PRIMXL

5PRIMXXL

5PRIMXXXL



NORWAY

5NORWB
plava/blue



LACUNA



NORWAY JAKNA

Materijal: 100% poliestersko vlakno sa PVC slojem, vodonepropusan, vareni šavovi
Podstava: 100% poliestersko vlakno, mrežasto pletivo
Zatvaranje: dvosmerni patent zatvarač sa preklopom
Kapuljača: sakrivena u kragnu, sa trakom za zatezanje
Rukavi: elastična manžetna
Originalno pakovanje: 1/10

NORWAY JACKET

Material: 100% polyester fiber with PVC layer, waterproof, welded seams
Lining: 100% polyester fiber, net
Fastening: two-way zipper with flap
Hood: hidden in the collar with an elastic band for tightening
Sleeves: elastic cuffs
Original packaging: 1/10



CE EN ISO 13688

VELIČINA/SIZE	XS	S	M	L	XL	XXL	XXXL
PLAVA/BLUE	5NORWBXS	5NORWBS	5NORWBM	5NORWBL	5NORWBXL	5NORWBXXL	5NORWBXXXL

EUROPA

PK5077BK
crna/black

HROLY



EUROPA JAKNA

Materijal: 100% poliestersko vlakno, vodonepropusan
Podstava: 100% poliestersko vlakno
Zatvaranje: patent zatvarač sa preklopom
Kapuljača: sakrivena u kragnu, sa trakom za zatezanje
Rukavi: elastična manžetna
Originalno pakovanje: 1/10

EUROPA JACKET

Material: 100% polyester fiber, waterproof
Lining: 100% polyester fiber
Fastening: zipper with flap
Hood: hidden in the collar with an elastic band for tightening
Sleeves: adjustable cuffs with straps
Original packaging: 1/10



CE EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
CRNA/BLACK	PK5077BKS	PK5077BKM	PK5077BKL	PK5077BKXL	PK5077BKXXL	PK5077BKXXXL



RONDO

5RONWTC
crna/black

5RONWTP
plava/blue

5RONWTZ
zelena/green

5RONWTS
siva/gray

RONDO PRSLUK

Materijal: 65% poliester, 35% pamuk
Podstava: 100% poliamid
Punjenje: 100% poliester, 200 g/m²
Zatvaranje: patentn zatvarač i drukeri
Originalno pakovanje: 1/10

RONDO VEST

Material: 65% polyester, 35% cotton
Lining: 100% polyamide
Padding: 100% polyester, 200 g/m²
Fastening: zipper, press stud buttons
Original packaging: 1/10



LACUNA



EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
CRNA/BLACK	5RONWTCS	5RONWTM	5RONWTCL	5RONWTCXL	5RONWTCXXL	5RONWTCXXXL
PLAVA/BLUE	5RONWTCS	5RONWTM	5RONWTCL	5RONWTCXL	5RONWTCXXL	5RONWTCXXXL
ZELENA/GREEN	5RONWTZS	5RONWTZM	5RONWTZL	5RONWTZXL	5RONWTZXXL	5RONWTZXXXL
SIVA/GRAY	5RONWTSS	5RONWTSM	5RONWTSL	5RONWTSXL	5RONWTSXXL	5RONWTSXXXL

PORTE

5SPORTNY
plava/blue

5SPORTGM
siva/gray

5SPORTBK
crna/black

5SPORTRD
crvena/red

5SPORTRB
royal/royal blue

PORTE PRSLUK

Materijal: 100% najlon
Podstava: 100% poliester
Punjenje: 100% poliester
Zatvarač: patent zatvarač
Zatezanje: u struku, elastična sa strane
Originalno pakovanje: 1/10

PORTE VEST

Material: 100% nylon
Lining: 100% polyester
Padding: 100% polyester
Fastening: zipper
Tightening: in the waist, elastic
Original packaging: 1/10



GETOUT



EN ISO 13688

VELIČINA/SIZE	XS	S	M	L	XL	XXL	XXXL
PLAVA/BLUE	5SPORTNYXS	5SPORTNYS	5SPORTNYM	5SPORTNYL	5SPORTNYXL	5SPORTNYXXL	5SPORTNYXXXL
SIVA/GRAY	5SPORTGMXS	5SPORTGMS	5SPORTGMM	5SPORTGML	5SPORTGMXL	5SPORTGMXXL	5SPORTGMXXXL
CRNA/BLACK	5SPORTBKXS	5SPORTBKS	5SPORTBKM	5SPORTBKL	5SPORTBKXL	5SPORTBKXXL	5SPORTBKXXXL
CRVENA/RED	5SPORTRDXS	5SPORTRDS	5SPORTRDM	5SPORTRD	5SPORTRDXL	5SPORTRDXXL	5SPORTRDXXXL
K.PLAVA/ROYAL BLUE	5SPORTRBXS	5SPORTRBS	5SPORTRBM	5SPORTRBL	5SPORTRBXL	5SPORTRBXXL	5SPORTRBXXXL





VODAN

5VODWTP
plava/blue

5VODWTS
siva/gray

VODAN PRSLUK

Materijal: 100% poliester sa PVC oblogom, vodootporan

Podstava: polarni flis 200 g/m², 100% poliester

Zatvaranje: patent zatvarač do vrha kragne

Pričvršćivanje: elastično sa strane

Originalno pakovanje: 1/20

VODAN VEST

Material: 100% polyester with PVC coating, waterproof

Lining: polar fleece 200 g/m², 100% polyester

Fastening: zipper to the top of the collar

Tightening: elastic on the sides

Original packaging: 1/20



LACUNA



CE EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL
PLAVA/BLUE	5VODWTPS	5VODWTPM	5VODWTPL	5VODWTPXL	5VODWTPXXL
SIVA/GRAY	5VODWTSS	5VODWTSM	5VODWTSL	5VODWTSXL	5VODWTSXXL

TURA

5TURWTP
plava/blue

5TURWTC
crna/black

TURA JAKNA

Materijal: 100% poliester OXFORD 210T, sa PVC slojem

Odvojiva jakna od krzna: 70% akril, 30% poliester

Podstava: 100% poliester;

Rukavi: prekriveni poliamid 60 g/m², skidač

Zatvaranje: dvosmerni patent zatvarač

Kapuljača: skrivena u kragni, podesiva

Originalno pakovanje: 1/10

TURA JACKET

Material: 100% OXFORD 210T polyester, with PVC layer

Detachable fur jacket: 70% acrylic, 30% polyester

Lining: 100% polyester

Sleeves: 60 g/m² polyamide coated, removable

Fastening: 2-way zipper

Hood: hidden in the collar, adjustable

Original packaging: 1/10



LACUNA



CE EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
PLAVA/BLUE	5TURWTPS	5TURWTPM	5TURWTPL	5TURWTPXL	5TURWTPXXL	5TURWTPXXXL
CRNA/BLACK	5TURWTCS	5TURWTM	5TURWTCL	5TURWTCXL	5TURWTCXXL	5TURWTCXXXL

WORKER

5WORB
plava/blue

5WORG
siva/gray

5WORR
crvena/red

WORKER JAKNA

Spoljašnji materijal: 100% poliester Ripstop, PVC sloj, vodonepropusna, vareni šavovi, reflektujuće trake

Podstava: gore crni polarni flis, 100% poliester, dole 100% poliamid

Zatvaranje: patent zatvarač sa Velcro preklpom;

Kapuljača: skrivena, podstavljena, podesiva elastičnom vezicom

Rukavi: elastična manžetna, pričvršćenje

Pričvršćenje u struku: elastično napred

Pričvršćenje na dnu: elastično sa unutrašnje strane

Originalno pakovanje: 1/10

WORKER JACKET

External material: 100% polyester Ripstop, PVC layer, waterproof, welded seams, reflective tape

Lining: up: black polar fleece, 100% polyester; **down:** 100% polyamide

Fastening: zipper with Velcro straps


Hood: hidden, padded, adjustable with elastic tightening

Sleeves: elastic cuffs

Belt fastening: front elastic

Tightening: elastic on the inside

Original packaging: 1/10



LACUNA



EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
PLAVA/BLUE	5WORBS	5WORBM	5WORBL	5WORBXL	5WORBXXL	5WORBXXXL
SIVA/GRAY	5WORGs	5WORMG	5WORGL	5WORGXL	5WORGXXL	5WORGXXXL
CRVENA/RED	5WORRS	5WORMR	5WORRL	5WORRXL	5WORRXXL	5WORRXXXL

WORKER

5WORWB
plava/blue

5WORWG
siva/gray

PRSLUK WORKER

Spoljašnji materijal: 100% poliester ripstop sa PVC premazom, vodootporno, vareni šavovi, reflektujuće trake

Podstava: gore: polarni flis 280 g/m², 100 % poliester; dole: 120 g/m², 100% poliester

Zatvaranje: sa zatvaračem

Pričvršćenje: elastično

Kragna: uspravna

Originalno pakovanje: 1/10

WORKER VEST

External material: 100% polyester ripstop with coating of PVC, waterproof, welded seams, reflective strips

Lining: up: polar fleece 280 g/m², 100% polyester; **down:** 120 g/m² 100% polyester

Fastening: zipper

Tightening: elastic

Collar: upright

Original packaging: 1/10



LACUNA



EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
PLAVA/BLUE	5WORWBS	5WORWBM	5WORWBL	5WORWBXL	5WORWBXXL	5WORWBXXXL
SIVA/GRAY	5WORWGS	5WORWGM	5WORWGL	5WORWGXL	5WORWGXXL	5WORWGXXXL

GOMA

5GOM450
siva/gray

GOMA JAKNA

Materijal: RIPSTOP (5mm) 100% Poliester sa PVC premazom

Vodonepropusni vareni šavovi.

Podstava: 100% Poliester flis 300 g/m² (telo)

Punjenje: 100% Poliester 180 g/m² (rukavi i pojas)

Pojačanja i detalji: OXFORD 100% Poliester 300D

Zatvaranje: patent zatvarač sa Velcro preklpom

Rukavi: sa manžetnom i Velcro

Originalno pakovanje: 1/10

coverguard



GOMA JACKET

Material: RIPSTOP (5mm) 100% polyester with PVC coating

Waterproof welded seams

Lining: 100% polyester fleece 300 g/m² (body)

Padding: 100% polyester 180 g/m² (sleeves and belt)

Reinforcements and details: OXFORD 100% polyester 300D

Fastening: zipper with Velcro

Sleeves: with the cuff, can also be Velcro

Original packaging: 1/10



8000MM+3000MVP

CE EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
JAKNA/JACKET	5GOM45000S	5GOM45000M	5GOM45000L	5GOM4500XL	5GOM4502XL	5GOM4503XL

YUZU

5YUZ450
siva/gray

5YUZ310
crna/black

YUZU PARKA

Materijal: RIPSTOP (5mm) 100% Poliester sa PVC premazom

Vodonepropusni vareni šavovi.

Podstava: 100% Poliester flis 300 g/m² (telo);

Punjenje: 100% Poliester 180 g/m² (rukavi i pojas)

Pojačanja i detalji: OXFORD 100% Poliester 300D

Zatvaranje: patent zatvaračem sa Velcro preklpom

Rukavi: sa manžetom i Velcro čičkom

Originalno pakovanje: 1/10

coverguard



**NOVO
NEW**



YUZU PARKA

Material: RIPSTOP (5 mm) 100% polyester with PVC coating

Waterproof welded seams.

Lining: 100% polyester fleece 300 g/m² (body)

Padding: 100% polyester 180g/m² (sleeves and belt)

Reinforcements and details: OXFORD 100% polyester 300D

Fastening: zipper with Velcro

Sleeves: with the cuff, can also be Velcro

Original packaging: 1/10



8000MM+5000MVP

CE EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
SIVA/GRAY	5YUZ45000S	5YUZ45000M	5YUZ45000L	5YUZ4500XL	5YUZ4502XL	5YUZ4503XL
CRNA/BLACK	5YUZ31000S	5YUZ31000M	5YUZ31000L	5YUZ3100XL	5YUZ3102XL	5YUZ3103XL

AZUKI

5AZU450
siva/gray

AZUKI PRSLUK

Materijal: RIPSTOP (5mm) 100% Poliester sa PVC premazom

Vodonepropusni vareni šavovi

Podstava: 100% Poliester flis 300 g/m² (telo);

Punjenje: 100% Poliester 180 g/m² (rukavi i pojas)

Pojačanja i detalji: OXFORD 100% Poliester 300D

Zatvaranje: patent zatvarač sa Velcro preklpom

Originalno pakovanje: 1/10

AZUKI VEST

Material: RIPSTOP (5mm) 100% polyester with PVC coating

Waterproof welded seams.

Lining: 100% polyester fleece 300 g/m² (body)

Padding: 100% polyester 180 g/m²

Reinforcements and details: OXFORD 100% polyester 300D

Closing: zipper with Velcro

Original packaging: 1/10

coverguard



8000MM+3000MVP

EN ISO 13688

VELIČINA/SIZE

S

M

L

XL

XXL

XXXL

PRSLUK/VEST

5AZU45000S

5AZU45000M

5AZU45000L

5AZU4500XL

5AZU4502XL

5AZU4503XL



MIKAN

5MIK350
siva/gray

5MIK120
tamno plava/
navy

MIKAN JAKNA

Spoljašnji materijal: 70% pamuk, 30% poliester, 300g/m²

Ripstop (5mm): 100% Poliester sa PVC premazom. 300g/m² na laktovima i džepu

Podstava: 100% poliester

Zatvaranje: patentni zatvarač

Originalno pakovanje: 1/10

MIKAN JACKET

Outer material: 80% cotton, 20% Polyester, 300 g/m²

Ripstop (5mm): 100% Polyester with PVC coating, 300 g/m² on elbows and pocket

Lining: 100% polyester

Closure: zipper

Original packaging: 1/10



8000MM+3000MVP

EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
SIVA/GRAY	5MIK35000S	5MIK35000M	5MIK35000L	5MIK3500XL	5MIK3502XL	5MIK3503XL
TAMNO PLAVA/NAVY	5MIK12000S	5MIK12000M	5MIK12000L	5MIK1200XL	5MIK1202XL	5MIK1203XL

KIJI

5KIJ01000
crna/black

KIJI JAKNA

Spoljašnji materijal: 70% pamuk, 30% poliester, 300 g/m²

Ojačanje: 300D Oxford

Zatvaranje: patent zatvarač

Rukavi: ojačani na laktovima, manžetne 95% pamuk, 5% elastin

Originalno pakovanje: 1/10

KIJI JACKET

External material: 70% cotton, 30% poliester, 300g/m²

Reinforcement: 300D Oxford

Fastening: zipper

Sleeves: elbow reinforcement, cuff 95% cotton, 5% elastane

Original packaging: 1/10



8000MM+3000MVP

EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
JAKNA/JACKET	5KIJ01000S	5KIJ01000M	5KIJ01000L	5KIJ0100XL	5KIJ010XXL	5KIJ0103XL

WANI

5WAN01000

crna/black

WANI PARKA 3U1

Spoljašnji materijal: Ripstop 4 mm, 100% poliester sa PVC premazom, 280 g/m², Oxford 300D

Podstava: mrežica, 100% poliester 70 g/m², tafeta 100% poliester 55 g/m²

Zatvaranje: patent zatvarač sakriven ispod klapne

Kapuljača: fiksna, skrivena u kragni

coverguard



ODELJIVA TROSLOJNA SOFTSHELL JAKNA.

Materijal: 94% Poliester 6% Elastin + TPU membrane 300g/m²

Originalno pakovanje: 1/10

WANI PARKA 3U1

Outer material: Ripstop 4 mm, 100% polyester PVC coated, 280 g/m², Oxford 300D waterproof fabric with waterproof seams

Lining: mesh, 100% polyester 70 g/m², taffeta 100% polyester 55 g/m²

Closure: zipper hidden under the flap

Hood: fixed hidden in the collar

DETACHABLE THREE-LAYER SOFTSHELL JACKET

Material: 94% Polyester 6% Elastane + TPU membrane, 300 g/m²

Original packaging: 1/10



8000MM+5000MVP

EN ISO 13688

VELIČINA/SIZE

S

M

L

XL

XXL

XXXL

JAKNA/JACKET

5WAN01000S

5WAN01000M

5WAN01000L

5WAN0100XL

5WAN0102XL

5WAN0103XL

PANDA

5PDA01000

crna/black

PANDA PARKA

Spoljašnji materijal: 250D+200D poliester sa PU premazom, 110 g/m²

Podstava: 100% poliester tafeta, 55 g/m²

Punjenje: 100% poliester, 160g/m²

Zatvaranje: patent zatvarač skriven ispod klapne

Kapuljača: fiksna sakrivena u kragni

Originalno pakovanje: 1/10

PANDA PARKA

External material: 250D + 200D PU polyester 110 g/m²

Lining: 100% polyester taffeta, 55 g/m²

Padding: 100% polyester, 160 g/m²

Fastening: zipper hidden under fold

Hood: attached to the collar

Original packaging: 1/10

coverguard



8000MM+3000MVP

EN ISO 13688

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL	4XL
JAKNA/JACKET	5PDA01000S	5PDA01000M	5PDA01000L	5PDA01000XL	5PDA0102XL	5PDA0103XL	5PDA0104XL







SECURITE

5SEC010

Materijal: 100% poliester
Podstava: 100% poliester
Punjenje: 100% poliester
Reflektujuće trake: jedna horizontalna traka na centralnom delu, po dve na svakom rukavu i dve vodoravne na ramenima
Rukavi: fiksni
Kragna: visoka
Posebne karakteristike: zatvaranje zatvaračem
Boja: crna
Veličine: S - XXXL
Originalno pakovanje: 1/5

*Material: 100% polyester
 Lining: 100% polyester
 Padding: 100% polyester
 Visibility: Sewn bands: 1 on belt, 2 on armbands/sleeve and 2 on shoulders
 Sleeves: fixed
 Collar: high
 Special characteristics: central zip under flap with velcro
 Color: black
 Size: S-XXXL
 Original packaging: 1/5*



VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
PARKA SECURITE/SECURITE PARKA	5SEC01000S	5SEC01000M	5SEC01000L	5SEC0100XL	5SEC0102XL	5SEC0103XL





DYNAMIC

5DYJMGM
siva/gray

5DYJMNY
plava/blue

5DYJWGM
siva/gray

5DYJWNY
plava/blue




DYNAMIC FLIS VESTA

Materijal: 100% pleteni flis
Zatvaranje: patent zatvarač
Rukavi: elastična manžetna
Originalno pakovanje: 1/10

DYNAMIC FLEECE JACKET

Material: 100% knitted fleece
Fastening: zipper
Sleeves: elastic cuffs
Original packaging: 1/10



8000MM&4000MVP

EN ISO 13688

VELIČINA/SIZE	XS	S	M	L	XL	XXL	XXXL
MUŠKA VESTA/MEN'S JACKET	5DYJMGMS	5DYJMGMM	5DYJMGML	5DYJMGML	5DYJMGML	5DYJMGML	5DYJMGML
MUŠKA VESTA/MEN'S JACKET	5DYJMNY	5DYJMNYM	5DYJMNYL	5DYJMNYXL	5DYJMNYXL	5DYJMNYXXL	5DYJMNYXXXL
ŽENSKA VESTA/WOMEN'S JACKET	5DYJWGM	5DYJWGM	5DYJWGM	5DYJWGM	5DYJWGM	5DYJWGM	5DYJWGM
ŽENSKA VESTA/WOMEN'S JACKET	5DYJWNYS	5DYJWNYM	5DYJWNYL	5DYJWNXYL	5DYJWNXYL	5DYJWNXYXL	5DYJWNXYXXL

BORA

5BORM
sivo/crna/crvena/
gray/black/red

5BORG
antracit/crna/
anthracite/black



FLIS VESTA BORA

Materijal: 100% pleteni flis, 380 g/m², softshell tkanina 94% poliester, 6% elastiin, TPU membrana na ramenima, rukavima i bočno

Zatvaranje: patent zatvarač

Rukavi: elastična manžetna

Kapuljača: fiksna

Originalno pakovanje: 1/10

FLEECE SWEATER BORA

Materijal: 100% knitted fleece, 380 g/m², softshell material 94% polyester, 6% elastane, TPU membrane, on shoulders, sleeves and side

Closure: zipper

Sleeves: elastic cuff

Hood: attached

Original packaging: 1/10

coverguard



EN 1405:2004



1.1.x.x.x.

CE EN ISO 13688



VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
SIVO/CRNA/CRVENA/GRAY/BLACK/RED	5BORMS	5BORMM	5BORML	5BORMXL	5BORMXXL	5BORMXXXL
ANTRACIT/CRNA/ANTHRACITE/BLACK	5BORG S	5BORG M	5BORG L	5BORG XL	5BORG XXL	5BORG XXXL

WARMY

5WARNY
plava/blue

5WARD
crvena/red



WARMY FLIS VESTA

Materijal: mikro polarni flis 450 g/m²,
100% poliestersko vlakno

Zatvaranje: patent zatvarač

Rukavi: elastična manžetna

Pričvršćenje na dnu: elastično sa unutrašnje strane

Originalno pakovanje: 1/10



WARMY FLEECE SWEATER

Material: micro polar fleece 450 g/m²,
100% polyester fibers

Fastening: zipper

Sleeves: elastic cuffs

Fastening: elastic on the inside

Original packaging: 1/10



CE EN ISO 13688

VELIČINA/SIZE	XS	S	M	L	XL	XXL	XXXL
PLAVA/BLUE	5WARNYXS	5WARNYS	5WARNYM	5WARNYL	5WARNYXL	5WARNYXXL	5WARNYXXXL
CRVENA/RED	5WARDXS	5WARDXS	5WARDM	5WARDL	5WARDXL	5WARDXXL	5WARDXXXL

POLAR

FLRA300
muška/men

FLRL300
ženska/woman




POLAR FLIS VESTA

Materijal: 100% poliester, 300 g/m² sa antipiling obradom
Zatvaranje: patent zatvarač
Džepovi: dva bočna
Originalno pakovanje: 1/15

POLAR FLEECE SWEATSHIRT

Materijal: 100% polyester, 300 g/m² with anti-peeling treatment
Closure: zipper
Pockets: two on side
Original packaging: 1/15

JHK
T-SHIRT



CE EN ISO 13688



MUŠKA/MEN

ŽENSKA/WOMAN

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
CRNA/BLACK	FLRA300BKS	FLRA300BKM	FLRA300BKL	FLRA300BKXL	FLRA300BKXXL	FLRA300BKXXXL
SIVA/GRAY	FLRA300GMS	FLRA300GMM	FLRA300GML	FLRA300GMXL	FLRA300GMXXL	FLRA300GMXXXL
PLAVA/BLEUE	FLRA300NYS	FLRA300NYM	FLRA300NYL	FLRA300NYXL	FLRA300NYXXL	FLRA300NYXXXL
K.PLAVA/ROYAL BLUE	FLRA300RBS	FLRA300RBM	FLRA300RBL	FLRA300RBXL	FLRA300RBXXL	FLRA300RBXXXL
CRVENA/RED	FLRA300RDS	FLRA300RDM	FLRA300RDL	FLRA300RDXL	FLRA300RDXXL	FLRA300RDXXXL
CRNA/BLACK	FLRL300BKS	FLRL300BKM	FLRL300BKL	FLRL300BKXL	FLRL300BKXXL	
SIVA/GRAY	FLRL300GMS	FLRL300GMM	FLRL300GML	FLRL300GMXL	FLRL300GMXXL	
PLAVA/BLEUE	FLRL300NYS	FLRL300NYM	FLRL300NYL	FLRL300NYXL	FLRL300NYXXL	
K.PLAVA/ROYAL BLUE	FLRL300RBS	FLRL300RBM	FLRL300RBL	FLRL300RBXL	FLRL300RBXXL	
CRVENA/RED	FLRL300RDS	FLRL300RDM	FLRL300RDL	FLRL300RDXL	FLRL300RDXXL	

LUCIANE

SM1195
muška/men

SM1196
ženska/woman



LUCIANE FLIS VESTA

Materijal: 100% mikro flis poliester, 300 g/m²

Zatvaranje: patent zatvarač

Džepovi: dva bočna + levi rukav

Originalno pakovanje: 1/15

LUCIANE FLEECE SWEATSHIRT


Material: 100% micro fleece polyester,
300 g/m²

Fastening: zipper

Pockets: two on sides + left sleeve

Original packaging: 1/15

PROLY



CE EN ISO 13688

VELIČINA/SIZE		S	M	L	XL	XXL	XXXL
MUŠKA/MEN	PLAVA/BLUE	SM1195NYS	SM1195NYM	SM1195NYL	SM1195NYXL	SM1195NYXXL	SM1195NYXXXL
	CRVENA/RED	SM1195RDS	SM1195RDM	SM1195RDL	SM1195RDXL	SM1195RDXXL	SM1195RDXXXL
ŽENSKA/WOMAN	PLAVA/BLUE	SM1196NYS	SM1196NYM	SM1196NYL	SM1196NYXL	SM1196NYXXL	SM1196NYXXXL
	CRVENA/RED	SM1196RDS	SM1196RDM	SM1196RDL	SM1196RDXL	SM1196RDXXL	SM1196RDXXXL





BINAS

5BINWTS
plava/blue

5BINWTP
siva/gray

5BINWTC
crna/black

BINAS FLIS VESTA

Materijal: mikro polarno vlakno
340 g/m², 100% poliester
Zatvaranje: patent zatvarač
Rukavi: elastična manžetna
Originalno pakovanje: 1/20

BINAS FLEECE JACKET

Material: micro polar fibers
340 g/m², 100% polyester
Fastening: zipper
Sleeves: elastic cuffs
Original packaging: 1/20



EN ISO 13688

VELIČINA/SIZE	XS	S	M	L	XL	XXL	XXXL
PLAVA/BLUE	5BINWTSXS	5BINWTSS	5BINWTSM	5BINWTSL	5BINWTSXL	5BINWTSXXL	5BINWTSXXXL
SIVA/GRAY	5BINWTPXS	5BINWTPS	5BINWTPM	5BINWTPL	5BINWTPXL	5BINWTPXXL	5BINWTPXXXL
CRNA/BLACK	5BINWTCXS	5BINWTCS	5BINWTCM	5BINWTCL	5BINWTCXL	5BINWTCXXL	5BINWTCXXXL

BINAS

5BINWTP
plava/blue

5BINWTS
siva/gray

5BINWTC
crna/black

BINAS FLIS PRSLUK

Materijal: mikro polarno vlakno
340 g/m², 100% poliester
Zatvaranje: patent zatvarač
Originalno pakovanje: 1/20

BINAS FLEECE VEST

Material: micro polar fibers
340 g/m², 100% polyester
Fastening: zipper
Original packaging: 1/20



EN ISO 13688

VELIČINA/SIZE	XS	S	M	L	XL	XXL	XXXL
PLAVA/BLUE	5BINWTWPXS	5BINWTWPS	5BINWTWPM	5BINWTWPL	5BINWTWPXL	5BINWTWPXXL	5BINWTWPXXXL
SIVA/GRAY	5BINWTSXS	5BINWTWSS	5BINWTSWM	5BINWTSWL	5BINWTSXL	5BINWTSXXL	5BINWTSXXXL
CRNA/BLACK	5BINWTCXS	5BINWTCWS	5BINWTCWM	5BINWTCWL	5BINWTCXL	5BINWTCXXL	5BINWTCXXXL



GETOUT

5GET/II
siva/gray

5GET/III
siva/gray

5GET/IV
siva/gray

5GET/V
crna/black



ZIMSKE KAPE GETOUT
Materijal: 100% akril, 60 g/m²
Originalno pakovanje: 10/60

GETOUT WINTER CAPS
Material: 100% acryl, 60 g/m²
Original packaging: 10/60



8000MM&4000MVP

CE EN ISO 13688

BOJA/COLOR	ARTIKL/ITEM	ŠIFRA/CODE
● SIVA/GRAY	GETOUT II	5GET /II
● SIVA/GRAY	GETOUT III	5GET/III
● SIVA/GRAY	GETOUT IV	5GET/IV
● CRNA/BLACK	GETOUT V	5GET/V



Ani Marie

SAILOR

5KZWTP
plava/blue

5KZWTC
crna/black

5KZWTS
siva/gray

ZIMSKA KAPA SAILOR
Materijal: 100% akril
Originalno pakovanje: 10/60

SAILOR WINTER CAP
Material: 100% acryl, 40 g/m
Original packaging: 10/60



CE EN ISO 13688

BOJA/COLOR	ŠIFRA/CODE
PLAVA/BUE	5KZWTP
CRNA/BLACK	5KZWTC
SIVA/GRAY	5KZWTS

NORTH

5NORTBK
crna/black

5NORTNY
plava/blue

ZIMSKA KAPA NORTH
Materijal: 100% akril
Originalno pakovanje: 10/60

NORTH WINTER CAP
Material: 100% acryl
Original packaging: 10/60



CE EN ISO 13688

BOJA/COLOR	ŠIFRA/CODE
CRNA/BLACK	5NORTBK
PLAVA/BUE	5NORTNY

A man with short brown hair and a light beard is standing on a sandy beach. He is wearing a bright yellow short-sleeved t-shirt and dark blue jeans. He has his hands in his pockets and is looking directly at the camera. The background shows the ocean with gentle waves and a clear blue sky. There are some dark rocks in the foreground on the left. A yellow geometric shape is in the top left corner, and a black geometric shape is in the bottom right corner.

**MAJICE
KRATKI RUKAV
MUŠKE
T-SHIRT
SHORT SLEEVE
*MEN***

T-SHIRT

TSRA150


Materijal: 100% preprani pamuk
Težina: 155 g/m², bijela 150 g/m² +/-5%
Originalno pakovanje: 1/100

Material: 100% pre-washed cotton
Weight: 155g/m², white 150 g/m² +/-5%
Original packaging: 1/100


***Grey melange:** 85% pamuk/15% viskoza
 ***Ash melange:** 98% pamuk/2% viskoza

***Grey melange:** 85% cotton/15% viscose
 ***Ash melange:** 98% cotton/2% viscose

*4xl, 5xl: WH, BK, GM, NY, RD



DUŽINA/ŠIRINA/LENGTH/WIDTH	XS	S	M	L	XL	XXL	XXXL
A	68	70	72	74	76	78	83
B	48	51	53,5	56	58	61	66
TOLERANCE +/-5%							




T-SHIRT

MC150


Materijal: 100% preprani pamuk
Težina: 150 g/m², bijela 150 g/m² +/-5%
Originalno pakovanje: 1/100

Material: 100% pre-washed cotton
Weight: 150g/m², white 150 g/m² +/-5%
Original packaging: 1/100

***Grey melange:** 85% pamuk/15% viskoza
 ***Grey melange:** 85% cotton/15% viscose



DUŽINA/ŠIRINA/LENGTH/WIDTH	S	M	L	XL	XXL	XXXL
A	69	71	73	75	77	79
B	50	53,5	56	59	62	65
TOLERANCE +/-5%						





**MAJICE
KRATKI RUKAV
ŽENSKÉ
T-SHIRT
SHORT SLEEVE
WOMEN**

T-SHIRT

TSRLCMF


JHK
T-SHIRT




Materijal: 100% češljani pamuk
Težina: 145 g/m² +/-5%
Originalno pakovanje: 1/100

Material: 100% combed cotton
Weight: 145 g/m² +/-5%
Original packaging: 1/100

***Grey melange:** 85% pamuk/15% viskoza
***Grey melange:** 85% cotton/15% viscose



DUŽINA/ŠIRINA/LENGTH/WIDTH	S	M	L	XL	XXL
A	60	62	64	66	68
B	42	44	46	48	50
TOLERANCE +/-5%					





**MAJICE DUGI
RUKAV MUŠKE I
ŽENSKE**

***T-SHIRT LONG
SLEEVE
MEN AND WOMEN***



T-SHIRT

TSRA150LS

Materijal: 100% češljani pretprani pamuk
Težina: 155-160 g/m² +/-5%
Originalno pakovanje: 1/50

Material: 100% combed pre-washed cotton
Weight: 155-160 g/m² +/-5%
Original packaging: 1/50

***Grey melange:** 85% pamuk/15% viskoza
 ***Grey melange:** 85% cotton/15% viscose





DUŽINA/ŠIRINA/LENGTH/WIDTH	S	M	L	XL	XXL	XXXL
A	70	72	74	76	82	84
B	52	54	56	60	64	66
TOLERANCE +/-5%						

T-SHIRT

TSRLCMFLS

Materijal: 100% pretprani pamuk
Težina: 155 g/m², +/-5%
Originalno pakovanje: 1/50

Material: 100% pre-washed cotton
Weight: 155 g/m² +/-5%
Original packaging: 1/50



DUŽINA/ŠIRINA/LENGTH/WIDTH	S	M	L	XL	XXL
A	61	63	65	67	69
B	42	44	46	48	50
TOLERANCE +/-5%					



**POLO MAJICE
KRATKI RUKAV
MUŠKE I ŽENSKE/
POLO T-SHIRTS
MEN AND WOMEN
SHORT SLEEVE**



POLO

PORA210

Materijal: 100% češljani pretprani pamuk
Težina: 210 g/m² +/-5%
Originalno pakovanje: 1/50

Material: 100% combed pre-washed cotton
Weight: 210 g/m² +/-5%
Original packaging: 1/50

***Grey melange:** 85% pamuk/15% viskoza
 ***Grey melange:** 85% cotton/15% viscose



DUŽINA/ŠIRINA/LENGTH/WIDTH	S	M	L	XL	XXL	XXXL
A	70	72	74	76	82	84
B	51	53	55	59	63	64
TOLERANCE +/-5%						


POLO

MPS180

Materijal: 100% češljani pretprani pamuk
Težina: 180 g/m² +/-5%
Originalno pakovanje: 1/50

Material: 100% combed pre-washed cotton
Weight: 180 g/m² +/-5%
Original packaging: 1/50

***Grey melange:** 85% pamuk/15% viskoza
 ***Grey melange:** 85% cotton/15% viscose



DUŽINA/ŠIRINA/LENGTH/WIDTH	S	M	L	XL	XXL	XXXL
A	59	71	73	75	77	79
B	50	53	56	59	62	65
TOLERANCE +/-5%						


POLO

POPL200

Materijal: 100% češljani pretprani pamuk
Težina: 200 g/m² +/-5%
Originalno pakovanje: 1/50

Material: 100% combed pre-washed cotton
Weight: 200 g/m² +/-5%
Original packaging: 1/50

***Grey melange:** 85% pamuk/15% viskoza
 ***Grey melange:** 85% cotton/15% viscose



DUŽINA/ŠIRINA/LENGTH/WIDTH	S	M	L	XL	XXL	XXXL
A	61	63	65	67	69	73
B	42	44	46	48	50	54
TOLERANCE +/-5%						



**POLO MAJICE
DUGI RUKAV
MUŠKE I ŽENSKE/
POLO T-SHIRTS
LONG SLEEVE
MEN AND WOMEN**


POLO

PORA210LS


Materijal: 100% češljani pretprani pamuk
Težina: 210 g/m² +/-5%
Originalno pakovanje: 1/50

Material: 100% combed pre-washed cotton
Weight: 210 g/m² +/-5%
Original packaging: 1/50

***Grey melange:** 85% pamuk/15% viskoza
***Grey melange:** 85% cotton/15% viscose



DUŽINA/ŠIRINA/LENGTH/WIDTH	S	M	L	XL	XXL	XXXL
A	70	72	74	76	82	84
B	52	54	56	60	64	66
TOLERANCE +/-5%						




POLO

POPL200LS


Materijal: 100% češljani pretprani pamuk
Težina: 200 g/m² +/-5%
Originalno pakovanje: 1/50

Material: 100% combed pre-washed cotton
Weight: 200 g/m² +/-5%
Original packaging: 1/50

***Grey melange:** 85% pamuk/15% viskoza
***Grey melange:** 85% cotton/15% viscose



DUŽINA/ŠIRINA/LENGTH/WIDTH	S	M	L	XL	XXL
A	61	63	65	67	69
B	42	44	46	48	50
TOLERANCE +/-5%					



HOODIE & SWEATSHIRT/ HOODIE & SWEATSHIRT

HOODIE

SWUAHOOD

Materijal: 65% Poliester/35% pamuk
Težina: 290 g/m² +/-5%
Originalno pakovanje: 1/25


Material: 65% polyester/35% cotton
Weight: 290 g/m² +/-5%
Original packaging: 1/25

***Grey melange:** 61% pamuk/31% poliester/
8%viskaza
***Grey melange:** 61% cotton/31% polyester/
8% viscose

JHK
T-SHIRT



DUŽINA/ŠIRINA/LENGTH/WIDTH	XS	S	M	L	XL	XXL
A	67	69	70	71	72	74
B	52	54	56	58	60	62
TOLERANCE +/-5%						



ANNAPURNA

SU1104

Materijal: 100% pamuk
Težina: 260 g/m² +/-5%
Originalno pakovanje: 1/30

Material: 100% combed pre-washed cotton
Weight: 260 g/m² +/-5%
Original packaging: 1/30

***Grey melange:** 85% pamuk/15% viskoza
 ***Grey melange:** 85% cotton/15% viscose

RROLY



M

S M
L XL
XXL

BK


NY

RD

GM

DUŽINA/ŠIRINA/LENGTH/WIDTH	S	M	L	XL	XXL
A	64	67	70	73	76
B	50	53	56	59	62

TOLERANCE +/-5%



ANNAPURNA

SU1111

Materijal: 100% pamuk
Težina: 260 g/m² +/-5%
Originalno pakovanje: 1/30

Material: 100% combed pre-washed cotton
Weight: 260 g/m² +/-5%
Original packaging: 1/30

***Grey melange:** 85% pamuk/15% viskoza
 ***Grey melange:** 85% cotton/15% viscose

RROLY



W

S M
L XL
XXL

BK


NY

RD

GM

DUŽINA/ŠIRINA/LENGTH/WIDTH	S	M	L	XL	XXL
A	66	67	68	69	70
B	48	51	54	57	60

TOLERANCE +/-5%



KAPE/ CAPS

URANUS





GO7041

Materijal: 100% pamuk, 170 g/m², 5 panela
Kopčanje: čičak
Boja: bela, plava, crna, kraljevsko plava, crvena
Veličina: univerzalna
Originalno pakovanje: 1/300

Material: 100% cotton, 170 g/m², 5 panels
Fastening: zipper
Color: white, blue, black, royal, red
Size: universal
Original packaging: 1/300

WROLY



BOJA/BARVA	U
 BELA/WHITE	GO7041WH
 PLAVA/BLEUE	GO7041NY
 KRALJEVSKO PLAVA/ROYAL BLUE	GO7041RB
 CRVENA/RED	GO7041RD
 CRNA/BLACK	GO7041BK

ORLANDO

KA011

Materijal: 100% pamuk, 260 g/m², 6 panela
Kopčanje: metalna kopča
Sandwich šilt: obod u kontrastnoj boji
Veličina: univerzalna
Originalno pakovanje: 1/100

*Material: 100% cotton, 260 g/m² 6 panels
 Buckle: metal clasp
 Sandwich visor: rims in a contrasting color
 Size: universal
 Original packaging: 1/100*



BOJA/COLOR	U
BELO/PLAVA/WHITE/NAVY	KA011WHNY
CRVENO/BIJELA/RED/WHITE	KA011RDWH
T.ZELENO/BEŽ/FOREST GREEN/BEIGE	KA011FGBE
CRNO/ BELA/BLACK/WHITE	KA011BKWH
CRNO/CRNA/BLACK/BLACK	KA011BKBK

BOJA/COLOR	U
T.SIVA/CRNA/DARK GRAY/BLACK	KA011DGBK
PLAVO/PLAVA/NAVY/NAVY	KA011Nyny
CRVENO/CRNA/RED/BLACK	KA011RDBK
PLAVO/BELA/NAVY/WHITE	KA011NYWH
BELA/CRVENA/WHITE/RED	KA011WHRD

FIRST

KA034

Materijal: 100% pamuk, 155 g/m², 5 panela
Kopčanje: plastična kopča
Veličina: univerzalna
Originalno pakovanje: 1/100

*Material: 100% cotton, 155 g/m² 5 panels
 Buckle: plastic clasp
 Size: universal
 Original packaging: 1/100*



BOJA/COLOR	U
CRNA/BLACK	KA034BK
ZELENA/GREEN	KA034FG
PLAVA/BLUE	KA034NY
NARANDŽASTA/ORANGE	KA034OR

BOJA/COLOR	U
KRALJEVSKO PLAVA/ROYAL NAVY	KA034RB
CRVENA/RED	KA034RD
BELA/WHITE	KA034WH

BROKULA CAREWEAR BROKULA CAREWEAR



Brokula proizvodi su nastali od prirodnih, organskih i održivih materijala: Organski pamuk – pamuk uzgojen isključivo ekološkim procesima, od negenetski modifikovanih biljaka, bez korišćenja ikakvih sintetičkih hemikalija (đubriva i pesticida).

Lyocell Tencel Sun (UV zaštita) – vlakno izrađeno od prirodne sirovine (pulpe) drveta, 100% biorazgradivo. Dodatak pigmenta minerala, osigurava dugoročnu zaštitu od štetnog UV zračenja. Učinak zaštite je stabilan i nakon učestalog pranja i uticaja vlage. Elastan ili Lycra – u sastavu materijala, sa 4% maksimalno je prisuno sintetičko vlakno koje materijalima produžava trajnost/nošenje. "Green mark" – garancija ekološke i društvene osveštenosti i delovanja sa stvarnim ekološkim učincima.

Društvena odgovornost – doprinos održivom razvoju – odgovorno delovanje u svim fazama poslovanja u odnosu na društvo, životnu sredinu i prirodu. Boje za pletivo ne sadrže hemijska sredstva štetna za kožu.

Boje za štampu – proizvedene u skladu sa najvišim ekološkim standardima, ISO 14001 i Oeko-Tex Standard 100.

BROKULA CAREWEAR

Brokula products are made from natural, organic and sustainable materials: Organic cotton - Cotton grown exclusively in environmentally-friendly ways, from non-genetically modified plants, without use of any synthetic chemicals (fertilizers and pesticides).

Lyocell Tencel Sun (UV protection) - fibers from natural raw materials, wood cellulose, 100% biodegradable. The addition of mineral pigment provides long-term protection against harmful UV radiation. The protective effect is permanent even after frequent washing and use in wet conditions. Elastane or lycra – maximum 45% in the structure of the material, synthetic fibers that extend the material's durability/use.

'Green mark' - a guarantee of environmental and social awareness and effects to the environment.

Social responsibility - contribution to sustainable development - responsible action in all phases of business in relation to society, the environment and nature. Knitting dyes - do not contain chemicals harmful to skin.

Printing inks - produced in harmony with the highest environmental standards, ISO 14001 and Oeko-Tex Standard 100.

LACUNA ne odgovara za eventualne tiskarske greške u katalogu/LACUNA is not responsible for misprints in the catalogue.

Zadnje važeće cijene molimo provjerite na LACUNA B2B/Last valid recommended prices check at www.lacuna.hr

Na www.lacuna.hr možete vidjeti prošireni izbor iz LACUNA ponude/Full LACUNA range available at www.lacuna.hr





ORGANSKI PAMUK I EKOLOŠKA ODRŽIVOST

Odabirući pamuk iz **organskog** umesto iz konvencionalnog uzgoja, doprinosite zaštiti životne sredine, smanjujete potrošnju vode, energije i emisiju gasova staklene bašte.

Uzgoj organskog pamuka pomaže očuvanju zdravog tla, ekosistema i ljudi jer je utemeljen na prirodnim procesima, izbegava veštačke intervencije i još važnije uzgoj organskog pamuka ne dozvoljava upotrebu otrovnih hemikalija ili GMO-a. Uzgoj organskog pamuka smanjuje negativan uticaj na životnu sredinu.



Brokula proizvodi izrađenih su od prirodnih, organskih i ekološki održivih tkanina.



Pamučna odeća je organska samo ako je sertifikovana prema standardu organskog pamuka. GOTS (Global Organic Textile Standard) prati sadržaj organske sirovine u odeći i obezbeđuje da njena obrada bude društveno i ekološki održiva.



OE 100 Standard se primenjuje za proizvode od 100% organskog pamuka, uključujući i konac za šivenje. OE 100 zahteva organski uzgoj pamuka i kriterijume za pravilno rukovanje i transport organskog pamuka kroz ceo proces obrade tekstila.



OCS Blended se koristi za proizvode koji sadrže najmanje 5% organskog materijala pomešanog sa konvencionalnim pamukom ili sintetskim sirovinama.



TENCEL - prirodna celulozna vlakna iz jezgre stabla eukaliptusa.

ORGANIC COTTON AND ENVIRONMENTAL SUSTAINABILITY

*By choosing **organic** cotton, instead of the regular, we contribute to the preservation of the environment, reduction in the consumption of water, energy and greenhouse gas emissions.*

Growing organic cotton helps maintaining healthy soils, ecosystems and people because it is natural, excludes artificial interventions and does not allow the use of toxic chemicals or GMOs.

Growing organic cotton reduces negative environmental impact.

Brokula products are made from natural, organic and environmentally sustainable fabrics.

Cotton clothing is organic only if it is certified according to the standard for organic cotton. The GOTS (Global Organic Textile Standard) ensures that the processing of organic raw materials is socially and environmentally sustainable.

OE 100 Standard applies to products made of 100% organic cotton, including sewing threads. OE 100 requires the cultivation of organic cotton and establishes criteria for the proper handling and transport of organic cotton throughout the whole process.

OCS Blended applies to products containing at least 5% organic material mixed with conventional cotton or synthetic raw materials.

TENCEL - natural cellulose fibers from the core of the eucalyptus tree.





VIS

BRKL/MM160

MUŠKA MAJICA KRATKI RUKAV VIS MEN'S SHORT-SLEEVED T-SHIRT VIS

Materijal: 100% organski pamuk, 160 g/m² GOTS certifikat

Veličina: S-XXL

Originalno pakovanje: 1/100

Material: 100% organic cotton, 160 g/m² GOTS certificate

Size: S-XXL

Original packaging: 1/100



Finoća
Fineness



Izuzetno prijatno za nošenje
Extremely comfortable to wear



Odlično pristajanje
Great fitting



EKO prijateljski i samoodrživo
ECO friendly and sustainable



Održi kvalitet-dugotrajno nošenje
Durable quality - long-lasting wear



Otpornost na učestalo pranje
Resistant to frequent washing



KRKA

BRKL/ŽM160

ŽENSKA MAJICA KRATKI RUKAV KRKA WOMEN'S SHORT-SLEEVED T-SHIRT KRKA

Materijal: 100% organski pamuk, 160 g/m² GOTS certifikat

Veličina: S-XXL;

Originalno pakovanje: 1/100

Material: 100% organic cotton, 160 g/m² GOTS certificate

Size: S-XXL

Original packaging: 1/100



Finoća
Fineness



Izuzetno prijatno za nošenje
Extremely comfortable to wear



Odlično pristajanje
Great fitting



EKO prijateljski i samoodrživo
ECO friendly and sustainable



Održi kvalitet-dugotrajno nošenje
Durable quality - long-lasting wear



Otpornost na učestalo pranje
Resistant to frequent washing





SAILOR

BRKL/SM

MUŠKA MAJICA KRATKI RUKAV SAILOR MEN'S SHORT-SLEEVED T-SHIRT SAILOR

Materijal: 100% organski pamuk, 160 g/m² GOTS certifikat

Veličina: S-XXL

Originalno pakovanje: 1/100

Material: 100% organic cotton, 160 g/m² GOTS certificate

Size: S-XXL

Original packaging: 1/100



Finoća
Fineness



Izuzetno prijatno za nošenje
Extremely comfortable to wear



Odlično pristojanje
Great fitting



EKO prijateljski i samoodrživo
ECO friendly and sustainable



Održi kvalitet-dugotrajno nošenje
Durable quality - long-lasting wear



Otpornost na učestalo pranje
Resistant to frequent washing



SAILOR

BRKL/SW

ŽENSKA MAJICA KRATKI RUKAV SAILOR WOMEN'S SHORT SLEEVED T-SHIRT SAILOR

Materijal: 100% organski pamuk, 160 g/m² GOTS certifikat

Veličina: S-XXL

Originalno pakovanje: 1/100

Material: 100% organic cotton, 160 g/m² GOTS certificate

Size: S-XXL

Original packaging: 1/100



Finoća
Fineness



Izuzetno prijatno za nošenje
Extremely comfortable to wear



Odlično pristojanje
Great fitting



EKO prijateljski i samoodrživo
ECO friendly and sustainable



Održi kvalitet-dugotrajno nošenje
Durable quality - long-lasting wear



Otpornost na učestalo pranje
Resistant to frequent washing



ALINKULA



KORNATI

BRKL

BROKULA PEŠKIRI

Materijal: potka 50% organski pamuk, 50% tencel/osnova: 100% pamuk

Težina: 500 gsm

Održavanje: pranje bele boje na 90 stepeni, pranje u boji na 60 stepeni

Dostupne boje: bela, bež, svetlo plava, tamno plava, kraljevsko plava, svetlo siva, tamno siva, žuta

Dostupne dimenzije: 30 * 50, 50 * 100, 70 * 140, 100 * 150

Prednosti: Kombinacija organskog, prirodno uzgojenog pamuka + Tencela - prirodno celulozno vlakno proizvedeno od jezgra stabla eukaliptusa pruža bolju apsorpciju vlage, finoću, otpornost na često pranje, izdržljivost, kvalitet, mekoću nakon mnogih pranja, brzo se suši, nepovoljno je za rast bakterija, ekološki prihvatljivo.

BROKULA TOWEL

Materijal: weft 50% organic cotton, 50% tencel

Base: 100% cotton

Weight: 500 gsm

Maintenance: white color wash at 90 degrees, color wash at 60 degrees

Available colors: white, beige, light blue, dark blue, royal blue, light gray, dark gray, yellow

Available dimensions: 30 * 50, 50 * 100, 70 * 140, 100 * 150

Advantages: A combination of organic, natural cotton + Tencel - natural cellulose fiber made from eucalyptus trees provides better moisture absorption, fineness, resistance to frequent washing, durability, quality, softness after many washes, dries quickly and is unfavorable for bacterial growth and, above all, ECO FRIENDLY.




TENCEL RUČNIK/TENCEL BRISAČA	30*50	50*100	70*140	100*150
BELA/WHITE	BRKL/WH30*50	BRKL/WH50*100	BRKL/WH70*140	BRKL/WH100*150
BEŽ/BEIGE	BRKL/BE30*50	BRKL/BE50*100	BRKL/BE70*140	BRKL/BE100*150
SVETLO PLAVA/LIGHT BLUE	BRKL/LB30*50	BRKL/LB50*100	BRKL/LB70*140	BRKL/LB100*150
TAMNO PLAVA/DARK BLUE	BRKL/DB30*50	BRKL/DB50*100	BRKL/DB70*140	BRKL/DB100*150
KRALJEVSKO PLAVA/ROYAL BLUE	BRKL/RB30*50	BRKL/RB50*100	BRKL/RB70*140	BRKL/RB100*150
SIVA/GRAY	BRKL/LG30*50	BRKL/LG50*100	BRKL/LG70*140	BRKL/LG100*150
TAMNO SIVA/DARK GRAY	BRKL/DG30*50	BRKL/DG50*100	BRKL/DG70*140	BRKL/DG100*150
ŽUTA/YELLOW	BRKL/YE30*50	BRKL/YE50*100	BRKL/YE70*140	BRKL/YE100*150





BROKULA
CAREWEAR UV



BROKULA

CAREWEAR



SALPA

BRKLUV435

BRKLUV436

BRKLUV413

BROKULA SALPA UV šešir za odrasle ONE SIZE

Opis: zaštitni šešir. Zaštita od UV/UPF50 +. Rashladni efekat, prozračnost

Materijal: 100% reciklirana poliesterska mikrovlakna

Veličina: Univerzalna, 61 cm, fleksibilna

Boja: bijela, bež, plava

Originalno pakovanje: 1/100

BROKULA SALPA UV hat for adults, white, ONE SIZE

Description: protective hat. UV/UPF50 + protection. Cooling effect, breathable

Material: 100% recycled polyester microfiber

Size: universal, 61 cm, adjustable

Color: white, beige, blue

Original packaging: 1/100



CE EN 13758-2

BOJA/COLOR	ŠIFRA/CODE
BEŽI/BEIGE	BRKLUV435
BELA/WHITE	BRKLUV436
PLAVA/BLUE	BRKLUV413

SALMO

BRKLUV424

BRKLUV425

BROKULA SALMO UV kapa za odrasle ONE SIZE

Opis: zaštitni šešir. Zaštita od UV/UPF50 +. Rashladni efekat, prozračnost

Materijal: 100% reciklirana poliesterska mikrovlakna

Veličina: Univerzalna, 61 cm, fleksibilna

Boja: bijela, bež

Originalno pakovanje: 1/100

BROKULA SALMO UV hat for adults ONE SIZE

Description: protective hat. UV/UPF50 + protection. cooling effect, breathable

Material: 100% recycled polyester microfiber

Size: universal, 61 cm, adjustable

Color: white, beige

Original packaging: 1/100



CE EN 13758-2

BOJA/COLOR	ŠIFRA/CODE
BEŽI/BEIGE	BRKLUV424
BELA/WHITE	BRKLUV425



SPARUS

BRKLUV414

BROKULA SPARUS UV šešir za odrasle, bež, ONE SIZE

Opis: zaštitni šešir. Zaštita od UV/UPF50+. Rashladni efekat, prozračnost

Materijal: 100% reciklirana poliesterska mikrovlakna

Veličina: Univerzalna, 61 cm, fleksibilna

Originalno pakovanje: 1/100

BROKULA SPARUS UV hat for adults, beige, ONE SIZE

Description: protective hat. UV/UPF50+ protection.

Cooling effect, breathable

Material: 100% recycled polyester microfibers

Size: universal, 61 cm, adjustable

Original packaging: 1/100



CE EN 13758-2

BOJA/COLOR

ŠIFRA/CODE

BEŽI/BEIGE

BRKLUV414

SARDA

BRKLUV433

BROKULA SARDA UV kapa sa plaštom na skidanje, bež, ONE SIZE

Opis: zaštitni šešir. Zaštita od UV/UPF50+. Rashladni efekat, prozračnost

Materijal: 100% reciklirana poliesterska mikrovlakna

Veličina: Univerzalna, 61 cm, fleksibilna

Originalno pakovanje: 1/100

BROKULA SARDA UV cap, removable neck/ear flap, beige, ONE SIZE

Description: protective hat. UV/UPF50+ protection. Cooling effect, breathable

Material: 100% recycled polyester microfiber

Size: universal, 61 cm, adjustable

Original packaging: 1/100



CE EN 13758-2

BOJA/COLOR

ŠIFRA/CODE

BEŽI/BEIGE

BRKLUV433

SOLEA

BRKLUV434

BROKULA SOLEA UV šilt kapa za odrasle bela, ONE SIZE

Opis: zaštitni šešir. Zaštita od UV/UPF50+. Rashladni efekat, prozračnost

Materijal: 100% reciklirana poliesterska mikrovlakna

Veličina: Univerzalna, 61 cm, fleksibilna

Originalno pakovanje: 1/100

BROKULA SOLEA UV visor cap for adults, white, ONE SIZE

Description: protective hat. UV/UPF50+ protection. Cooling effect, breathable

Material: 100% recycled polyester microfiber

Size: universal, 61 cm, adjustable

Original packaging: 1/100



CE EN 13758-2

BOJA/COLOR

ŠIFRA/CODE

BELA/WHITE

BRKLUV434

ZAŠTITNE I RADNE CIPELE SAFETY AND OCCUPATIONAL SHOES



LACUNA



GETOUT™



BASE

FEEL THE COMFORT

coverguard

ZAŠTITNE I RADNE CIPELE

Lacuna razvija cipele koje su dizajnirane da zaštite nogu od raznih opasnosti za vreme obavljanja određenog posla, nezavisno od sezone u godini.

Lacuna cipele su izrađene od visokokvalitetnih materijala čiji atraktivan dizajn omogućava nošenje istih u slobodno vreme.

SAFETY AND OCCUPATIONAL SHOES

Lacuna developed shoes which are designed to protect your feet from different hazards during work in every season.

Lacuna shoes are made from high quality materials with a modern design that makes them attractive for wearing even after work.

LACUNA ne odgovara za eventualne štamparske greške u katalogu./LACUNA is not responsible for misprints in the catalogue. Poslednje važeće cene molimo proverite na LACUNA B2B./Last valid recommended prices check on LACUNA B2B.Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude./Full LACUNA range available at www.lacuna.hr



OZNAČAVANJE I STANDARDI

LABELING AND STANDARDS

STANDARDI

Standardima **EN ISO 20345:2011** i **EN ISO 20347:2012** se propisuju zahtevi za obuću, u zavisnosti od nivoa posebnih rizika.

Standardom **EN ISO 20345:2011** definisane su karakteristike sigurnosne obuće namenjene profesionalnoj upotrebi. Ova obuća ima zaštitne delove koji štite nogu od povreda do kojih može doći u industrijskom okruženju. Iz navedenog razloga, ova je obuća osmišljena i opremljena zaštitnom kapicom koja pruža zaštitu od udaraca jačine do 200 džula.

Nivo prijanjanja potplata razlikuje se u zavisnosti od odabranih uslova ispitivanja, a obuća – ispitana prema evropskim standardima EN – označena je jednom od sledećih oznaka: **SRA, SRB, SRC**. Ove oznake **OBAVEŠTENJE ZA KORISNIKA BEZBEDNOSNE I RADNE OBUĆE** koje ukazuju da obuća udovoljava zahtevima koje propisuju sledeće oznake:

SRA = ispitivanje usklađenosti je izvedeno na keramičkim pločicama koje su premazane deterdžentom.

SRB = ispitivanje usklađenosti je izvedeno na podnoj površini presvučenoj glatkim čelikom, premazanim glicerolom.

SRC = ispitivanje usklađenosti provedeno je u prethodno navedenim uslovima. Ispitne površine ne obuhvataju u celosti sve vrste podnih površina pa su stoga izvedena dodatna testiranja kako bi se utvrdilo koja obuća ima najbolji nivo prijanjanja u određenom okruženju.

EN ISO 20347:2012: Karakteristike radne obuće namenjene profesionalnoj upotrebi. Ova obuća se razlikuje od sigurnosne obuće jer nema zaštitne kapice koje pružaju zaštitu od udaraca i prignječenja.

EU STANDARDI OSOBNE ZAŠTITNE OPREME_OBUĆA PREMA UREDBI 2016/425

STANDARDS

With standards **EN ISO 20345:2011** and **EN ISO 20347:2012** are prescribed the requirements that footwear must meet, depending on the level of specific risks. With standard **EN ISO 20345:2011** the properties of protective footwear intended for professional use are defined. The footwear contains protective parts that shield user from damages that can occur during work in industrial environment. For this reason, this footwear is made and equipped with a protective cap that protects against shocks of up to 200 Joules. The level of fit of the sole varies, depending on the selected test conditions, but the footwear - tested in accordance with European standards **EN** - is marked with one of the following designations: **SRA, SRB, SRC**. These markings indicate that the footwear satisfies the requirements prescribed by the following tests:

SRA = the conformity test is carried out on ceramic tiles which are coated with detergent.

SRB = the conformity test is carried out on a floor surface coated with smooth steel coated with glycerol.

SRC = the conformity test has been carried out in the above conditions. The test surfaces do not cover all types of floor surfaces, so additional tests are performed to determine which footwear has the highest level of fit in a particular environment.

EN ISO 20347:2012: Properties of work footwear for professional use. This footwear differs from safety footwear as it does not have protective caps that protect against shocks and pressures.

EU STANDARDS FOR PERSONAL PROTECTIVE EQUIPMENT_FOOTWEAR ACCORDING TO REGULATION 2016/425

EU STANDARD	KLASA CLASS	NIVO CATEGORY	ZAŠTITNA KAPICA PROTECTIVE CAP	PROTIV KLIZANJA ANTI-SLIP	ZATVORENO PODRUČJE PETE CLOSED HEEL AREA	ANTI-STATIČKE KARAKTERISTIKE ANTISTATIC	APSORPCIJA ENERGIJE U PREDJELU PETE HEEL ENERGY ABSORPTION	VODOODBOJNO I VODOOTPORNO GORNJIŠTE WATER REPELLENT AND WATERPROOF UPPER	ULIJEOTPORAN ĐON/OIL AND HYDRO-CARBON RESISTANT SOLE	OTPORNOST NA PROBILANJE/ PROTECTIVE INSOLE	POTPLAT SA PROFILIMA CLEATED SOLES	
			SRA min			A	E	WRU	FO	P		
EN ISO 20345:2011 SIGURNOSNA OBUĆA/ EN ISO 20345:2011 SAFETY SHOES	CLASS 1	SB										
		S1										
		S1 P										
		S2										
	S3											
	S4											
	S5											

EU STANDARD	KLASA CLASS	NIVO CATEGORY	ZAŠTITNA KAPICA PROTECTIVE CAP	PROTIV KLIZANJA ANTI-SLIP	ZATVORENO PODRUČJE PETE CLOSED HEEL AREA	ANTI-STATIČKE KARAKTERISTIKE ANTISTATIC	APSORPCIJA ENERGIJE U PREDJELU PETE HEEL ENERGY ABSORPTION	VODOODBOJNO I VODOOTPORNO GORNJIŠTE WATER REPELLENT AND WATERPROOF UPPER	ULIJEOTPORAN ĐON/OIL AND HYDRO-CARBON RESISTANT SOLE	OTPORNOST NA PROBILANJE/ PROTECTIVE INSOLE	POTPLAT S PROFILIMA CLEATED SOLES
			SRA min			A	E	WRU	FO	P	
EN ISO 20347:2012 RADNA OBUĆA EN ISO 20347:2012 WORK SHOES	CLASS 1	OB									
		O1									
		O2									
		O3									
	O4										
	O5										

TEHNIČKE INFORMACIJE

TECHNICAL INFORMATION

DODATNI ZAHTEJEVI (ZAŠTITA)

Simbol/Značenje dodatnih zahtjeva:

P	Otpornost na probijanje (1100 Newtona)
C	Električna svojstva – vodljiva obuća (maks.otpornost: 100kΩ)
A	Električna svojstva – antistatička obuća (raspon od 100kΩ i 1000kΩ)
HI	Izolacija protiv hladnoće
CI	Izolacija protiv topline
E	Apsorpcija energije u području pete (20 Jula)
WR	Otpornost na vodu
M	Zaštita metatarzalnog dijela stopala
AN	Zaštita gležnja
CR	Otpornost na razrezivanje
WRU	Propuštanje i upijanje vode gornjišta
HRO	Otpornost potplata na dodirnu toplotu (max 300°C do 60 sek.)
FO	Otpornost potplata na pogonska goriva
SRA	Otpornost na klizanje na keramičkom podu prekrivenim deterdžentom (NaLS)
SRB	Otpornost na klizanje na metalnom podu prekrivenim glicerolom
SRA+SRB = SRC	

ADDITIONAL REQUIREMENTS (PROTECTION)

Symbol/Meaning of additional requirements:

P	Puncture resistant sole (1000 Newton)
C	Conductive footwear (max. resistance: 100kΩ)
A	Anti-static properties (range from 100kΩ to 1000kΩ)
HI	Heat insulation
CI	Cold insulation
E	Heel energy absorption
WR	Water resistance
M	Toe protection
AN	Ankle protection
CR	Cut resistant
WRU	Water-resistant upper
HRO	Heat resistant sole; one minut up to 300 °C
FO	Hydrocarbons resistant
SRA	FO SRA Slip resistance on ceramic floors + detergent (NaLS)
SRB	Resistance on steel surface + glycerine
SRA+SRB = SRC	



Zaštitna kapica
Protective cap



Antistatičnost
Antistatic



Zaštitna tabanica
Protective insole



Amortizacija udaraca u petu
Energy absorbing heel



Protiv-klizni đon
Slip resistant sole



Na ulje otporan đon
Oil and hydrocarbon resistant sole



Vodonepropusnost
Waterproof



Vodoodbojno i vodootporno gornjište
Water repellent and waterproof upper



Prozračnost gornjišta
Breathability of the upper part



Otpornost na niske temperature
Warm lining



Cipela bez zaštite
Shoe without protection



Zatvorena peta
Closed heel area



Bez metalnih dijelova
No metal parts



Otpornost potplata na dodirnu toplinu
Sole resistance to contact heat



Izolacija protiv topline
Izolacija proti toploti



Izolacija protiv hladnoće
Heat insulation



Otpornost na klizanje na keramičkoj i metalnoj podlozi
Slip resistance on ceramic and metal floor



Otpornost na klizanje na keramičkom podu s deterdžentom
Slip resistance on ceramic floor with detergent



Otpornost na klizanje na metalnom podu s glicerolom/Slip resistance on metal floor with glycerol



Elektrostatičko pražnjenje
Electrostatic discharge

NOVI STANDARDI EN ISO 20345:2022 i 20347:2022

Uredba (EU) 2016/425 iz 9. marta 2016. godine reguliše, na osnovu Evropskog prava, tržište lične zaštitne opreme i definiše i distribuše odgovornosti različitih ekonomskih operatera.

01. aprila 2023. godine na snagu su stupili novi standardi pod oznakom EN ISO 20345:2022 i EN ISO 20347:2022 koji predviđaju uvođenje novih zahteva i oznaka sa ciljem olakšavanja primene standarda od strane proizvođača, stvaranja jednakih uslova u svim državama članicama te efikasnog i pojednostavljenog prometa robe u Evropi.

SB

1 OSNOVNI ZAHTEVI



OB



SB

2 DODATNI ZAHTEVI



OB



SB

3 OZNAKE STANDARDA

OB



NEW STANDARDS EN ISO 20345:2022 AND 20347:2022

Regulation (EU) 2016/425 of March 9, 2016 regulates the personal protective equipment market on the basis of European law and defines and distributes the responsibilities of various economic operators.

On April 1, 2023, new standards under the designation EN ISO 20345:2022 and EN ISO 20347:2022 entered into force, which provide for the introduction of new requirements and markings with the aim of facilitating the application of standards by manufacturers, creating equal conditions in all member states and efficient and simplified circulation of goods in Europe.

SB

1 BASIC REQUIREMENTS



OB



SB

2 ADDITIONAL REQUIREMENTS



OB



SB


3 STANDARD MARKS















































OB



PREGLED ASORTIMANA OBUĆE PO STANDARDIMA

OVERVIEW BY SAFETY CLASSES

S3											
	LEON str./page 251	GIRONA str./page 259	CLAW RESIST str./page 263	DIONE str./page 265	I-ROBOX str./page 266	CHESTER TOP str./page 269	LORCA str./page 273	BERG str./page 275	BURA str./page 276	TOPAZ str./page 278	OPAL str./page 279
											
	PEARL str./page 280	BE JOY TOP str./page 281	QUANDALITE II str./page 283	SPARKLE str./page 283	VIGO str./page 285	BRIONI str./page 286	BRIONI WELD str./page 287	AGATE II str./page 288	MAESTRAL str./page 288	STRONG str./page 290	STORM str./page 290
											
	FREEDITE str./page 292	GREENWICH str./page 296	ONTARIO str./page 301								
S3											
	LEON str./page 251	GARBIN str./page 254	GIRONA str./page 259	CLAW RESIST str./page 263	RUBI str./page 264	DIONE str./page 265	I-ROBOX str./page 266	CHESTER str./page 269	BOWLING str./page 270	TENNIS str./page 270	MARATHON str./page 271
											
	LORCA str./page 273	BERG str./page 275	BURA str./page 276	TOPAZ str./page 278	OPAL str./page 279	PEARL str./page 280	BE JOY str./page 281	VIGO str./page 285	BRIONI str./page 286	AGATE II str./page 288	STRONG str./page 290
											
	ETOILE str./page 291	FREEDITE str./page 292	ONTARIO str./page 301								
S1P											
	BRIONI str./page 286										
											
LEON str./page 252	LERIDA str./page 256	NORTE str./page 257	DYNAMIC str./page 260	DYNAMIC str./page 260	MILERITE str./page 261	OTAVITE str./page 264	I-CYBER str./page 267	I-CYBER str./page 267	PADDLE str./page 268	BRIONI str./page 286	
											
BOVA str./page 293	PEAK str./page 295	PEAK str./page 295	COLLOSE- UM str./page 296	QUASAR str./page 297	TOLEDO str./page 297						

S2	 LUCERNA str./page 302										
	 MAESTRAL str./page 289	 LUCERNA str./page 302	 CLORO str./page 305								
O2	 BURA str./page 276	 MAESTRAL str./page 289	 STRONG str./page 291	 LUCERNA str./page 303	 LUGANO str./page 304						
	 LEON str./page 252	 BURA str./page 276	 MAESTRAL str./page 289	 STRONG str./page 291	 OFFICE str./page 298	 LUCERNA str./page 303	 LUGANO str./page 304				
O1	 BRIONI str./page 287										
	 NORTE str./page 257	 K-TWIST str./page 268	 BRIONI str./page 287	 PEAK str./page 295							
OB	 XENO str./page 305	 RELAX str./page 306									
SB	 GINNOCHIO str./page 306	 HYGRADE str./page 307	 HYGRADE-SAFETY str./page 307	 GINNOCHIO str./page 315	 GINNOCHIO str./page 315	 TRONCETO str./page 316	 TRONCETO str./page 316	 91SWAMPY str./page 316	 RIMI S FILCOM str./page 318	 RIMI str./page 319	 GALOSH str./page 319
S5	 91VUKOBK str./page 315	 91VUKOYL str./page 315									
BEZ ZAŠTITE / WITHOUT PROTECTION	 PHYLON str./page 309	 TREKING str./page 312	 TREKING str./page 312								
BEZ ZAŠTITE / WITHOUT PROTECTION	 MOSOR str./page 309	 PHYLON str./page 309	 OLIMP str./page 310	 NIMBA str./page 311	 OLIMP str./page 311	 SPEED str./page 313	 SPEED str./page 313				





HIGHEST
SAFETY



BREATHABILITY

FLOAT TECH_ LACUNA kolekcija zaštitnih cipela, izuzetnih tehničkih performansi zahvaljujući donu izrađenom od EVA ili poliuretanske pene male gustine. Tokom proizvodnje đona se primenjuje posebna tehnologija obrade na etilen-vinil acetatu ili poliuretanu, koji su poznati kao prilagodljive hemijske materije širokog spektra primene. Cilj nam je bio da razvijemo izuzetno laganu, fleksibilnu, udobnu obuću s jedne strane, ali i da postignemo maksimalnu bezbednost i zaštitu tokom nošenja. Konačni rezultat su modeli zaštitnih cipela sa izuzetno visokom fleksibilnošću i udobnošću te najvišim bezbednosnim performansama.

Za sve delove cipela koristimo najkvalitetnije materijale koji omogućuju du- gotrajnost, maksimalnu bezbednost i stabilnost. Svaki model u LACUNA kolekciji FLOAT TECH je jedinstven po korišćenim materijalima ili tehničkim karakteristikama i performansama. Zato se u kolekciji FLOAT TECH vrlo lako mogu pronaći odgovarajući modeli za gotovo svaku radnu situaciju. Uložne tabanice na bazi memorijske pene su prilagodljive svim oblicima stopala i pružaju vrhunsku udobnost i efekat protiv umora zbog kojih se osećate kao da plutate. FLOAT TECH kolekcija je razvijena u saradnji sa stručnjacima i renomiranim savetnicima koji učestvuju u razvoju zaštitne i sportske obuće najpoznatijih svetskih brendova. Pored visokotehnoških performansi i udobnosti, LACUNA FLOAT TECH kolekcija je prepoznatljiva po savremenom i modernom dizajnu.



FLOAT TECH_ LACUNA collection of protective shoes provide exceptional technical performance based on a sole made of EVA or low-density polyurethane foam. During the production of soles, a special processing technology is applied to ethylene-vinyl acetate or polyurethane, which are known as flexible chemicals substances of a wide range of applications. Our goal was to develop an extremely light, flexible, comfortable footwear on the one hand, but also to achieve maximum safety and protection during wear. The final result is models of protective shoes with extremely high flexibility and comfort and the highest safety performance.

For all parts of the shoes, we use the highest quality materials that enable durability, maximum security and stability. Every model in the LACUNA FLOAT TECH collection is unique in terms of the materials used and technical features and performance. Therefore, you will find suitable models for almost any work situation very easily within the FLOAT TECH collection. Insert soles on the base memory foams are adaptable to all foot shapes and provide exceptional comfort and an anti-fatigue effect that makes you feel like you're floating. The FLOAT TECH collection was developed in cooperation with experts and renowned consultants who participate in the development of the world's most famous protective and sports footwear brands. In addition to high-tech performance and comfort, LACUNA FLOAT TECH collection is recognizable by its contemporary and modern design.



FLEXIBLE AND COMFORTABLE



EXTRA LIGHT



MEMORY FOAM INSOLE

ZAŠTITNE CIPELE - VRSTE ZAŠTITNIH KAPICA

Zaštitne kapice kao deo cipele štite stopalo i osiguravaju amortizaciju udarca jačine do 200 J, čime zadovoljavaju standard EN ISO 20345. Zaštitne kapice koje se koriste prilikom proizvodnje zaštitne obuće dele se na metalne i nemetalne zaštitne kapice.

PROTECTIVE SHOES - TYPES OF PROTECTIVE CAPS

Protective caps as part of the shoe protect the foot and provide shock absorption up to 200 J, meeting the EN ISO 20345 standard. Protective caps used in the production of protective footwear are divided into metal and non-metal protective caps.

BERG S3 zaštitna cipela

BERG S3 protective shoes



METALNE KAPICE se se dele na:

ČELIČNE KAPICE

Prethodnica svih zaštitnih kapica koje se koriste u proizvodnji zaštitne obuće. Čelične kapice su tanke, vrlo čvrste i ekonomične. U odnosu na nemetalne kapice, čelične kapice su teže, ali ih odlikuje izuzetna otpornost na udarac i zato se još uvek često koriste u proizvodnji zaštitne obuće, posebno tehničke obuće visokih zaštitnih zahteva (npr. Protiv-rezna obuća za šumare). Nedostatak čeličnih kapica uz težinu je to što se prilikom udarca kapica ne vraća u prvobitni položaj jer nije elastična i ima slabiju termalnu izolaciju.

ALUMINIJSKE KAPICE

Metalne kapice novije generacije, vrlo lagane, tanke, niskog profila i pogodne za izradu zaštitne obuće sportskog dizajna. ALU kapice se često porede sa nemetalnim kavicama koje su takođe laganije, ali su u poređenju sa ALU kavicama deblje i manje pogodne za zaštitnu obuću sportskog dizajna. ALU kapice imaju dobru termalnu izolaciju ALU kapice su skuplje, ali opravdavaju cenu jer su laganije oko 30% od čeličnih kapica, pa je cela cipela posledično laganija i prijatnija za nošenje, što je korisniku važno u svakodnevnom radu.

KOMPOZITNE (NEMETALNE KAPICE) koje se koriste za zaštitu u cipelama se dele u 3 grupe:

PVC ZAŠTITNE KAPICE

Vrlo lagane kapice, podjednako sigurne kao i metalne zaštitne kapice, ali su malo robusnije i debljeg profila. Određena debljina kod kompozitne kapice je neophodna kako bi obuća sa PVC kavicom prošla sva testiranja i dostigla standarde koje propisuju evropski zakoni za ličnu zaštitnu opremu, tačnije EU Uredba 2016/425 za LZO. PVC kapica je vrlo rasprostranjena u proizvodnji zaštitne obuće zbog metal free karakteristika, ne provodi el. struju i ima dobru termalnu izolaciju.

FIBREGLASS-A ZAŠTITNE KAPICE

Kompozitne kapice izrađene od staklenih niti vrlo čvrste strukture. Zbog visoke gustine koja se postiže nasumičnom kombinacijom staklenih niti, fiberglass kapice su tanje, laganije od PVC kapica, a opet visoko rezistentne na udarce. Velika prednost fiberglass kapica u odnosu na metalne kapice je što se u slučaju udarca pojavljuje tzv. „elastični efekt“ te se kapica ne deformiše već zadržava prvobitni oblik i tako dodatno štiti stopalo od povreda. Fiberglass kapice su izuzetno dobra alternativa za ALU kapice jer su kao i ALU kapice vrlo tanke, udobne, a cenovno su povoljnije pa je zaštitna obuća sa fiberglass kavicama sve više prisutna u svetu LZO. Zaštitnu obuću sa fiberglass zaštitnim kavicama odlikuje visoka udobnost i komfor, smanjuju umor nogu, nude dobru termalnu izolaciju.

KARBONSKE ZAŠTITNE KAPICE

Najbolje među kompozitnim kavicama jer su najtanje i najlakše, vrlo čvrste, ali su i najskuplje. Poznato je da su karbonska vlakna među najčvršćim vlaknima na svetu te se koriste u industrijama kod kojih se cena ne dovodi u pitanje jer je primarni cilj postići maksimalno moguću bezbednost (vojna industrija, avio industrija.). Iako vrlo malo proizvođača zaštitne obuće koristi Zaštitne kapice od karbonskih niti jer je cena vrlo visoka, mora se napomenuti da obuću sa kavicom od karbonskih niti odlikuje izuzetan komfor i udobnost.

METAL CAPS are divided into:

STEEL CAP

The pioneer of all safety caps used in the production of safety footwear. Steel caps are thin, extremely strong and cost-effective. Compared to non-metal caps, steel caps are somewhat heavier, however, they possess exceptional impact resistance and are therefore still often used in the production of protective footwear, especially technical footwear with high protective requirements (such as anti-cut footwear for foresters). Apart from their weight, another disadvantage of these caps is that, after an impact, the cap does not return to its original position, since it is not elastic, and they also possess a somewhat lower degree of thermal insulation.

ALUMINUM CAPS

Are a new-generation metal caps; they are very light, thin, with a low profile and suitable for making protective sports design footwear. ALU caps are often compared to non-metal caps which are also lighter, but thicker compared to ALU caps and less suitable for protective sports design footwear. Their thermal insulation is good. ALU caps are more expensive, however, their price is justified, since they are about 30% lighter than steel caps, and the entire shoe is consequently lighter and more comfortable to wear, which is important for users in everyday work.

COMPOSITE (NON-METAL) toe caps used for footwear protection in shoes are categorized into 3 groups:

PVC PROTECTIVE CAPS

Very light caps, just as safe as metal protective caps but a bit more robust with a thicker profile. Composite caps require a certain thickness so that footwear with PVC caps could pass all tests and meet the standards prescribed by European laws regarding personal protective equipment, namely, EU Regulation 2016/425 regarding PPE. PVC caps are very common in the production of protective footwear due to their metal-free properties; they do not conduct electrical current and possess good thermal insulation.

FIBREGLASS PROTECTIVE CAPS

Composite caps made of glass threads of a very strong structure – Due to the high density achieved by a random combination of glass threads, fiberglass caps are thinner, lighter than PVC caps, and yet highly resistant to impact. The great advantage of fiberglass caps over metal caps is that, in the event of an impact, the so-called “elastic effect” occurs and the cap does not deform but retains its original shape and consequently additionally protects the foot from injury. Fiberglass caps are an extremely good alternative to ALU caps, since, like ALU caps, they are very thin, comfortable and more affordable, and protective footwear bearing fiberglass caps is increasingly present in the world of PPE. Protective footwear with fiberglass protective caps is characterized by high comfort and practicality, with less foot fatigue and good thermal insulation.

CARBON PROTECTIVE CAPS

The best among composite caps, since they are the thinnest and lightest, very strong, but also the most expensive. Carbon fiber is known to be one of the strongest fibers in the world and is used in industries where the price is inconsequential and secondary, whereas the primary goal is to achieve maximum possible safety (military industry, aviation industry, etc.). Although very few manufacturers of protective footwear use protective caps made of carbon fibers because their price is very high, it should be noted that footwear bearing carbon-fibre caps is characterized by exceptional comfort and practicality.



MULTIPROFFESIONAL LINE

LEON FAMILY



**OBUĆA ZA RAZLIČITA
PODRUČJA PRIMENE
KOJA OSIGURAVA
BEZBEDNOST I
UDOBNOST**
*SHOES FOR DIFFERENT
AREAS OF APPLICATION
WHICH INSURE
SAFETY AND COMFORT*




LEON S1P

9LEOSSL



LACUNA



Gornjište: Antilop koža

Podstav: prozračna višedimenzionalna mrežica

Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska

Tabanica: tekstilna neprobajna

Zaštitna kapica: fibreglass (staklene niti)

Don: dvoslojni PU/PU

Standard: EN ISO 20345:2011

Specifičnosti: S1P, SRC, ESD, metal free

Veličine: 36-48

Originalno pakovanje: 1/10

Upper material: Antelope leather

Lining: breathable multidimensional mesh

Insole: removable, breathable, antistatic, anatomic

Midsole: antiperforation textile

Protective cap: fiberglass

Sole: Dual Density PU/PU

Standard: EN ISO 20345:2011

Special features: S1P, SRC, ESD, metal free

Sizes: 36-48

Original packaging: 1/10

CE EN ISO 20345:2011

LEON O2

9LEOSOL



LACUNA



Gornjište: Nubuk koža

Podstava: prozračna višedimenzionalna mrežica

Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska

Don: dvoslojni PU/PU

Standard: EN ISO 20347:2012

Specifičnosti: O2, SRC, ESD, metal free

Veličine: 36-48

Originalno pakovanje: 1/10

Upper material: nubuck leather

Lining: breathable multidimensional mesh

Insole: removable, breathable, antistatic, anatomic

Sole: Dual Density PU/PU

Standard: EN ISO 20347:2012

Special features: O2, SRC, ESD, metal free

Sizes: 36-48

Original packaging: 1/10

CE EN ISO 20347:2012



**SUEDE LEATHER
UPPER**



**FLOAT TECH
SOLE**




**EXTRA
BREATHABILITY**

GARBIN S3

9GARBSL



LACUNA



Gornjište: tehnička tkanina visokih anti-abrazivnih svojstava
Zaštitna kapica: fiberglass
Zaštitna tabanica: tekstilna neprobojna mrežica
Podstava: prozirna višedimenzionalna
Uložna tabanica: memorijska pena
Đon: dvoslojni PU/PU
Specifičnosti: S3, ESD, SRC
Standard: EN ISO 20345:2011
Dostupne veličine: 36-48
Originalno pakovanje: 1/10

Upper: technical fabric with high anti-abrasive properties
Protective cap: fiberglass
Protective sole: textile impenetrable
Lining: breathable multidimensional mesh
Insole: memory foam
Sole: Dual Density PU/PU
Specifics: S3, ESD, SRC
Standard: EN ISO 20345:2011
Available sizes: 36-48
Original packaging: 1/10


CE EN ISO 20345:2011



PRISMA
Elite

LERIDA S1P

9LERSL



Gornjište: brušena mikrofibra
Podstava: prozračna višedimenzionalna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: fibreglass (staklene niti)
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC, ESD, metal free
Veličine: 36-47
Originalno pakovanje: 1/10

Upper material: brushed microfiber
Lining: breathable multidimensional mesh
Insole: removable, breathable, antistatic, anatomic
Midssole: antiperforation textile
Protective cap: fiberglass
Sole: Dual Density PU/PU
Standard: EN ISO 20345:2011
Special features: S1P, SRC, ESD, metal free
Sizes: 36-48
Original packaging: 1/10

CE EN ISO 20345:2011



LERIDA S1P

NORTE S1P

9NORTSL



LACUNA



Gornjište: nubuteck (mekan i prozračan tekstil) i sintetički tekstil sa TPU pojačanjem u području pete

Podstava: 3D prozračni teksti

Uložna tabanica: izmijenjiva AIR ACTIVE

Tabanica: tekstilna neprobajna

Zaštitna kapica: kompozit

Đon: dvoslojni, PU/TPU

Standard: EN ISO 20345:2011

Specifičnosti: S1P, SRC, metal free

Veličine: 36-48

Originalno pakovanje: 1/10

Upper material: nubuteck (soft and breathable textile) and synthetic textile with TPU reinforcement in the heel area

Lining: 3D transparent textile

Insole: removable AIR ACTIVE

Midsole: antiperforation textile

Protective cap: composite

Sole: Dual Density PU/TPU

Standard: EN ISO 20345:2011

Special features: S1P, SRC, metal free

Sizes: 36-48

Original packaging: 1/10

CE EN ISO 20345:2011




NORTE O1

9NORTOL



LACUNA



Gornjište: nubuteck (mekan i prozračan tekstil) i sintetički tekstil sa TPU pojačanjem u području pete

Podstava: 3D prozračni teksti

Uložna tabanica: izmijenjiva AIR ACTIVE

Tabanica: nema

Zaštitna kapica: nema

Đon: dvoslojni, PU/TPU

Standard: EN ISO 20347:2012

Specifičnosti: O1, SRC, metal free

Veličine: 36-48

Originalno pakovanje: 1/10

Upper material: nubuteck (soft and breathable textile) and synthetic textile with TPU reinforcement in the heel area

Lining: 3D transparent textile

Insole: removable AIR ACTIVE

Midsole: none

Sole: Dual Density PU/TPU

Standard: EN ISO 20347:2012

Special features: O1 SRC metal free

Sizes: 36-48

Original packaging: 1/10


CE EN ISO 20347:2012

GIRONA S3



GIRONA S3

9GIROSH



Gornjište: vodootporna koža
Podstava: prozračna višedimenzionalna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: fibreglass (staklene niti)
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, ESD, metal free
Veličine: 36-48
Originalno pakovanje: 1/10


Upper material: waterproof leather
Lining: breathable multidimensional mesh
Insole: removable, breathable, antistatic, anatomic
Midssole: antiperforation textile
Protective cap: fiberglass
Sole: Dual Density PU/PU
Standard: EN ISO 20345:2011
Special features: S3, SRC, ESD, metal free
Sizes: 36-48
Original packaging: 1/10

CE EN ISO 20345:2011



GIRONA S3

9GIROSL



Gornjište: vodootporna koža
Podstava: prozračni višedimenzionalni mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: fibreglass (staklene niti)
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, ESD, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: waterproof leather
Lining: breathable multidimensional mesh
Insole: removable, breathable, antistatic, anatomic
Midssole: antiperforation textile
Protective cap: fiberglass
Sole: Dual Density PU/PU
Standard: EN ISO 20345:2011
Special features: S3, SRC, ESD, metal free
Sizes: 36-48
Original packaging: 1/10

CE EN ISO 20345:2011

DYNAMIC S1P

9DYNL
plava/blue

9DYNAL
aquq/aqua



Gornjište: PU i mrežica
Podstava: mrežasti tekstil
Uložna tabanica: tekstilna
Tabanica: neprobojna tekstilna
Zaštitna kapica: kompozitna
Đon: dvoslojni Phylon/guma
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: PU and mesh
Lining: mesh textile
Insole: textiles
Midsole: antiperforation textile
Protective cap: composite
Sole: Dual Density Phylon/rubber
Standard: EN ISO 20345:2011
Special features: S1P SRC
Sizes: 36-48
Original packaging: 1/10

CE EN ISO 20345:2011



DYNAMIC S1P

MILERITE S1P



MILERITE S1P

9MIL110

coverguard




Gornjište: mrežica
Podstava: prozračna 3D mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: čelična
Zaštitna kapica: čelik
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC
Veličine: 38-47
Originalno pakovanje: 1/10

Upper material: mesh
Lining: breathable 3D mesh
Insole: variable, breathable, antistatic, anatomic
Midsole: impenetrable textile
Protective cap: steel
Sole: Dual Density PU/PU
Standard: EN ISO 20345:2011
Special features: S1P, SRC
Sizes: 38-47
Original packaging: 1/10

CE EN ISO 20345:2011

CLAW RANGE



CLAW RESIST S3

9RESH10

9RESL10

 coverguard



NOVO
NEW



Gornjište: mrežica
Podstava: tekstilna
Uložna tabanica: PU
Tabanica: tekstilna neprobodna
Zaštitna kapica: aluminijumska
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, ESD
Veličine: 35-48
Originalno pakovanje: 1/10

Upper: mesh
Lining: textile
Insole: PU
Midsole: impenetrable textile
Protective cap: aluminum
Sole: Dual Density PU/PU
Standard: EN ISO 20345:2011
Specifics: S3, SRC, ESD
Sizes: 35-48
Original packaging: 1/10

 EN ISO 20345:2011

OTAVITE S1P

9OTA090



Gornjište: mrežica
Podstava: tekstilna
Uložna tabanica: PU
Tabanica: čelik
Zaštitna kapica: čelik
Đon: dvoslojni PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC
Veličine: 38-47
Originalno pakovanje: 1/10

Upper: mesh
Lining: textile
Insole: PU
Midsole: steel
Protective cap: steel
Sole: Dual Density PU
Standard: EN ISO 20345:2011
Specifics: S1P, SRC
Sizes: 38-47
Original packaging: 1/10

coverguard



CE EN ISO 20345:2011

RUBI S3

9RUBSL




Gornjište: vodootporna brušena nubuck koža
Podstava: prozirna mrežica sa 3D mrežicom
Uložna tabanica: zamenljiva, prozirna, antistatična, anatomska
Tabanica: tekstilna neprobodna
Zaštitna kapica: fibreglass (staklene niti)
Đon: dvoslojni EVA/NITRILNA GUMA
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, HI, ESD
Veličine: 37-47
Originalno pakovanje: 1/10

Upper material: waterproof brushed nubuck leather
Lining: breathable multidimensional mesh
Insole: removable, breathable, antistatic, anatomic
Midsole: antiperforation textile
Protective cap: fiberglass
Sole: Dual Density EVA/NITRIL
Standard: EN ISO 20345:2011
Special features: S3, SRC, ESD, metal free
Sizes: 37-47
Original packaging: 1/10



LACUNA



CE EN ISO 20345:2011

DIONE S3L

B0982A



BASE
safe to control

**NOVO
NEW**



Gornjište: Nubuck koža
Zaštitna kapica: kompozitna
Zaštitna tabanica: tekstilna neprobojna
Podstava: 3D HI-TECH tkanina
Đon: jednoslojni PU
Specifičnosti: S3L, FO, SR, metal free
Standard: EN ISO 20345:2022
Dostupne veličine: 36-48
Originalno pakovanje: 1/10

Upper: Nubuck leather
Protective cap: composite
Protective sole: textile impenetrable
Lining: 3D HI-TECH fabric
Sole: single-layer PU
Specifics: S3L, FO, SR, metal free
Standard: EN ISO 20345:2022
Available sizes: 36-48
Original packaging: 1/10

CE EN ISO 20345:2011




DIONE S3L

B0983A



BASE
safe to control

**NOVO
NEW**



Gornjište: Nubuck koža
Zaštitna kapica: kompozitna
Zaštitna tabanica: tekstilna neprobojna
Podstava: 3D HI-TECH tkanina
Đon: jednoslojni PU
Specifičnosti: S3L, FO, SR, metal free
Standard: EN ISO 20345:2022
Dostupne veličine: 36-48
Originalno pakovanje: 1/10

Upper: Nubuck leather
Protective cap: composite
Protective sole: textile impenetrable
Lining: 3D HI-TECH fabric
Sole: single-layer PU
Specifics: S3L, FO, SR, metal free
Standard: EN ISO 20345:2022
Available sizes: 36-48
Original packaging: 1/10

CE EN ISO 20345:2011

I-ROBOX S3


B1210



Gornjište: Nubuk koža
Uložak: Fresh'n Flex, ESD + DRY'N AIR OMNIA
ESD WEARECO
Zaštitna kapica: kompozitna
Tabanica: kompozitna
Đon: dvostruki PU/TPU
Specifičnosti: S3, CI, ESD, SRC
Standard: EN ISO 20345:2011
Dostupne veličine: 36-48
Originalno pakovanje: 1/10

Upper: Nubuck leather
Insole: Fresh'n Flex, ESD + DRY'N AIR OMNIA
ESD WEARECO
Protective cap: composite
Midsole: composite
Sole: dual density PU/PU
Specifics: S3, CI, ESD, SRC
Standard: EN ISO 20345:2011
Available sizes: 36-48
Original packaging: 1/10

BASE
FOR THE COMFORT



CE EN ISO 20345:2011

I-ROBOX S3


B1211



Gornjište: Nubuk koža
Uložak: Fresh'n Flex, ESD + DRY'N AIR OMNIA
ESD WEARECO
Zaštitna kapica: kompozitna
Tabanica: kompozitna
Đon: dvostruki PU/TPU
Specifičnosti: S3, CI, ESD, SRC
Standard: EN ISO 20345:2011
Dostupne veličine: 36-48
Originalno pakovanje: 1/10

Upper: Nubuck leather
Insole: Fresh'n Flex, ESD + DRY'N AIR OMNIA
ESD WEARECO
Protective cap: composite
Midsole: composite
Sole: dual density PU/PU
Specifics: S3, CI, ESD, SRC
Standard: EN ISO 20345:2011
Available sizes: 36-48
Original packaging: 1/10

BASE
FOR THE COMFORT




CE EN ISO 20345:2011

I-CYBER S1P

B1212A



BASE
Footwear Control



Gornjište: tehnički tekstil i mikrofibra
Umetak: SmellStop i Dry'n Air prozračnost
Zaštitna kapica: kompozitna
Tabanica: staklene niti
Don: dvoslojni PU/TPU
Specifičnosti: S1P, ESD, SRC
Standard: EN ISO 20345:2011
Dostupne veličine: 36-48
Originalno pakovanje: 1/10

Upper: technical textile and microfiber
Insert: SmellStop and Dry'n Air breathability
Protective cap: composite
Midsole: glass threads
Sole: dual density PU/PU
Specifics: S1P, ESD, SRC
Standard: EN ISO 20345:2011
Available sizes: 36-48
Original packaging: 1/10

CE EN ISO 20345:2011




I-CYBER S1P

B1212B



BASE
Footwear Control



Gornjište: tehnički tekstil i mikrofibra
Umetak: SmellStop i Dry'n Air prozračnost
Zaštitna kapica: kompozitna
Tabanica: staklene niti
Don: dvoslojni PU/TPU
Specifičnosti: S1P, ESD, SRC
Standard: EN ISO 20345:2011
Dostupne veličine: 36-48
Originalno pakovanje: 1/10

Upper: technical textile and microfiber
Insert: SmellStop and Dry'n Air breathability
Protective cap: composite
Midsole: glass threads
Sole: dual density PU/PU
Specifics: S1P, ESD, SRC
Standard: EN ISO 20345:2011
Available sizes: 36-48
Original packaging: 1/10

CE EN ISO 20345:2011

K - TWIST O1

B1009A



BASE
for the control



Gornjište: prozračni pleteni tekstil
Umetak: SmellStop i Dry'n Air prozračnost
Đon: i-adaptive + dvoslojni TPU RXT
Specifičnosti: O1, SRC
Standard: EN ISO 20347:2012
Dostupne veličine: 36-48
Originalno pakovanje: 1/10

Upper: breathable knitted textile
Insert: SmellStop and Dry'n Air breathability
Sole: i-adaptive + dual density TPU RXT
Specifics: O1, SRC
Standard: EN ISO 20347:2012
Available sizes: 36-48
Original packaging: 1/10

CE EN ISO 20347:2012

PADDLE S1P

B0657



BASE
for the control



Gornjište: tekstil i mikrofibra
Umetak: SmellStop i Dry'n Air prozračnost
Zaštitna kapica: kompozitna
Tabanica: staklene niti
Đon: PU/TPU;
Specifičnosti: S1P, SRC
Standard: EN ISO 20345:2011
Dostupne veličine: 35-48
Originalno pakovanje: 1/10

Upper: textile and microfiber
Insert: SmellStop and Dry'n Air breathability
Protective cap: composite
Midssole: glass threads
Sole: PU/TPU;
Specifics: S1P, SRC
Standard: EN ISO 20345:2011
Available sizes: 35-48
Original packaging: 1/10

CE EN ISO 20345:2011

CHESTER TOP S3


B0177



Gornjište: vodootporna koža sa nubuck efektom
Podstava: 3D tekstil visoke tehnologije
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobodna
Zaštitna kapica: čelik
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: waterproof leather with nubuck effect
Lining: High-tech 3D textiles
Insole pad: variable, breathable, antistatic, anatomic
Midsole: impenetrable textile
Protective cap: steel
Sole: two-layer PU/PU
Standard: EN ISO 20345:2011
Special features: S3 SRC
Sizes: 36-48
Original packaging: 1/10

BASE
safe technology



CE EN ISO 20345:2011



CHESTER S3

B0178



Gornjište: vodootporna koža sa nubuck efektom
Podstava: 3D tekstil visoke tehnologije
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobodna
Zaštitna kapica: čelik
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: waterproof leather with nubuck effect
Lining: High-tech 3D textiles
Insole pad: variable, breathable, antistatic, anatomic
Midsole: impenetrable textile
Protective cap: steel
Sole: two-layer PU/PU
Standard: EN ISO 20345:2011
Special features: S3 SRC
Sizes: 36-48
Original packaging: 1/10

BASE
safe technology



CE EN ISO 20345:2011

BOWLING S3


B0676



Gornjište: vodootporni tekstil
Podstava: prozračni, antibakterijski 3D tekstil
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: kompozit
Đon: dvoslojni TPU + Tpu-Skin
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: waterproof textile
Lining: breathable, antibacterial 3D textile
Insole pad: variable breathable, antistatic, anatomici
Midsole: impenetrable textile
Protective cap: composed
Sole: two-layer TPU + Tpu-Skin
Standard: EN ISO 20345:2011
Special features: S3, SRC, metal free
Sizes: 36-48
Original packaging: 1/10

BASE
FOR THE COMFORT



CE EN ISO 20345:2011

TENNIS S3


B0676B



Gornjište: vodootporni tekstil
Podstava: prozračni antibakterijski 3D tekstil
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: kompozit
Đon: dvoslojni TPU + Tpu-Skin
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: waterproof textile
Lining: breathable antibacterial 3D textile
Insole pad: variable, breathable, antistatic, anatomici
Midsole: impenetrable textile
Protective cap: composed
Sole: two-layer TPU + Tpu-Skin
Standard: EN ISO 20345:2011
Special features: S3, SRC, metal free
Sizes: 36-48
Original packaging: 1/10

BASE
FOR THE COMFORT



CE EN ISO 20345:2011

MARATHON S3

B0677



BASE



MADE IN EUROPE



SRC



Gornjište: vodootporni i antiabrazivna mrežica tekstil sa pojačanjem napred
Podstava: prozirni antibakterijski 3D tekstil
Uložna tabanica: zamenljiva, prozirna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: kompozit
Don: dvoslojni TPU + Tpu - Skin
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: waterproof and anti-abrasive mesh textile with front reinforcement
Lining: breathable antibacterial 3D textile
Variable insole: variable, breathable, antistatic, anatomic
Midsole: impenetrable textile
Protective cap: composite
Sole: two-layer TPU + Tpu-Skin
Standard: EN ISO 20345:2011
Special features: S3, SRC, metal free
Sizes: 36-48
Original packaging: 1/10

CE EN ISO 20345:2011



MARATHON S3



**ENDURANCE
LINE**

LORCA S3



**OBUĆA ZA NAJVEĆU
BEZBEDNOST KOD TEŠKIH
POSLOVA
*HEAVY DUTY SAFETY
SHOES***

LORCA S3

9LORCSH



LACUNA



Gornjište: vodootporna brušena nubuck koža sa PU pojačanjem

Podstava: prozirna višedimenzionalna mrežica

Uložna tabanica: zamenljiva

Tabanica: tekstilna neprobajna

Zaštitna kapica: fibreglass (staklene niti)

Don: dvoslojni PU/PU

Standard: EN ISO 20345:2011

Specifičnosti: S3, SRC, ESD, CI metal free

Veličine: 36-48

Originalno pakovanje: 1/10

Upper material: waterproof nubuck leather with PU reinforcement

Lining: breathable multidimensional mesh

Insole: removable

Midsole: antiperforation textile

Protective cap: fiberglass

Sole: Dual Density PU/PU

Standard: EN ISO 20345: 2011

Special features: S3, SRC, ESD, CI, metal free

Sizes: 36-48

Original packaging: 1/10



CE EN ISO 20345:2011



LORCA S3

9LORCSL



LACUNA



Gornjište: vodootporna brušena nubuck koža sa PU pojačanjem

Podstava: prozirna višedimenzionalni mrežica

Uložna tabanica: zamenljiva, prozirna, antistatična, anatomska

Tabanica: tekstilna neprobajna

Zaštitna kapica: fibreglass (staklene niti)

Don: dvoslojni PU/PU

Standard: EN ISO 20345:2011

Specifičnosti: S3, SRC, ESD, CI, metal free

Veličine: 36-48

Originalno pakovanje: 1/10

Upper material: waterproof nubuck leather with PU reinforcement

Lining: breathable multidimensional net

Insole: removable, breathable, antistatic, anatomic

Midsole: antiperforation textile

Protective cap: fiberglass

Sole: Dual Density PU/PU

Standard: EN ISO 20345:2011

Special features: S3, SRC, ESD, CI, metal free

Sizes: 36-48

Original packaging: 1/10



CE EN ISO 20345:2011

BERG S3





BERG S3

9BERGSH



LACUNA



Gornjište: vodootporna brušena nubuck koža
Podstava: prozračna mrežica sa 3D mrežicom
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: kompozit
Don: dvoslojni PU/nitrilna guma
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, HRO
Veličine: 36-48
Originalno pakovanje: 1/10

Upper: nubuck leather
Lining: sandwich mesh
Insole: removable textile on PU foam, anatomic, antistatic, breathable
Midssole: antiperforation textile
Sole: Dual Density PU/RUBBER
Standard: EN ISO 20345:2011
Toe cap: composite
Special features: S3 SRC HRO, metal free
Sizes: 36-48
Original packing: 1/10

CE EN ISO 20345:2011





BERG S3

9BERGSL



LACUNA



Gornjište: vodootporna brušena nubuck koža
Podstava: prozračna mrežica sa 3D mrežicom
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: kompozit
Don: dvoslojni PU/nitrilna guma
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, HRO
Veličine: 36-48
Originalno pakovanje: 1/10

Upper: nubuck leather
Lining: sandwich mesh
Insole: removable textile on PU foam, anatomic, antistatic, breathable
Midssole: antiperforation textile
Sole: Dual Density PU/RUBBER
Standard: EN ISO 20345:2011
Toe cap: composite
Special features: S3 SRC HRO, metal free
Sizes: 36 - 48
Original packing: 1/10

CE EN ISO 20345:2011



BURA S3

9BURASH

9BURASL



LACUNA



Gornjište: vodootporna glatka koža
Podstava: p rozračna vodonepropusna membrana u kombinaciji s 3D mrežicom
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozit
Don: dvoslojni PU/nitrilna guma
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, HRO,WR, WRU, CI, HI, visoki model_quick release sistem izuvanja, hi-viz detalji, ojačan petni deo, vanjsko ojačanje nadkapa, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: full grain leather
Lining: breathable sandwich mesh+ membrane
Insole: removable textile on PU foam, anatomic, antistatic, breathable
Midsole: antiperforation textile
Sole: Dual Density PU/RUBBER
Standard: EN ISO 20345:2011
Toe cap: composite
Special features: S3 SRC CI HI WR HRO,ESD, reinforced front and hill part, quick release
Sizes: 36-48
Original packing: 1/10

CE EN ISO 20345:2011

BURA O2

9BURA0H

9BURA0L



LACUNA



Gornjište: vodootporna glatka koža
Podstava: prozračna vodonepropusna membrana u kombinaciji s 3D mrežicom
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Don: dvoslojni PU/nitrilna guma
Standard: EN ISO 20347:2012
Specifičnosti: O2, SRC, HRO,WR, WRU, CI, HI, hi-viz detalji, ojačan petni deo, vanjsko ojačanje nadkapa,metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: full grain leather
Lining: breathable sandwich mesh+ membrane
Insole: removable textile on PU foam, anatomic, antistatic, breathable
Sole: Dual Density PU/RUBBER
Standard: EN ISO 20347:2012
Special features: O2 SRC CI HI WR HRO,ESD, reinforced front and hill part, quick release
Sizes: 36-48
Original packing: 1/10

CE EN ISO 20347:2012



TOPAZ S3

9TOPH



coverguard



Gornjište: vodootporna koža
Podstava: tekstil, prozračna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: kompozit
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, HRO, Metall Free
Veličine: 38-47
Originalno pakovanje: 1/10

Upper material: waterproof leather
Lining: textiles, breathable mesh
Insole pad: variable, airy, antistatic, anatomic
Midsole: impenetrable textile
Protective cap: composite
Sole: two-layer PU/PU
Standard: EN ISO 20345:2011
Special features: S3, SRC, metal free, HRO
Sizes: 38-47
Original packaging: 1/10

CE EN ISO 20345:2011

TOPAZ S3

9TOPL



coverguard



Gornjište: vodootporna koža
Podstava: tekstil, prozračna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: kompozit
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, HRO, Metall Free
Veličine: 38-47
Originalno pakovanje: 1/10

Upper material: waterproof leather
Lining: textiles, breathable mesh
Insole pad: variable, airy, antistatic, anatomic
Midsole: impenetrable textile
Protective cap: composite
Sole: two-layer PU/PU
Standard: EN ISO 20345:2011
Special features: S3, SRC, metal free, HRO
Sizes: 38-47
Original packaging: 1/10


CE EN ISO 20345:2011

OPAL S3

90PAH



coverguard



Gornjište: vodootporna koža
Podstava: tekstil, prozračna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: kompozit
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, metal free
Veličine: 38-47
Originalno pakovanje: 1/10

Upper: waterproof leather
Lining: textile, breathable mesh
Insole pad: changeable, breathable, antistatic, anatomical
Midsole: textile waterproof
Protective cap: composite
Sole: double layer PU/PU
Standard: EN ISO 20345:2011
Specifics: S3, SRC, metal free
Sizes: 38-47
Original packaging: 1/10

CE EN ISO 20345:2011



OPAL S3

90PAL



coverguard




Gornjište: vodootporna koža
Podstava: tekstil, prozračna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: kompozit
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, metal free
Veličine: 38-47
Originalno pakovanje: 1/10

Upper: waterproof leather
Lining: textile, breathable mesh
Insole pad: changeable, breathable, antistatic, anatomical
Midsole: textile waterproof
Protective cap: composite
Sole: double layer PU/PU
Standard: EN ISO 20345:2011
Specifics: S3, SRC, metal free
Sizes: 38-47
Original packaging: 1/10


CE EN ISO 20345:2011

PEARL S3

9PEAH



coverguard



Gornjište: vodootporna koža
Podstava: tekstil, prozračna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: kompozit
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, metal free
Veličine: 38-47
Originalno pakovanje: 1/10

Upper material: waterproof leather
Lining: textiles, breathable mesh
Insole pad: variable, airy, antistatic, anatomic
Midsole: impenetrable textile
Protective cap: composite
Sole: two-layer PU/PU
Standard: EN ISO 20345:2011
Special features: S3, SRC, metal free
Sizes: 38-47
Original packaging: 1/10

CE EN ISO 20345:2011

PEARL S3

9PEAL



coverguard



Gornjište: vodootporna koža
Podstava: tekstil, prozračna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: kompozit
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, metal free
Veličine: 38-47
Originalno pakovanje: 1/10

Upper material: waterproof leather
Lining: textiles, breathable mesh
Insole pad: variable, airy, antistatic, anatomic
Midsole: impenetrable textile
Protective cap: composite
Sole: two-layer PU/PU
Standard: EN ISO 20345:2011
Special features: S3, SRC, metal free
Sizes: 38-47
Original packaging: 1/10


CE EN ISO 20345:2011

BE JOY TOP S3

B0875



BASE
SAFETY EQUIPMENT



Gornjište: vodootporna koža
Podstava: 3D tekstil visoke tehnologije
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: kompozitna
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3 SRC, metal free
Veličine: 39-48
Originalno pakovanje: 1/10

Upper material: waterproof leather
Lining: high-tech 3D textiles
Insole pad: variable, airy, antistatic, anatomic
Midsole: impenetrable textile
Protective cap: composite
Sole: two-layer PU/PU
Standard: EN ISO 20345:2011
Special features: S3, SRC, metal free
Sizes: 39-48
Original packaging: 1/10

CE EN ISO 20345:2011



BE JOY S3

B0874



BASE
SAFETY EQUIPMENT



Gornjište: vodootporna koža
Podstava: 3D tekstil visoke tehnologije
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: kompozitna
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3 SRC, metal free
Veličine: 36-50
Originalno pakovanje: 1/10

Upper material: waterproof leather
Lining: high-tech 3D textiles
Insole pad: variable, airy, antistatic, anatomic
Midsole: impenetrable textile
Protective cap: composite
Sole: two-layer PU/PU
Standard: EN ISO 20345:2011
Special features: S3, SRC, metal free
Sizes: 36-50
Original packaging: 1/10

CE EN ISO 20345:2011




QUANDILITE II S3

9QUAND10



coverguard



Gornjište: koža
Podstava: tekstilna
Uložna tabanica: zamenljiva, tekstil i pena
Tabanica: tekstil
Zaštitna kapica: kompozit
Don: nitrilna guma
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, HI, HRO
Veličine: 38-47
Originalno pakovanje: 1/10

Upper: leather
Lining: textile
Insole: replaceable, textile and foam
Midssole: textile
Protective cap: composite
Sole: nitrile rubber
Standard: EN ISO 20345:2011
Specifics: S3, SRC, HI, HRO
Sizes: 38-47
Original packaging: 1/10

CE EN ISO 20345:2011




SPARKLE S3

B0880



BASE



Gornjište: vodootporna koža
Podstava: prozirani mrežica sa 3D mrežicom
Uložna tabanica: zamenljiva, prozirana, antistatična, anatomska
Tabanica: neprobojna tekstilna
Zaštitna kapica: kompozit
Don: dvoslojni PU/NITRILNA GUMA
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, CI, HI, HRO, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: waterproof leather
Lining: air mesh with 3D mesh
Insole pad: variable, breathable, antistatic, anatomic
Midssole: impenetrable textile
Protective cap: composite
Sole: two-layer PU/NITRILE RUBBER
Standard: EN ISO 20345:2011
Special features: S3, SRC, CI, HI, HRO, metal free
Sizes: 36-48
Original packaging: 1/10

CE EN ISO 20345:2011

STANDARD LINE

VIGO S3

ZAŠTITNA I RADNA
OBUĆA ZA SVE NAMENE
ALL PURPOSE PROTECTIVE
AND WORK SHOES


VIGO S3

9VIGSH



LACUNA

SRC



Gornjište: vodootporna koža

Podstava: prozračni višedimenzionalni mrežica

Uložna tabanica: : zamenljiva, prozračna, antistatična, anatomska

Tabanica: čelična

Zaštitna kapica: čelik

Don: dvoslojni PU/PU

Standard: EN ISO 20345:2011

Specifičnosti: S3, SRC

Veličine: 36-48

Originalno pakovanje: 1/10

Upper material: waterproof brushed nubuck leather

Lining: breathable multidimensional net

Insole pad: variable, breathable, antistatic, anatomic

Midsole: steel

Protective cap: steel

Sole: two-layer PU/PU

Standard: EN ISO 20345:2011

Special features: S3, SRC

Sizes: 36-48

Original packaging: 1/10

CE EN ISO 20345:2011



VIGO S3

9VIGSL



LACUNA

SRC



Gornjište: vodootporna koža

Podstava: prozračni višedimenzionalni mrežica

Uložna tabanica: : zamenljiva, prozračna, antistatična, anatomska

Tabanica: čelična

Zaštitna kapica: čelik

Don: dvoslojni PU/PU

Standard: EN ISO 20345:2011

Specifičnosti: S3, SRC

Veličine: 36-48

Originalno pakovanje: 1/10

Upper material: waterproof leather

Lining: breathable multidimensional net

Insole pad: variable, breathable, antistatic, anatomic

Midsole: steel

Protective cap: steel

Sole: two-layer PU/PU

Standard: EN ISO 20345:2011

Special features: S3, SRC

Sizes: 36-48

Original packaging: 1/10

CE EN ISO 20345:2011

BRIONI S3

9BRIOSH


9BRIOSL



LACUNA



SRC



Gornjište: glatka koža
Podstava: tekstil
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: čelik
Zaštitna kapica: čelik
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: smooth leather
Lining: textile
Insole pad: variable, airy, antistatic, anatomic
Midsole: steel
Protective cap: steel
Sole: two-layer PU/PU
Standard: EN ISO 20345:2011
Special features: S3 SRC
Sizes: 36-48
Original packaging: 1/10

CE EN ISO 20345:2011

BRIONI S1P

9BRISH

9BRISL



LACUNA



SRC



Gornjište: glatka koža
Podstava: tekstil
Uložna tabanica: : zamenljiva, prozračna, antistatična, anatomska
Tabanica: čelik
Zaštitna kapica: čelik
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC
Veličine: 36-47
Originalno pakovanje: 1/10

Upper material: smooth leather
Lining: textile
Insole pad: variable, airy, antistatic, anatomic
Midsole: steel
Protective cap: steel
Sole: two-layer PU/PU
Standard: EN ISO 20345:2011
Special features: S1P, SRC
Sizes: 36-47
Original packaging: 1/10

CE EN ISO 20345:2011

BRIONI O1

9BRIOH


9BRIOL



LACUNA



SRC



Gornjište: glatka koža
Podstava: tekstil
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: nema
Zaštitna kapica: nema
Đon: dvoslojni PU/PU
Standard: EN ISO 20347:2012
Specifičnosti: O1, SRC
Veličine: 36-47
Originalno pakovanje: 1/10

Upper material: smooth leather
Lining: textile
Insole pad: variable, airy, antistatic, anatomic
Midsole: steel
Protective cap: steel
Sole: two-layer PU/PU
Standard: EN ISO 20347:2012
Special features: O1 SRC
Sizes: 36-47
Original packaging: 1/10

CE EN ISO 20347:2012



BRIONI WELD S3


9BRIOWELSH



LACUNA



SRC METAL FREE



Gornjište: vodootporna goveda koža
Podstava: višedimenzionalni prozračni tekstil
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Đon: dvoslojni PU/PU
Zaštitna kapica: čelična
Tabanica: čelična
Specifičnosti: S3, SRC
Norma: EN ISO 20345: 2011
Veličine: 37-47
Originalno pakovanje: 1/10

Upper: waterproof cow leather
Lining: multidimensional airy textile
Midsole: detachable, ventilated, antistack, anatomical
Sole: two-layer PU/PU
Protective cap: steel
Sole: steel
Specifics: S3, SRC
Standard: EN ISO 20345: 2011
Sizes: 37-47
Original packaging: 1/10

CE EN ISO 20345:2011

AGATE II S3

9AGH010

9AGL010



coverguard



SRC



Gornjište: glatka koža

Podstava: tekstil

Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska

Tabanica: čelična

Zaštitna kapica: čelična

Don: PU dvostruke gustine

Standard: EN ISO 20345:2011

Specifičnosti: S3, SRC

Veličine: 34-49

Originalno pakovanje: 1/10

Upper material: smooth leather

Lining: textile

Insole pad: variable, breathable, antistatic, anatomical

Midsole: steel

Protective cap: steel

Sole: PU double density

Standard: EN ISO 20345:2011

Special features: S3, SRC

Sizes: 34-49

Original packaging: 1/10

CE EN ISO 20345:2011

MAESTRAL S3

9MAESSH



LACUNA



MADE IN EUROPE



METAL FREE

SRC



Gornjište: vodootporna glatka goveđa koža

Podstava: prozračni mrežica

Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska, memorijska pena

Tabanica: tekstilna neprobojna

Zaštitna kapica: kompozit

Don: dvoslojni PU/TPU

Standard: EN ISO 20345:2011

Specifičnosti: S3, SRC, metal free

Veličine: 36-48

Originalno pakovanje: 1/10

Upper material: waterproof smooth cowhide

Lining: breathable multidimensional net

Insole pad: variable, breathable, antistatic, anatomical, memory foam

Midsole: textile bulletproof

Protective cap: composed

Sole: two-layer PU/TPU

Standard: EN ISO 20345:2011

Special features: S3, SRC, metal free

Sizes: 36-48

Original packaging: 1/10

CE EN ISO 20345:2011

MAESTRAL S2

9MAES2SL



LACUNA



Gornjište: vodootporna glatka goveđa koža
Podstava: prozirna višedimenzionalna mrežica
Uložna tabanica: zamenljiva, prozirna, antistatična, anatomska, memorijska pena
Zaštitna kapica: kompozit
Don: dvoslojni PU/TPU
Standard: EN ISO2345:2011
Specifičnosti: S2, SRC, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper: waterproof smooth cowhide
Lining: airy multidimensional net
Midsole: changeable, breathable, antistatic, anatomical, memory foam
Protective cap: composite
Sole: two-layer PU/TPU
Standard: EN ISO2345:2011
Specifics: S2, SRC, metal free
Sizes: 36-48
Original packaging: 1/10

CE EN ISO 20345:2011




MAESTRAL O2

9MAESOH

9MAESOL



LACUNA



Gornjište: vodootporna glatka goveđa koža
Podstava: prozirna mrežica
Uložna tabanica: zamenljiva, prozirna, antistatična, anatomska, memorijska pena
Tabanica: nema
Zaštitna kapica: nema
Don: dvoslojni PU/TPU
Standard: EN ISO 20347:2012
Specifičnosti: O2, SRC, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: waterproof smooth cowhide
Lining: breathable multidimensional net
Insole pad: variable, breathable, antistatic, anatomical, memory foam
Midsole: none
Protective cap: none
Sole: two-layer PU/TPU
Standard: EN ISO 20347:2011
Special features: O2, SRC, metal free
Sizes: 36-48
Original packaging: 1/10

CE EN ISO 20347:2012


STRONG S3

9STROSHS3

9STROSLS3



LACUNA



Gornjište: vodootporna goveda koža
Podstava: prozračni mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska, memorijska pena
Tabanica: čelik
Zaštitna kapica: čelik
Don: dvoslojni PU/TPU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC
Veličine: 36-48
Originalno pakovanje: 1/10

Upper: waterproof cowhide
Lining: breathable mesh
Insole: changeable, breathable, antistatic, anatomical
Midsole: steel
Protective cap: steel
Sole: two-layer PU/TPU
Standard: EN ISO 20345:2011
Specifics: S3, SRC
Sizes: 36-48
Original packaging: 1/10


CE EN ISO 20345:2011

STORM S3

9STORHS3



LACUNA



Gornjište: vodootporna goveda koža
Podstava: prozračni mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska, memorijska pena
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozit
Don: dvoslojni PU/TPU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC
Veličine: 36-48
Originalno pakovanje: 1/10

Upper: waterproof cowhide
Lining: breathable mesh
Insert sole: changeable, breathable, antistatic, anatomical
Midsole: textile waterproof
Protective cap: composite
Sole: two-layer PU/TPU
Standard: EN ISO 20345:2011
Specifics: S3, SRC
Sizes: 36-48
Original packaging: 1/10

CE EN ISO 20345:2011

STRONG O2

9STROOH02

9STROOLO2



Gornjište: goveda koža, signalna traka
Unutrašnjost: 3D prozračni tekstil
Uložna tabanica: periva, prozračna
Đon: dvoslojni, PU/TPU, direktno brizgan, otporan na ulje, antistatičan
Standard: EN ISO 20347:2012
Specifičnosti: O2, SRC
Dostupne veličine: 36-48


Upper: cow leather, signal tape
Interior: 3D breathable textile
Insole: washable, breathable
Sole: dual density PU/PU, directly injected, oil-resistant, antistatic
Standard: EN ISO 20347:2012
Specifics: O2, SRC
Available sizes: 36-48

CE EN ISO 20347:2012



ETOILE S3

B0166



Gornjište: vodootporna koža
Podstava: tekstil, prozračna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: čelik
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC
Veličine: 36-49
Originalno pakovanje: 1/10

Upper material: waterproof leather
Lining: textile, breathable mesh
Insole pad: variable, breathable, antistatic, anatomical
Midsole: impenetrable textile
Protective cap: steel
Sole: two-layer PU/PU
Standard: EN ISO 20345:2011
Special features: S3, SRC
Sizes: 36-49
Original packaging: 1/10

CE EN ISO 20345:2011

FREEDITE S3

9FREL



coverguard



Gornjište: vodootporna goveda koža
Podstava: prozračni mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: kompozit
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: waterproof cowhide
Lining: breathable mesh
Insole pad: variable, breathable, antistatic, anatomical
Midsole: impenetrable textile
Protective cap: composite
Sole: two-layer PU/PU
Standard: EN ISO 20345:2011
Special features: S3, SRC, metal free
Sizes: 36-48
Original packaging: 1/10

CE EN ISO 20345:2011

FREEDITE S3

9FREL



coverguard



Gornjište: vodootporna goveda koža
Podstava: prozračna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: kompozit
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: waterproof cowhide
Lining: breathable mesh
Insole pad: variable, breathable, antistatic, anatomical
Midsole: impenetrable textile
Protective cap: composite
Sole: two-layer PU/TPU
Standard: EN ISO 20345:2011
Special features: S3, SRC, metal free
Sizes: 36-48
Original packaging: 1/10

CE EN ISO 20345:2011

FREEDITE S3



BOVA S1P

9BOV180



coverguard



NOVO
NEW

SRC



Gornjište: koža i PU
Podstava: 3D tekstil
Uložna tabanica: zamjenjiva, tekstil i pena
Tabanica: čelik
Zaštitna kapica: čelik
Don: dvoslojni PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC
Veličine: 36-47
Originalno pakovanje: 1/10

Upper: leather and PU
Lining: 3D textile
Insole: replaceable, textile and foam
Midssole: steel
Protective cap: steel
Sole: dual density PU
Standard: EN ISO 20345:2011
Specifics: S1P, SRC
Sizes: 36-47
Original packaging: 1/10

CE EN ISO 20345:2011

PEAK S1P



PEAK S1P

9PEANSL
plava/blue

9PEAOSL
narandžasta/
orange



Gornjište: brušena koža i mrežica
Podstava: prozirna tekstilna podstava
Uložna tabanica: zamenljiva, prozirna, antistatična, anatomska
Tabanica: čelik
Zaštitna kapica: čelik
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC
Veličine: 37-48
Originalno pakovanje: 1/10

Upper material: suede leather and mesh
Lining: breathable textile
Insole: removable, breathable, antistatic, anatomic
Midsole: steel
Protective cap: steel
Sole: Dual Density PU/PU
Standard: EN ISO 20345:2011
Special features: S1P SRC
Sizes: 37-48
Original packaging: 1/10

CE EN ISO 20345:2011



PEAK O1

9PEANOL



Gornjište: brušena koža i mrežica
Podstava: prozirna tekstilna podstava
Uložna tabanica: zamenljiva, prozirna, antistatična i anatomska na bazi memorijske pene
Đon: dvostruki PU/PU
Specifičnosti: O1, SRC
Standard: EN ISO 20347:2012
Dostupne veličine: 37-48
Originalno pakovanje: 1/10

Upper material: suede leather and mesh
Lining: breathable textile
Insole: removable, breathable, antistatic, anatomic
Sole: Dual Density PU/PU
Standard: EN ISO 20347:2012
Special features: O1 SRC
Sizes: 37-48
Original packaging: 1/10

CE EN ISO 20347:2012

COLOSSEUM S1P

B0163



Gornjište: vodootporna brušena koža
Podstava: 3D tekstil visoke tehnologije
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: čelik
Zaštitna kapica: čelik
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC
Veličine: 39-48
Originalno pakovanje: 1/10

Upper material: waterproof brushed leather
Lining: high-tech 3D textiles
Insole pad: variable, breathable, antistatic, anatomic
Midsole: steel
Protective cap: steel
Sole: two-layer PU/PU
Standard: EN ISO 20345:2011
Special features: S1P SRC
Sizes: 39-48
Original packaging: 1/10

CE EN ISO 20345:2011

GREENWICH S3

B0169



Gornjište: vodootporna brušena koža
Podstava: 3D tekstil visoke tehnologije
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: čelik
Zaštitna kapica: čelik
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC
Veličine: 36-49
Originalno pakovanje: 1/10

Upper material: waterproof brushed leather
Lining: high-tech 3D textiles
Insole pad: variable, breathable, antistatic, anatomic
Midsole: steel
Protective cap: steel
Sole: two-layer PU/PU
Standard: EN ISO 20345:2011
Special features: S3 SRC
Sizes: 36-49
Original packaging: 1/10

CE EN ISO 20345:2011

QUASAR S1P

B0953



Gornjište: brušena koža
Podstava: 3D tekstil visoke tehnologije
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: kompozitna
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: brushed leather
Lining: high-tech 3D textiles
Insole pad: variable, breathable, antistatic, anatomic
Midsole: impenetrable textile
Protective cap: composite
Sole: two-layer PU/PU
Standard: EN ISO 20345:2011
Special features: S1P SRC, metal free
Sizes: 36-48
Original packaging: 1/10



CE EN ISO 20345:2011



TOLEDO S1P

B0168B



Gornjište: brušena koža
Podstava: 3D tekstil visoke tehnologije
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobajna
Zaštitna kapica: čelik
Don: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC
Veličine: 36-49
Originalno pakovanje: 1/10

Upper material: brushed leather
Lining: high-tech 3D textiles
Insole pad: variable, breathable, antistatic, anatomic
Midsole: impenetrable textile
Protective cap: steel
Sole: two-layer PU/PU
Standard: EN ISO 20345:2011
Special features: S1P SRC
Sizes: 36-49
Original packaging: 1/10



CE EN ISO 20345:2011

OFFICE PRO

9OFFOL

LACUNA STAY PROTECTED

NOVO
NEW



Gornjište: glatka (puno lice) koža
Podstava: prozračna višedimenzionalna mrežica
Uložna tabanica na bazi memorijske pene
Don: dvoslojni PU/PU
Tehničke karakteristike: O2, ESD, SRC
Standard: EN ISO 20347:2012
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: Cow leather
Lining: breathable multidimensional mesh
Insole: removable, breathable, antistatic, anatomic
Sole: Dual Density PU/PU
Standard: EN ISO 20347:2012
Special features: O2, SRC, ESD, metal free
Sizes: 36-48
Original packaging: 1/10

 EN ISO 20347:2012



EXTRA
LIGHT



BREATHABILITY



FLEXIBLE AND
COMFORTABLE

SECURITY



PINTO
LAVOURNA
CE
MONTI
S.P.A.




HYGIENE



ONTARIO S3

9ONTARSH



Gornjište: beli reljefni glatki mikrofiber
Zaštitna kapica: kapica od staklenih niti
Uložna tabanica: anatomska, periva, na bazi memorijske pene
Tabanica: bezmetalna i antipenetrirajuća ploča
Don: dvoslojni PU/PU
Specifičnosti: S3, SRC, ESD, Metal free
Standard: EN ISO 20345:2011, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD
Dostupne veličine: 37-48
Originalno pakovanje: 1/10


Upper: white embossed smooth microfiber
Protective cap: glass fiber cap
Insole: anatomical, washable, on the base memory foam
Midsole: metal-free and anti-penetration plate
Sole: dual density PU/PU
Specifics: S3, SRC, ESD, Metal free
Standard: EN ISO 20345:2011, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD
Available sizes: 37-48
Original packaging: 1/10

CE EN ISO 20345:2011



ONTARIO S3

9ONTARSL



Gornjište: beli reljefni glatki mikrofiber
Zaštitna kapica: kapica od staklenih niti
Uložna tabanica: anatomska, periva, na bazi memorijske pene
Tabanica: bezmetalna i antipenetrirajuća ploča
Don: dvoslojni PU/PU
Specifičnosti: S3, SRC, ESD, Metal free
Standard: EN ISO 20345:2011, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD
Dostupne veličine: 37-48
Originalno pakovanje: 1/10

Upper: white embossed smooth microfiber
Protective cap: glass fiber cap
Insole: anatomical, washable, on the base memory foam
Midsole: metal-free and anti-penetration plate
Sole: dual density PU/PU
Specifics: S3, SRC, ESD, Metal free
Standard: EN ISO 20345:2011, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD
Available sizes: 37-48
Original packaging: 1/10

CE EN ISO 20345:2011

LUCERNA S2

9LUCERSH




Gornjište: beli reljefni glatki mikrofiber
Zaštitna kapica: kapica od staklenih niti
Uložna tabanica: anatomska, periva, na bazi memorijske pene
Unutrašnjost: tekstil
Don: dvoslojni PU/PU
Specifičnosti: S2, SRC, ESD, Metal free
Standard: EN ISO 20345:2011, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD
Dostupne veličine: 35-48
Originalno pakovanje: 1/10

Upper: white embossed smooth microfiber
Protective cap: glass fiber cap
Insole: anatomical, washable, on the base memory foam
Interior: textile
Sole: dual density PU/PU
Specifics: S2, SRC, ESD, Metal free
Standard: EN ISO 20345:2011, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD
Available sizes: 35-48
Original packaging: 1/10

CE EN ISO 20345:2011

LUCERNA S2

9LUCERSL



Gornjište: beli reljefni glatki mikrofiber
Zaštitna kapica: kapica od staklenih niti
Uložna tabanica: anatomska, periva, na bazi memorijske pene
Unutrašnjost: tekstil
Don: dvoslojni PU/PU
Specifičnosti: S2, SRC, ESD, Metal free
Standard: EN ISO 20345:2011, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD
Dostupne veličine: 35-48
Originalno pakovanje: 1/10

Upper: white embossed smooth microfiber
Protective cap: glass fiber cap
Insole: anatomical, washable, on the base memory foam
Interior: textile
Sole: dual density PU/PU
Specifics: S2, SRC, ESD, Metal free
Standard: EN ISO 20345:2011, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD
Available sizes: 35-48
Original packaging: 1/10

CE EN ISO 20345:2011

LUCERNA 02

9LUCEROH



Gornjište: beli glatki mikrofiber

Uložna tabanica: anatomska, periva, na bazi memorijske pene

Unutrašnjost: tekstil

Don: dvoslojni PU/PU

Specifičnosti: O2, SRC, ESD, Metal free

Standard: EN ISO 20347:2012, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD

Dostupne veličine: 35-48

Originalno pakovanje: 1/10

Upper: white smooth microfiber

Insole: anatomical, washable, on the base memory foam

Interior: textile

Sole: dual density PU/PU

Specifics: O2, SRC, ESD, Metal free

Standard: EN ISO 20347:2012, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD

Available sizes: 35-48

Original packaging: 1/10

CE EN ISO 20347:2012



LUCERNA 02

9LUCEROL



Gornjište: beli reljefni mikrofiber

Uložna tabanica: anatomska, periva, na bazi memorijske pene

Unutrašnjost: tekstil

Don: dvoslojni PU/PU

Specifičnosti: O2, SRC, ESD, Metal free

Standard: EN ISO 20347:2012, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD

Dostupne veličine: 35-48

Originalno pakovanje: 1/10

Upper: white smooth microfiber

Insole: anatomical, washable, on the base memory foam

Interior: textile

Sole: dual density PU/PU

Specifics: O2, SRC, ESD, Metal free

Standard: EN ISO 20347:2012, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD

Available sizes: 35-48

Original packaging: 1/10

CE EN ISO 20347:2012

LUGANO O2

9LUGANOH



Gornjište: beli glatki mikrofiber

Uložna tabanica: anatomska, periva, na bazi memorijske pene

Unutrašnjost: tekstil

Don: dvoslojni PU/PU

Specifičnosti: O2, SRC, ESD, Metal free

Standard: EN ISO 20347:2012, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD

Dostupne veličine: 35-48

Originalno pakovanje: 1/10

Upper: white smooth microfiber

Insole: anatomical, washable, on the base memory foam

Interior: textile

Sole: dual density PU/PU

Specifics: O2, SRC, ESD, Metal free

Standard: EN ISO 20347:2012, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD

Available sizes: 35-48

Original packaging: 1/10

CE EN ISO 20347:2012

LUGANO O2

9LUGANOL



Gornjište: beli glatki mikrofiber

Uložna tabanica: anatomska, periva, na bazi memorijske pene

Unutrašnjost: tekstil

Don: dvoslojni PU/PU

Specifičnosti: O2, SRC, ESD, Metal free

Standard: EN ISO 20347:2012, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD

Dostupne veličine: 35-48

Originalno pakovanje: 1/10

Upper: white smooth microfiber

Insole: anatomical, washable, on the base memory foam

Interior: textile

Sole: double layer PU/PU

Specifics: O2, SRC, ESD, Metal free

Standard: EN ISO 20347:2012, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD

Available sizes: 35-48

Original packaging: 1/10

CE EN ISO 20347:2012

CLORO S2

B0507

BASE
www.base.com



Gornjište: voodootporni mikrofiber

Podstava: tekstil

Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska

Tabanica: nema

Zaštitna kapica: čelik

Đon: jednoslojni PU

Standard: EN ISO 20345:2011

Specifičnosti: S2, SRC

Veličine: 36-47

Originalno pakovanje: 1/10

Upper: waterproof microfiber

Lining: textile

Insole: changeable, breathable, antistatic, anatomical

Midsole: none

Protective cap: steel

Sole: single-layer PU

Standard: EN ISO 20345:2011

Specifics: S2, SRC

Sizes: 36-47

Original packaging: 1/10


CE EN ISO 20345:2011



XENO OB

B0551

BASE
www.base.com



Gornjište: koža

Podstava: brušena koža

Uložna tabanica: zamenljiva, anatomska

Tabanica: nema

Zaštitna kapica: nema

Đon: jednoslojni PU

Standard: EN ISO 20347:2012

Specifičnosti: OB, SRC

Veličine: 35-48

Originalno pakovanje: 1/10

Upper: leather

Lining: brushed leather

Insert sole: replaceable, anatomical

Midsole: none

Protective cap: none

Sole: single-layer PU

Standard: EN ISO 20347:2012

Specifics: OB, SRC

Sizes: 35-48

Original packaging: 1/10


CE EN ISO 20347:2012

RELAX OB

9RELLOB



LACUNA



Gornjište: koža
Podstava: brušena koža
Uložna tabanica: zamenljiva, anatomska
Tabanica: nema
Zaštitna kapica: nema
Don: jednoslojni PVC
Standard: EN ISO 20347:2012
Specifičnosti: OB, SRC
Veličine: 36-46
Originalno pakovanje: 1/10

Upper: leather
Lining: brushed leather
Insert sole: replaceable, anatomical
Midsole: none
Protective cap: none
Sole: single-layer PU
Standard: EN ISO 20347:2012
Specifics: OB, SRC
Sizes: 36-46
Original packaging: 1/10

CE EN ISO 20347:2012

GINOCCHIO

91GINOWH



Gornjište: PVC
Podstava: poliester
Uložna tabanica: nema
Tabanica: nema
Zaštitna kapica: nema
Don: PVC
Standard: EN ISO 20347:2012
Specifičnosti: SRA
Veličine: 38-48
Originalno pakovanje: 1/1

Upper: PVC
Lining: polyester
Insole: none
Midsole: none
Protective cap: none
Sole: PVC
Standard: EN ISO 20347:2012
Specifics: SRA
Sizes: 38-48
Original packaging: 1/1

CE EN ISO 20347:2012

HYGRADE

9HYGR



Gornjište: PVC
Podstava: belo najlonsko vlakno
Uložna tabanica: nema
Tabanica: nema
Zaštitna kapica: nema
Đon: PVC
Standard: EN ISO 20347:2012
Specifičnosti: SRA
Veličine: 36-47
Originalno pakovanje: 1/8

Upper: PVC
Lining: white nylon fiber
Insole: none
Midsole: none
Protective cap: none
Sole: PVC
Standard: EN ISO 20347:2012
Specifics: SRA
Sizes: 36-47
Original packaging: 1/8

CE EN ISO 20347:2012



HYGRADE SAFETY

9HYSA



Gornjište: PVC
Podstava: poliester
Uložna tabanica: nema
Tabanica: nema
Zaštitna kapica: čelična
Đon: PVC
Standard: EN ISO 20347:2012
Specifičnosti: SRA
Veličine: 38-48
Originalno pakovanje: 1/8

Upper: PVC
Lining: polyester
Insole: none
Midsole: none
Protective cap: steel
Sole: PVC
Standard: EN ISO 20347:2012
Specifics: SRA
Sizes: 38-48
Original packaging: 1/8

CE EN ISO 20345:2011

LEISURE LINE



MOSOR

9MOSR



 GETOUT™

NEW



WATER
PROOF



Gornjište: Softshell + PU
Unutrašnjost: mrežasti tekstil
Uložna tabanica: tekstilna anatomska
Đon: dvoslojni, MD+TPR
Specifičnosti: vodoodbojno gornjište
Veličine: 40-47
Originalno pakovanje: 1/10

Upper: Softshell + PU
Interior: mesh textile
Insole: textile anatomical
Sole: dual density, MD+TPR
Specifics: water-repellent upper
Sizes: 40-47
Original palking: 1/10



PHYLON

9PHYLH

9PHYLL



 GETOUT™



Gornjište: Softshell
Podstava: tekstil
Uložna tabanica: tekstilna anatomska
Tabanica: nema
Zaštitna kapica: nema
Đon: dvoslojni Phylon/TPR
Standard: nema
Specifičnosti: cipela za slobodno vreme, bez zaštitnih karakteristika
Veličine: 40-47
Originalno pakovanje: 1/10

Upper: Softshell
Lining: textile
Insole: textile anatomical
Midssole: none
Protective cap: none
Sole: dual density Phylon/TPR
Standard: none
Specifics: leisure shoe, without protective properties
Sizes: 40-47
Original packaging: 1/10



Gornjište: Flyknit tehnologija, mrežica
Podstava: mrežasti tekstil
Uložna tabanica: tekstilna anatomska
Tabanica: nema
Zaštitna kapica: nema
Đon: Phylon + TPR
Standard: nema
Specifičnosti: lagana, prozračna
Veličine: 36-47
Originalno pakovanje: 1/10

Upper: Flyknit technology, mesh
Lining: mesh textile
Insole: textile anatomical
Midssole: none
Protective cap: none
Sole: Phylon + TPR
Standard: none
Specifics: light, airy
Sizes: 36-47
Original packaging: 1/10



NIMBA

9NIMB



 GETOUT™



Gornjište: tekstil, mrežica
Podstava: mrežasti tekstil
Uložna tabanica: tekstilna anatomska
Tabanica: nema
Zaštitna kapica: nema
Đon: Phylon + TPR
Standard: nema
Specifičnosti: lagana, prozračna
Veličine: 36-47
Originalno pakovanje: 1/10

Upper: textile, mesh
Lining: mesh textile
Insole: textile anatomical
Midsole: none
Protective cap: none
Sole: Phylon + TPR
Standard: none
Specifics: light, airy
Sizes: 36-47
Original packaging: 1/10



CASTOR

9CASR



 GETOUT™




Gornjište: tekstil
Podstava: mrežasti tekstil
Uložna tabanica: tekstilna anatomska
Tabanica: nema
Zaštitna kapica: nema
Đon: Phylon + TPR
Standard: nema
Specifičnosti: lagana, prozračna
Veličine: 36-47
Originalno pakovanje: 1/10

Upper: textile
Lining: mesh textile
Insole: textile anatomical
Midsole: none
Protective cap: none
Sole: Phylon + TPR
Standard: none
Specifics: light, airy
Sizes: 36-47
Original packaging: 1/10

TREKING

9TREK



 GETOUT™



Gornjište: koža i tekstil

Podstava: tekstil

Uložna tabanica: tekstilna anatomska

Tabanica: nema

Zaštitna kapica: nema

Don: dvoslojni TPR/PU

Standard: nema

Specifičnosti: cipela za slobodno vrijeme, bez zaštitnih karakteristika

Veličine: 41-46

Originalno pakovanje: 1/10

Upper: leather and textile

Lining: textile

Insole: textile anatomical

Midsole: none

Protective cap: none

Sole: double layer TPR/PU

Standard: none

Specifcs: leisure shoe, without protective properties

Sizes: 41-46

Original packaging: 1/10

TREKING

9TREKG



 GETOUT™



Gornjište: koža i tekstil

Podstava: tekstil

Uložna tabanica: tekstilna anatomska

Tabanica: nema

Zaštitna kapica: nema

Don: dvoslojni TPR/PU

Standard: nema

Specifičnosti: cipela za slobodno vrijeme, bez zaštitnih skarakteristika

Veličine: 41-46

Originalno pakovanje: 1/10

Upper: leather and textile

Lining: textile

Insole: textile anatomical

Midsole: none

Protective cap: none

Sole: double layer TPR/PU

Standard: none

Specifcs: leisure shoe, without protective properties

Sizes: 41-46

Original packaging: 1/10



Gornjište: kombinacija mrežice i oxford tekstila

Podstava: tekstil

Uložna tabanica: tekstilna anatomska

Tabanica: nema

Zaštitna kapica: nema

Don: dvoslojni TPU/EVA

Standard: nema

Specifičnosti: cipela za slobodno vrijeme, bez zaštitnih karakteristika

Veličine: 40-47

Originalno pakovanje: 1/10

Upper: combination of mesh and oxford textile

Lining: textile

Insole: textile anatomical

Midsole: none

Protective cap: none

Sole: two-layer TPU/EVA

Standard: none

Specifics: leisure shoe, without protective properties

Sizes: 40-47

Original packaging: 1/10



GUMENE I PVC ČIZME
RUBBER AND PVC BOOTS

VUKO SAFETY S5

91VUKOBK
crna/black

91VUKOYL
žuta/yellow



Gornjište: kombinacija PVC-a i nitrila
Podstava: poliester
Uložna tabanica: nema
Tabanica: čelična
Zaštitna kapica: čelična
Đon: PVC
Standard: EN ISO 20345:2011
Specifičnosti: SRA
Veličine: 36-48
Originalno pakovanje: 1/10

Upper: combination of PVC and nitrile
Lining: polyester
Insole: none
Midsole: steel
Protective cap: steel
Sole: PVC
Standard: EN ISO 20345:2011
Specifics: SRA
Sizes: 36-48
Original packaging: 1/10

CE EN ISO 20345:2011



GINOCCHIO

91GINOGR
zelena/green

91GINOBK
crna/black



Gornjište: PVC
Podstava: poliester
Uložna tabanica: nema
Tabanica: nema
Zaštitna kapica: nema
Đon: PVC
Standard: EN ISO 20347:2012
Veličine: 38-48
Originalno pakovanje: 1/10

Upper: PVC
Lining: polyester
Insole: none
Midsole: none
Protective cap: none
Sole: PVC
Standard: EN ISO 20347:2012
Sizes: 38-48
Original packaging: 1/10

CE EN ISO 20347:2012

TRONCHETTO

91TRONGR
zelena/green

91TRONBK
crna/black




Gornjište: PVC
Podstava: poliester
Uložna tabanica: nema
Tabanica: nema
Zaštitna kapica: nema
Don: PVC
Standard: EN ISO 20347:2012
Veličine: 38-48
Originalno pakovanje: 1/10

Upper: PVC
Lining: polyester
Insole: none
Midsole: none
Protective cap: none
Sole: PVC
Standard: EN ISO 20347:2012
Sizes: 38-48
Original packaging: 1/10

CE EN ISO 20347:2012

SWAMPY

91SWAMPY



Gornjište: visoko kvalitetan PVC + nitril
Notranjost: tekstil (OEKO-TEX®) + umjetno krzno
Podplat: PVC
Specifičnosti: SRA, FO, E
Standard: EN ISO 20347:2012
Velikosti: 39-47
Originalno pakovanje: 1/6

Upper: high quality PVC + nitrile
Lining: textile (OEKO-TEX®) + artificial fur
Sole: PVC
Specifics: SRA, FO, E
Standard: EN ISO 20347:2012
Sizes: 39-47
Original packaging: 1/6

CE EN ISO 20347:2012





Materijal: vulkanizirana guma
Podstava: triko platno + filc
Don: guma
Dostupne veličine: 39-48
Originalno pakovanje: 1/5

Material: vulcanized rubber
Lining: tricot canvas + felt
Sole: rubber
Available sizes: 39-48
Original packaging: 1/5

CE EN ISO 20347:2012

RIMI

91RIMI



Materijal: vulkanizirana guma
Podstava: triko platno
Don: guma
Dostupne veličine: 39-48
Originalno pakovanje: 1/5

Material: vulcanized rubber
Lining: tricot canvas
Sole: rubber
Available sizes: 39-48
Original packaging: 1/5

CE EN ISO 20347:2012



GALOSH

91GALOGR



Materijal: PVC
Podstava: poliester
Don: PVC
Dostupne veličine: 36-47
Originalno pakovanje: 1/12

Material: PVC
Lining: polyester
Sole: PVC
Available sizes: 36-47
Original packaging: 1/12

CE EN ISO 20347:2012



BALI

5BALGR
sivo-crne/
gray-black

Materijal: reciklirani pamuk 60%, poliester 38%, elastiin 2%

Veličina: dvobroj 39-42,43-46

Originalno pakovanje: 1/56

Fabric composition: 60% recycled cotton, 38% polyester, 2% elastane

Size: 39-42, 43-46

Original packaging: 1/56



LACUNA



VELIČINE/SIZE

SIVO-CRNE/GRAY-BLACK

39/42

5BALGR39-42

43/46

5BALGR43-46

PICO

5PICBL
plava/blue

Materijal: pamuk 38%, coolmax 38%, poliester 22%, elastin 2%

Veličina: dvobroj 39-42,43-46

Originalno pakovanje: 1/250

Fabric composition: 38% cotton, 38% coolmax, 22% polyester, 2% elastane

Size: 39-42, 43-46

Original packaging: 1/250



LACUNA



VELIČINE/SIZE

39/42

43/46

PLAVA/BLUE

5PICBL39-42

5PICBL43-46

CAPRI

5CAPGR
siva/gray

Materijal: pamuk 25%, coolmax 20%, poliester 23%, elastin 2%

Veličina: dvobroj 39-42,43-46

Originalno pakovanje: 1/56

Fabric composition: 25% cotton, 20% coolmax, 30% polyamide, 23% polyester, 2% elastane

Size: 39-42, 43-46

Original packaging: 1/56



LACUNA



VELIČINE/SIZE

39/42

43/46

SIVA/GRAY

5CAPGR39-42

5CAPGR43-46



MERCATOR MEDICAL

 coverguard

ZAŠTITNE RUKAVICE PROTECTIVE GLOVES

ZAŠTITNE RUKAVICE

Lacuna nudi velik izbor visokokvalitetnih radnih rukavica. Upotreba rukavica omogućuje vam da svoj posao obavljate bezbedno i efikasno.

Naše tehničke kožne rukavice su izrađene od odabranih visokokvalitetnih koža; namenjene su različitim vrstama poslova kao što su zavarivanja, teški poslovi, održavanje, logistički poslovi itd... Pre nego što izaberete vrstu rukavica, važno je da se radno mesto pravilno proceni u smislu opasnosti. Naš tehnički tim može vam pomoći u izboru najboljih rukavica za vaše radno mesto.


PROTECTIVE GLOVES

Lacuna offers large selection of high quality work gloves, applicable to many work situations in order to provide your job can be done safely and with higher efficiency.

Our technical leather gloves are made from selected high quality leather materials, designed for different types of work, such as welding, heavy work, maintenance, logistics work, etc. Before choosing type of gloves, it is important that work site is evaluated properly in terms of potential hazards. If you share these information with us our technical team can help you with choosing best gloves for your work position.

LACUNA ne odgovara za eventualne štamparske greške u katalogu./LACUNA is not responsible for misprints in the catalogue.

Poslednje važeće cene molimo proverite na LACUNA B2B./Last valid recommended prices check on LACUNA B2B. Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude./Full LACUNA range available at www.lacuna.hr



LA CUNIA
ARNO
S. PIETRO

EU STANDARDI ZA ZAŠTITU RUKU

KLASE LIČNE ZAŠTITNE OPREME

Kompletna zaštita rangirana je u 3 klase, prema riziku koji pokriva pojedini artikl.

Stepen rizika <i>Risk Level</i>	Kontrola „tipa“ <i>“Type” control</i>	Kontrola proizvodnje <i>Control of manufacturing</i>
I Minimalni rizici <i>Minimal risks</i>	Atest izdaje proizvođač <i>Declaration of conformity is issued by manufacturer</i>	Odgovornost proizvođača <i>Responsibility of the manufacturer</i>
II Veći rizici <i>Medium risks</i>	Tipsko ispitivanje CE obavlja ovlašćeni organ <i>CE-type examination shall be carried out by an authorized notified body</i>	Odgovornost proizvođača <i>Responsibility of the manufacturer</i>
III Smrtonosni rizici <i>Deadly risks</i>	Tipsko ispitivanje CE obavlja ovlašćeni organ <i>CE-type examination shall be carried out by an authorized notified body</i>	Nadzor obavlja ovlašćeni organ <i>Supervision is performed by an authorized notified body</i>

Zaštitne rukavice za minimalne rizike

EN 420:2003+A1 2009 / EN ISO 21420:2020

Opšti uslovi
(kategorija rizika, veličine, oznake, označavanje itd.)
Informacije proizvođača u obaveštenju korisnicima

CLASSES OF PERSONAL PROTECTIVE EQUIPMENT

All personal protective equipment is ranged in 3 categories according to he covered risks.

Protective gloves for minimal risks

EN 420:2003+A1 2009 / EN ISO 21420:2020

General conditions
(risk category, size, labels, marking, etc.)
Manufacturer's information in the user manual

Zaštitne rukavice protiv mehaničkih rizika



EN 388:2016 Rukavice za zaštitu od mehaničkih rizika

A Prvi broj = nivo karakteristika otpornosti na abraziju (0 - 4)
B Drugi broj = nivo karakteristika otpornosti na razrezivanje kružnom oštricom (0 - 5)
C Treći broj = nivo karakteristika otpornosti na kidanje (0 - 4)
D Četvrti broj = nivo karakteristika otpornosti na probijanje (0 - 4)
E Peti broj = nivo karakteristika otpornosti na razrezivanje ravnom oštricom (A - F)
F Šesti broj = Otpornost na udar (samo ako postoji)
1 = najniži nivo karakteristika; 4 (5) = najviši nivo karakteristika; (A = najniži i F = najviši nivo karakteristika otpornosti na razrezivanje ravnom oštricom);
0 = karakteristika zaštite je ispod minimuma nivoa karakteristika 1; X = navedena karakteristika nije ispitivana ili nije pogodna za ispitivanje/korišćenje.
Navedeni nivoi karakteristika se odnose na dlan rukavica. Rukavice sa dva ili više nevezana sloja sveukupna razredba (?) nije nužno odraz karakteristika spoljašnjeg sloja (NEJASNO). Rukavice sa nivoom karakteristika otpornosti na kidanje \geq 1 se ne smeju koristiti u radu gde može doći do zahvatanja ruku pokretnim delovima mašina i uređaja. Rukavice ne štite od hemikalija, bioloških uticaja, radioaktivnog zračenja, toplinskih rizika, vode, rizika od električne struje (uređaji/elementi pod naponom) i drugog što nije pokriveno navedenim standardom.



EN511:2006 Rukavice za zaštitu od hladnoće

A Prvi broj = otpornost na hladnoću konvekcijom (strujanjem) (0 - 4)
B Drugi broj = otpornost na hladnoću kontaktom (dodirom) (0-4)
C Treći broj = otpornost na vodu (vodonepropusnost) (0 - 1)
1 = najniži nivo karakteristika; 4 = najviši nivo karakteristika zaštite od hladnoće.
X = navedena karakteristika nije ispitivana ili nije pogodna za ispitivanje/korišćenje. Vodonepropusnost: 1 = bez propuštanja vode na celju rukavici (vodonepropusna rukavica), 0 = rukavica nije vodonepropusna.
Vrednosti dobijene za nivoe A i C se odnose na celu rukavicu (dlan i nadlanicu). Vrednost dobijena za nivo B se odnosi samo na dlan. Ne koristiti ako je rukavica oštećena, mokra ili u slučaju dodira sa predmetima na temperaturi nižoj od -20 °C. Rukavica može izgubiti izolacione karakteristike u mokrom okruženju.



EN407:2004 Rukavice za zaštitu od toplinskih rizika (topline i/ili vatre)

A Prvi broj = gorenje (0 - 4)
B Drugi broj = prenos toplote dodirom (0 - 4)
C Treći broj = prenos toplote konvekcijom (0 - 4)
D Četvrti broj = prenos toplote zračenjem (0 - 4)
E Peti broj = male kapi rastaljenog metala (0 - 4)
F Šesti broj = velike količine rastaljenog metala (0 - 4)
1 = nizak nivo zaštite; 4 = visok nivo zaštite, X = navedena karakteristika nije ispitivana ili nije pogodna za ispitivanje.
Navedeni nivo se odnosi na dlan rukavica. Zaštita vredi samo za celu rukavicu sa svim slojevima. Onečišćenja organskim jedinjenjima (ulja, masti, goriva i sl.) povećavaju rizik od zapaljenja. Mokre rukavice postaju električki i toplotno provodljive – opasnost od strujnog udara i opekotina!



EN12477:2001 + A1:2005 Rukavice za zavarivače

Tip A – niska spretnost (sa višim ostalim tj. mehaničkim i toplotnim karakteristikama)
Tip B – visoka spretnost (sa nižim ostalim karakteristikama).
Tip B rukavica se preporučuje kada se zahteva visoka spretnost npr. kod TIG zavarivanja.
Tip A rukavica se preporučuje za sva ostala zavarivanja, ukj. elektrodučna. Ove rukavice ne pružaju zaštitu od električnog udara uzrokovanog neispravnim uređajima ili radom pod naponom. Električna otpornost je smanjena ako su rukavice mokre, prljave ili natopljene znojem, što može povećati rizik.



Zaštitne rukavice pred mehaničkim tveganjima

EN 388:2016 Protective gloves against mechanical risks

A First number = abrasion resistance level (0 - 4)
B Second number = circular blade cut resistance level (0 - 5)
C Third number = tear resistance level (0 - 4)
D Fourth number = puncture resistance level (0 - 4)
E Fifth number = straight blade cut resistance level (A - F)
F Sixth number = impact resistance (if applicable)
1 = lowest level of performances; 4 (5) = highest level of performances;
(A = lowest F = highest level of straight blade cut resistance);
0 = protection is below the minimum level of characteristics 1;
X = performances not tested or not appropriate for testing/use.
The abovementioned level of performances concerns the palm of the glove. For gloves with two or more unbound layers, the overall classification does not necessarily reflect the performances of the outer layer. Gloves with tear resistance level \geq 1 should not be used where there is a possibility of hands being caught by moving machine parts. Gloves do not provide protection against chemicals, biological impacts, radioactivity, thermal risk, water, electric current risks (devices / elements underpower) and other risks not covered by this norm.



EN511:2006 Protective gloves against cold

A First number = resistance through convective cold (0 - 4)
B Second number = resistance to contact cold (0 - 4)
C Third number = permeability by water (0 - 1)
1 = lowest level of performance; 4 = highest level of protection against cold
X = performances not tested or not appropriate for testing/use.
Watertightness: 1 = the whole glove is resistant to water (watertight glove), 0 = glove is not watertight
Values obtained for levels A and C concern the whole glove (palm and back of hand) Values obtained for level B concern only the palm
Do not use if the glove is damaged, wet or in the event of contact with objects at a temperature below -20°C. Gloves may lose their insulation performances in the wet state.



EN407:2020 Protective gloves against thermal risks (heat and/or fire)

A First number - Resistance to flammability (0 - 4)
B Second number - Contact heat resistance (0 - 4)
C Third number - Convective heat resistance (0 - 4)
D Fourth number - Radiant heat resistance (0 - 4)
E Fifth number - Resistance to small splashes of molten metal (0 - 4)
D Sixt number - Resistance to large splashes of molten metal (0 - 4)
1 = low level of performances; 4 = high level of performances, X = performance not tested or not appropriate for testing/use.
The abovementioned level of performances concerns the palm of gloves. The protection applies only to a complete glove with all layers. Contamination by organic compounds (oils, fats, fuels etc.) increase the risk of ignition. Wet gloves become electrically and thermally conductive – risk of electric shock and burns!



EN12477: 2001 + A1: 2005 Welding gloves

Type A – low dexterity (with higher other; that is mechanical and thermal performances)
Type B – high dexterity (with lower other performances).
Type B glove is recommended when high dexterity is required, for example for TIG welding.
Type A glove is recommended for all other types of welding, including arc welding.
These gloves do not provide protection against electric shocks caused by defective devices or live working.
Electrical resistivity is reduced if gloves are wet, dirty or soaked in sweat, which may increase risk.



TYPE*

EN ISO 374-1:2016 + A1:2018 Rukavice za zaštitu od opasnih hemijskih rizika

- * **TIP A** - Permeacija ili prodiranje mora biti barem na nivou 2 za najmanje šest testnih hemikalija – VISOK NIVO OTPORNOSTI NA HEMIHALIJE
- * **TIP B** - Permeacija ili prodiranje mora biti barem na nivou 2 za najmanje tri testne hemikalije – SREDNJI NIVO OTPORNOSTI NA HEMIHALIJE
- * **TIP C** - Permeacija ili prodiranje mora biti barem na nivou 1 za najmanje jednu testnu hemikaliju – NIZAK NIVO OTPORNOSTI NA HEMIHALIJE

PERMEACIJA - RAZINE

0	1	2	3	4	5	6
<10 min	>10 min	>30 min	>60 min	>120 min	>240 min	>480 min

PERMEACIJA

Permeacija je postupak kojim se hemikalija kreće kroz zaštitni materijal rukavice na molekularnom nivou i meri se pomoću difuzije prema EN 16523-1: 2015

PRODİRANJE

Hemikalije mogu prodrati kroz rupe i druge nedostatke na materijalu rukavica. Da bi rukavica bila odobrena kao zaštitna rukavica za hemijsku zaštitu, rukavica ne sme propuštati vodu ili vazduh pri ispitivanju prema penetraciji, EN 374-2: 2014.

DEGRADACIJA

Hemijski kontakt može negativno uticati na materijal rukavica. Razgradnja se određuje prema EN 374-4: 2013 za svaku hemikaliju.

Rezultat razgradnje, u postocima (%), nalazi se u korisničkom uputstvu

POPIS TESTIRANIH KEMIHALIJA

A	METANOL	J	N-HEPTAN
B	ACETON	K	NATRIJEV HIDROKSID 40%
C	ACETONITRIL	L	SUMPORNA KISELINA 96%
D	METILEN KLOORID	N	DUŠIČNA KISELINA 65%
E	UGLJIKOV DISULFID	M	OCTENA KISELINA 99%
F	TOLUEN	O	AMONIJAK 25%
G	DIETILAMIN	P	VODIKOV PEROKSID 30%
H	TETRAHIDROFURAN	S	HIDROFLUORNA KISELINA 40%
I	ETIL ACETAT	T	FORMALDEHID 37%



VIRUS

EN ISO 374-5:2016 Rukavice za zaštitu od mikroorganizama i bakterija

Zaštitne rukavice koje služe kao zaštitna barijera od mikrobioloških agensa Rukavice moraju proći standard ispitivanja otpornosti na prodiranje EN374-2:2014

Dodatno, ako rukavica prođe ISO 16604 :2004 (metoda B) test označava se kao otporna na viruse.



TYPE*

EN ISO 374-1: 2016 + A1: 2018 Protective gloves against dangerous chemical risks

- * **TYPE A** - Permeation or penetration must be at least level 2 for at least six test chemicals - HIGH LEVEL OF RESISTANCE TO CHEMICALS
- * **TYPE B** - Permeation or penetration must be at least level 2 for at least three test chemicals - MEDIUM LEVEL OF RESISTANCE TO CHEMICALS
- * **TYPE C** - Permeation or penetration must be at least level 1 for at least one test chemical - LOW LEVEL OF RESISTANCE TO CHEMICALS

PERMEATION - LEVELS

0	1	2	3	4	5	6
<10 min	>10 min	>30 min	>60 min	>120 min	>240 min	>480 min

PERMEATION

Permeation is a process by which a chemical moves through the protective material of a glove at the molecular level and is measured by diffusion according to EN 16523-1: 2015

PENETRATION

Chemicals can penetrate holes and other imperfections in the glove material. To ensure that the glove is approved as the chemical resistant glove, the glove must not leak water or air during testing prescribed by EN 374-2: 2014.

DEGRADATION

Chemical contact may affect adversely the glove material. Degradation is determined according to EN 374-4: 2013 for each chemical.

The decomposition result, in percentages (%), will be noted in user instructions.

LIST OF TESTED CHEMICALS

A	METHANOL	J	N-HEPTANE
B	ACETONE	K	SODIUM HYDROXIDE 40%
C	CETONITRIL	L	SULFURIC ACID 96%
D	METHYLENE CHLORIDE	N	NITRIC ACID 65%
E	CARBON DISULPHIDE	M	ACETIC ACID 99%
F	TOLUEN	O	AMMONIA 25%
G	DIETHYLAMINE	P	HYDROGEN PEROXIDE 30%
H	TETRAHYDROFURANE	S	HYDROFLUORIC ACID 40%
I	ETHYL ACETATE	T	FORMALDEHYDE 37%



VIRUS

EN ISO 374-5: 2016 Gloves for protection against microorganisms and bacteria

Protective gloves that serve as a protective barrier against microbiological agents.

Gloves must pass the penetration resistance test according to standards EN374-2: 2014

Additionally, if the glove passes ISO 16604: 2004 (method B) test then it is marked as virus resistant.



ATG INTELLIGENTNA REŠENJA IZRADE RUKAVICA

Inteligentna rješenja rukavica kroz inovativne tehnologije

Tehnologije korišćene u ATG rukavicama se kontinuirano razvijaju u užem timu koji kombinuje istraživanja tržišta i marketing analizu sa najnovijim tehnološkim dostignućima. To je osnov na kojem se kontinuirano poboljšava iskustvo kupca kroz stalne inovacije.

R & D odeljenje se fokusira na razvoj tehnoloških platformi. Ovaj pristup im omogućuje sagledavanje potreba kupaca na čemu se temelji odabir i kombinacija potrebnih tehnoloških platformi za proizvodnju inovativnih rukavice koje menjaju korisničko iskustvo na bolje.

ATG Rukavice

ATG® nudi fokusirani spektar proizvoda za profesionalce. ATG ClassicRange i ATG ProRange™ sa četiri robne marke i 10 proizvoda pokrivaju 90% poslova kojima se bavite, bilo da ste u metaloprerađivačkom, montažnom, petro-hemijskom ili off-shore poslovanju.

ATG INTELLIGENT GLOVE SOLUTIONS



Intelligent glove solutions with innovative technologies

The technologies used in ATG gloves are constantly developed by a core team that combines market research and market analysis with the latest technological advances. This is the foundation on which the experience is constantly improved by innovation. The R&D department focuses on the development of technology platforms. This approach allows them to see the needs of customers which is the basis for selecting and combining the necessary local platforms for the production of innovative changing gloves user experience for the better.

ATG gloves

ATG® offers a focused range of products for professionals. ATG ClassicRange and ATG ProRange™, which with four branded products and 10 products covers 90% of the business engaged in metal processing, assembly, petrochemical or offshore business.



MaxiFlex®

MaxiDry®

MaxiCut®

MaxiChem®

MaxiDex®

ATG® Tehnološke platforme / ATG® Technology platforms



360° prozračnosti
Toplota se raspoređuje prirodno
Hladne ruke su sretnije, bezbednije i produktivnije

360° breathability
The heat is distributed naturally
Cold hands are happier, safer and more productive



25% tanje od većine rukavica od penastog nitrila na tržištu
Dvostruka izdržljivost u poređenju sa drugim rukavicama - ma od poliuretana ili penastog nitrila na tržištu.
Oblik, prijanjanje i osećaj oponašaju "ruku u mirovanju"
Konsistentna propusnost podstave.

25% thinner than most nitrile foam gloves on the market. Double durability compared to other polyurethane or nitrile foam gloves on the market
Design, grip and feel to mimic a "hand at rest".
Permanent permeability of the lining



Inovativna vlakna
Pojačanje između palca i kažiprsta

Inovative fibers
Reinforcement between thumb and forefinger

	<p>Optimizovan zahvat Smanjen zamor ruke Spretnost i fleksibilnost</p>	<p><i>Optimized grip Reduced hand fatigue Skill and flexibility</i></p>
	<p>Odbijanje tečnosti Visoka otpornost na hemikalije Zaštite svoje ruke</p>	<p><i>Fluid rejection High resistance to chemicals Protect your hands</i></p>
	<p>Zahvaljujući tehnologiji podstavljanja i bešavnog pletenja, poseduju toplotne i izolacione karakteristike da bi se razvila otpornost na vrućinu ili hladnoću</p>	<p><i>Thanks to the technology of lining and seamless knitting, there are thermal and insulating properties to develop resistance to heating or cold</i></p>
	<p>ATG-ov HandCare® program je sastavni deo svakog pojedinačnog ATG® proizvoda. Celokupni proces praćenja je sertifikovan prema ISO 14001, rukavice su dermatološki ispitane, smanjuju znojenje i hlade ruke pri radu; uz udobnost, omogućuju spretnost i preciznost pri radu, imaju veliku prozračnost, a mogu se prati u mašini za veš.</p>	<p><i>ATG's HandCare® program is an integral part of each individual ATG® product. The entire monitoring process is ISO 14001 certified, the gloves are dermatologically tested to reduce sweating and cool hands at work, provide comfort and precision at work with comfort, excellent breathability and can be washed in the washing machine.*</i></p>
	<p>Na našim rukavicama koristimo dezinfekciju kako bi se neprijatni mirisi smanjili na minimum. Sanitized® je antiperspirant koji pridonosi da vaše rukavice budu duže svežije i koji čini da se osećate sigurni i zaštićeni. Naglašavamo da ATG® koristi posebnu klasu sredstva Sanitized® koje je "bez triklosana".</p>	<p><i>On gloves we use a disinfectant to keep unpleasant odors out as much as possible. Sanitized® is an antiperspirant that helps you keep your gloves fresh longer and feel safe and protected. We emphasize that ATG® uses a special class of Sanitized® that does not contain triclosan.</i></p>
	<p>Za naše rukavice garantujemo da su „sveže iz pakovanja”. Kako? Mi peremo sve rukavice nakon proizvodnog procesa kao naredni korak u osiguravanju čistoće. Tokom tog procesa pranja u mašini, mi preferiramo korišćenje vode skupljene od kišnice. Naše rukavice su sertifikovane od strane Oeko-Tex® Standarda 100, kojim se potvrđuje da naše rukavice ne sadrže poznate štetne supstance, uključujući i zakonski neregulisane hemikalije. Standardni zahtevi jasno prekoračuju postojeće nacionalno zakonodavstvo.</p>	<p><i>Our gloves are guaranteed to be "fresh from the packaging". How? All gloves are washed according to the manufacturing process as a further step in ensuring cleanliness. During this procedure of washing in the washing machine, we prefer to use water collected from rain. Our gloves are Oeko-Tex® Standard 100 certified, which ensures that our gloves do not contain known harmful substances, including unregulated chemicals. The standard requirements clearly go beyond existing national legislation..</i></p>
	<p>Ceo naš proizvodni proces je u skladu sa zahtevima evropskih propisa REACH (registracija, evaluacija, ovlašćivanje i ograničavanje hemijskih supstanci).</p>	<p><i>Our entire production process complies with the requirements of the European REACH regulations (registration, evaluation, approval and restriction of chemical substances).</i></p>
	<p>Tehnologiju AD-APT® aktivira pokretanje i rad ruku tj povećana temperatura u rukavici, pa se ispuštaju mikrogranule antiperspiranta, integrisane u nitrilnu mikro-penu što održava ruke suvima i rashlađenima. Dok tehnologija AD-APT® rashlađuje ruku na nivo prijatnih uslova, ona ne utiče na prirodnu sposobnost tela da kontroliše svoju temperaturu, tj. toplotnu regulaciju. Tehnologija AD-APT® dizajnirana je tako da traje dok traje i rukavica, i može se prati u mašini za veš.</p>	<p><i>AD-APT® technology activates the movement and work of the hands, ie the elevated temperature in the sleeves, thus releasing micro-granules of antiperspirant, integrated into the nitrile microfoam, which keeps the hands dry and cool. Although AD-APT® technology cools the hand to a comfortable level, it does not affect the body's natural ability to control its temperature, ie. heat regulation. The AD-APT® technology is designed to last as long as the gloves last and can be washed in the washing machine.</i></p>
	<p>ATG rukavice se mogu slobodno prati u mašini za veš koristeći standardne deterdžente. ATG rukavice su testirane i sertifikovane po Standardu ISO 6330 (3xN) od strane TÜV Rheinland LGA Products GmbH. Rukavice su zadržale sve označene karakteristike mehaničke zaštite pre i nakon testnih pranja u mašini za veš.</p>	<p><i>ATG gloves can be washed freely in the washing machine with standard detergents. ATG gloves are tested and certified in accordance with ISO 6330 (3xN) by TÜV Rheinland LGA Products GmbH. The gloves retained all the mechanical protective properties before and after washing in the washing machine.</i></p>
	<p>Naše rukavice su isto tako dermatološki akreditovane od Skin Health Alliance. Oznaka Skin Health Alliance koju imamo, prva u industriji zaštitne opreme, profesionalnim korisnicima rukavica je garancija da je cela lepeza ATG® rukavica u celini „dermatološki bezbedna” i da su nauka i istraživanja koji stoje iza njih opsežni.</p>	<p><i>Our gloves are also dermatologically authorized by the Skin Health Alliance. The Skin Health Alliance label, the first in the protective glove industry for professional glove users, has ensured that the full range of ATG® gloves as a whole is "dermatologically safe" and that the science and research behind them is extensive.</i></p>
	<p>ViroSan™ sprečava razmnožavanje virusa koji dospeju na rukavice, a testiranja potvrđuju da je delotvoran protiv ljudskog koronavirusa NL63. Patentirana tehnologija integrisana je u premaz rukavica. Tehnologija ViroSan™ poboljšava higijenu vaših rukavica u kojima radite.</p>	<p><i>ViroSan™ prevents the reproduction of viruses that reach the gloves, and tests confirm that it is effective against the human coronavirus NL63. Patented technology is integrated into the coating of the gloves. ViroSan™ technology improves the hygiene of your working gloves.</i></p>
	<p>Revolucionarna tehnološka platforma TRltech™ razvila je novi način izrade rukavica koji donosi neuporedivo bolju udobnost radnim rukavicama otpornim na hemikalije i time je postignuta harmonija udobnosti i efikasnosti. TRltech™ koristi 3 sloja koja imaju jedinstvenu i važnu svrhu i međusobno su povezana kako bi se stvorio snažan, ali fleksibilan i udoban kompozit.</p>	<p><i>The revolutionary technological platform TRltech™ has developed a new way of making gloves that brings incomparably better comfort to chemical-resistant work gloves, thus achieving a harmony of comfort and efficiency. TRltech™ uses 3 layers that have a unique and important purpose and are interconnected to create a strong yet flexible and comfortable composite.</i></p>
	<p>Pogodne za ekran na dodir.</p>	<p><i>Suitable for touch screen.</i></p>



ATG® Tehnološke platforme / ATG® Technology platforms



42-874	✓	✓	✓		✓					✓
42-844	✓	✓	✓		✓					✓
42-848	✓	✓	✓		✓					✓
34-274	✓	✓	✓		✓					
34-774B	✓	✓	✓		✓					
34-924	✓	✓			✓					
34-824	✓	✓	✓		✓					
34-8743	✓	✓	✓	✓	✓					
34-8443	✓	✓	✓	✓	✓					
34-450	✓	✓		✓	✓					
44-504	✓	✓	✓	✓	✓					
34-304		✓	✓	✓	✓	✓				
34-305		✓	✓	✓	✓	✓				
44-304		✓	✓	✓	✓	✓				
44-305		✓	✓	✓	✓	✓				
44-3745	✓	✓	✓	✓	✓					
52-3745	✓	✓	✓	✓	✓					✓
42-8743	✓	✓	✓	✓	✓					✓
44-3445	✓	✓	✓	✓	✓					
58-917		✓		✓						
89-5740				✓						
56-424			✓	✓	✓	✓				
56-425			✓		✓	✓				
56-451		✓			✓	✓	✓			
56-426		✓			✓	✓				
56-530		✓			✓	✓				
76-730		✓		✓	✓	✓			✓	
76-733		✓		✓	✓	✓				
76-830		✓		✓	✓	✓			✓	
76-833		✓		✓	✓	✓				
30-201							✓			
24-986		✓	✓	✓	✓	✓				
34-900										
19-007BL		✓				✓			✓	✓

MaxiFlex® s AD-APT®

31% SMANJENO ZNOJENJE

U ODNOSU NA STANDARDNE RUKAVICE

Osmišljene i razvijene kao prozirne rukavice, MaxiFlex® Ultimate™ rukavice postale su merilo za precizno rukovanje u suvim okruženjima.

Sada naše jedinstvene rukavice MaxiFlex® postaju još bolje zahvaljujući uključivanju nove tehnologije AD-APT® kompanije ATG®.

Ako se vaše ruke ikada zagreju u rukavicama ili se u njima znojite, tada su MaxiFlex® Ultimate™ rukavice sa ugrađenom tehnologijom All Day Anti Perspirant (AD-APT®) kao stvorene za vas.

AD-APT® - najinteligentniji način održavanja ruku u rukavicama suvim, hladnim i produktivnim.

Predite na bolje!

MaxiFlex® s AD-APT®

31% REDUCED SWEATING

IN RELATION TO STANDARD GLOVES

Designed and developed as breathable gloves, MaxiFlex® Ultimate gloves have become the standard for precise handling in dry environments.

They are now becoming our unique gloves MaxiFlex® even better due to the incorporation of the new ATG® AD-APT® technology.

If your hands ever warm up or sweat in gloves, then MaxiFlex® Ultimate™ gloves with built-in All Day Anti Sweat technology (AD-APT®) are created for you.

AD-APT® - the most intelligent way to keep hands in gloves dry, cool and productive.

Switch to better!



	MaxiFlex® Ultimate™	MaxiFlex® Endurance™
REF.	42-874	42-844
PREMAZIVANJE/ COATING	Dlan/ Palm	Dlan/ Točkice Palm/ Dots
BOJA/ COLOR	Tamnosiva/ crna Dark gray/ black	Tamnosiva/ crna Dark gray/ black
DUŽINA/ LENGTH	25 cm	25 cm
DEBLJINA NA DLANU/ THICKNESS ON THE PALM	1,00 mm	1,10 mm
EN 388	4131A	4131A
VELIČINE/ SIZE	5 - 12	5 - 12

MAXIFLEX ULTIMATE

42-874
42-874BL



EN 388



4131A



MAXIFLEX ENDURANCE

42-844
42-844BL



EN 388



4131A



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZES	PAKOVANJE PACKAGING
42-874	Najlon, spandeks/ Nylon, spandex	Nitrilna mikropena / Nitrile microfoam	1 mm	Elastična/ Elastic	Rukavica za rad u suvom okruženju, AD APT tehnologija, dugotrajnost / Glove for dry work, Ad apt technology, durability	EN ISO 21420, EN 388 (4131A)	5-12	12/144 BL = 1/144
42-844	Najlon, spandeks/ Nylon, spandex	Nitrilna mikropena / Nitrile microfoam	1,1 mm	Elastična/ Elastic	Rukavica za rad u suvom okruženju, AD APT tehnologija, dugotrajnost i mikrogranule za bolje hvatanje / Gloves for work in a dry environment, Ad apt technology, durability and microgranules for better grip	EN ISO 21420, EN 388 (4131A)	5-12	12/144 BL = 1/144

MAXIFLEX ENDURANCE

42-848
42-848BL



EN 388



4131A



MAXIFLEX ELITE

34-274
34-274BL



EN 388



4121A



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZES	PAKOVANJE PACKAGING
42-848	Najlon, spandeks/ Nylon, spandex	Nitrilna mikropena / Nitrile microfoam	1,1 mm	Elastična/ Elastic	Rukavica za rad u suvom okruženju, AD APT tehnologija, dugotrajnost i mikrogranule za bolje hvatanje / Gloves for work in a dry environment, Ad apt technology, durability and microgranules for better grip	EN ISO 21420, EN 388 (4131A)	5-12	12/144 BL = 1/144
34-274	Najlon, spandeks/ Nylon, spandex	Nitrilna mikropena / Nitrile microfoam	0,75 m	Elastična/ Elastic	Rukavice za rad u suvom okruženju, vrlo tanka i lagana za vrlo precizne radove / Gloves for work in a dry environment, very thin and light for very precise work	EN ISO 21420, EN 388 (4121A)	5-11	12/144 BL = 1/144

330



MAXIFLEX ELITE ESD

34-774B



EN 388



4121A

EN 16350



MAXIFLEX COMFORT

34-924



EN 388



4121A

EN 407



X1XXXX



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZES	PAKOVANJE PACKAGING
34-774B	Najlon, poliester, spandeks, karbon / Nylon, polyester, spandex, carbon	Nitrilna mikropena / Nitrile microfoam	0,80 mm	Elastična / Elastic	Rukavice za rad u suvom okruženju. Vrlo tanka i lagana rukavica za vrlo precizne radove sa ESD normom / Gloves for working in a dry environment. Very thin and light glove for very precise works with ESD norm	EN ISO 21420 EN388 (4121A) EN 16350	5-11	12/144
34-924	Najlon, pamuk, spandeks / Nylon, cotton, spandex	Nitrilna mikropena / Nitrile microfoam	1.10 mm	Elastična / Elastic	Rukavice za rad u suvom okruženju, Rukavice otporne na dodirnu toplinu do 100 stupnjeva celzijusa / Gloves for working in a dry environment, Gloves resistant to contact heat up to 100 degrees Celsius	EN ISO 21420 EN388(4121A) EN407 (X1XXXX)	5-11	12/144

MAXIFLEX ACTIVE

34-824



EN 388



4131A



MAXIFLEX CUT

34-8743
34-8743BL



EN 388



4331B



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZES	PAKOVANJE PACKAGING
34-824	Najlon, spandeks / Nylon, spandex	Nitrilna mikropena / Nitrile microfoam	1.00 mm	Elastična / Elastic	Reukavice za rad u suvom okruženju sa aloja verom i vitaminom D / Gloves for working in a dry environment with aloe vera and vitamin	EN ISO 21420 EN388 (4131A)	5-11	12/144
34-8743	Najlon, spandeks / Nylon, spandex	Nitrilna mikropena / Nitrile microfoam	0.80 mm	Elastična / Elastic	Rukavice za rad u suvom okruženju Protuzerna rukavica sa jako tankim nanosom nitrila od 0,80 mm / Gloves for working in a dry environment. Anti-cut glove with very thin nitrile coating of 0.80 mm	EN ISO 21420 EN388 (4331B)	6-12	12/72 BL = 1/72



331

MAXIFLEX CUT 3

34-8443



EN 388



4331B



MAXICUT

34-450



EN 388



4342B



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZES	PAKOVANJE PACKAGING
34-8443	Najlon, spandeks, UHMWPE / Nylon, spandex, UHMWPE	Nitrilna mikropena / Nitrile microfoam	0,80 mm	Elastična / Elastic	Rukavice za rad suvom okruženju Protrezna rukavica sa tankim nanosom nitrila od 0,80 mm i mikrogranulama za bolji hvat / Glove for working in a dry environment. Anti-cut glove with a thin coating of nitrile of 0.80 mm and microgranules for better grip	EN ISO 21420 EN388 (4331B)	6-11	12/72
34-450	Najlon, spandeks, UHMWPE / Nylon, spandex, UHMWPE	Nitrilna mikropena / Nitrile microfoam	1,30 mm	Elastična / Elastic	Rukavica za rad u suvom okruženju. Protrezna rukavica / Gloves for work in a dry environment. Anti-cut glove	EN ISO 21420 EN388 (4342B)	6-11	12/72 BL = 1/72

MAXICUT OIL

44-504



EN 388



4442C



MAXICUT OIL

34-304
34-304BL



EN 388



4331B



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
44-504	Najlon, spandeks, UHMWPE / Nylon, spandex, UHMWPE	Nitrilna mikropena / Nitrile microfoam	1,30 mm	Elastična / Elastic	Rukavica za rad u mokrom i vlažnom okruženju. Protrezna rukavica / Glove for working in wet and damp environment. Anti-cut glove	EN ISO 21420 EN388 (4442C)	6-11	12/144
34-304	Najlon, spandeks, UHMWPE / Nylon, spandex, UHMWPE	Nitrilna mikropena / Nitrile microfoam	1,30 m	Elastična / Elastic	Rukavica za rad u mokrom i vlažnom okruženju. Protrezna rukavica / Glove for working in wet and damp environment. Anti-cut glove	EN ISO 21420 EN388 (4331B)	6-11	12/72 BL = 1/72

332



MAXICUT OIL

34-305



EN 388



4331B



MAXICUT OIL

44-304



EN 388



4341B

EN 407



X2XXXX



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
34-305	Najlon, spandeks, UHMWPE / Nylon, spandeks, UHMWPE	Nitrilna mikropena / Nitrile microfoam	1,30 mm	Elastična / Elastic	Rukavica za rad u mokrom i vlažnom okruženju. Proturezna rukavica / Glove for working in wet and damp environment. Anti-cut glove	EN ISO 21420 EN388 (4331B)	6-11	12/72
44-304	Najlon, spandeks, UHMWPE / Nylon, spandeks, UHMWPE	Nitrilna mikropena / Nitrile microfoam	1,10 mm	Elastična / Elastic	Rukavica za rad u mokrom i vlažnom okruženju. Proturezna rukavica za rad sa temperaturama do 100 stepeni celzijusa / Glove for work in wet and humid environments. Anti-cut glove for working with temperatures up to 100 degrees Celsius.	EN ISO 21420 EN388 (4341B) EN407 (X1XXX)	6-11	12/72

MAXICUT OIL

44-305



EN 388



4341B

EN 407



X2XXXX



MAXICUT ULTRA

44-3745



EN 388



4442C



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
44-305	Najlon, spandeks, UHMWPE / Nylon, spandeks, UHMWPE	Nitrilna mikropena / Nitrile microfoam	1,10 mm	Elastična / Elastic	Rukavica za rad u mokrom i vlažnom okruženju. Proturezna rukavica za rad sa temperaturama do 100 stepeni celzijusa / Glove for work in wet and humid environments. Anti-cut glove for working with temperatures up to 100 degrees Celsius.	EN ISO 21420 EN388 (4341B) EN407 (X1XXX)	6-11	12/72
44-3745	Najlon, spandeks, UHMWPE / Nylon, spandeks, UHMWPE	Nitrilna mikropena / Nitrile microfoam	1,00 mm	Elastična / Elastic	Rukavice za rad suhom okruženju. Proturezna rukavica izrazite izdržljivosti i dugotrajnosti / Gloves for working in a dry environment. Gloves of extreme durability and longevity.	EN ISO 21420 EN388 (4442C)	6-12	12/72



333

MAXICUT

42-8743

MAXICUT

52-3745



EN 388



4331B



EN 388



4442C



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
42-8743	Najlon, spandeks, UHMWPE / Nylon, spandex, UHMWPE	Nitrilna mikropena / Nitrile microfoam	0,80 mm	Elastična / Elastic	Rukavice za rad suvom okruženju. Proturezna rukavica izrazite izdržljivosti i dugotrajnosti. AD APT tehnologija / Gloves for working in a dry environment. An anti-torque glove of extreme durability and longevity. AD APT technology	EN ISO 21420 EN 388 (4331B)	6-11	12/72
52-3745	Najlon, spandeks / Nylon, spandex	Nitrilna mikropena / Nitrile microfoam	1,00 mm	Elastična / Elastic	Rukavice za rad u suvom okruženju. AD APT tehnologija. Proturezna rukavica sa jako tankim nanosom nitrila od 100 mm mm / Gloves for working in a dry environment. AD APT technology. Anti cut glove with very thin with a nitrile layer of 100 mm	EN ISO 21420 EN 388 (4442C)	6-11	12/72



MAXICUT ULTRA

44-3445



EN 388



4442C



MAXICUT 5 LINER

58-917



EN 388



3442C



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
44-3445	Najlon, spandeks, UHMWPE/ Nylon, spandex, UHMWPE	Nitrilna mikropena / Nitrile microfoam	1,10 mm	Elastična / Elastic	Rukavice za rad suvom okruženju. Protrezna rukavica izrazite izdržljivosti i dugotrajnosti sa mikrogranulama za bolje hvatanje / Gloves for working in a dry environment a glove of exceptional durability and longevity with microgranules for better grip	EN ISO 21420 EN388 (4442C)	6-11	12/72
58-917	UHMWPE-staklo, Spandeks / UHMWPE-glass, Spandex	-	0,80 mm	Elastična / Elastic	Lagana radna rukavica za precizno rukovanje u suvom okruženju, najviše razine otpornosti na rezanje / Light work glove for precise handling in dry environment, highest level of cutting resistance	EN ISO 21420 EN 388 (3442C)	7-10	12/144

NAVLAKA MAXICUT ULTRA

89-5740



EN 388



3442C



MAXIDRY KW

56-424



EN 388



4121A



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
89-5740 (40 cm)	Najlon, spandeks, UHMWPE/ Nylon, spandex, UHMWPE	Nitrilna mikropena / Nitrile microfoam	0,80 mm	Elastična/ Elastic	Štitnik/navlaka za zaštitu ruke od zgloba do ramena. Protrezne karakteristike. Savršeno prijanjanje uz ruku, lagano hlađenje ruke / Protector/cover to protect the arm from the wrist to the shoulder. Anti-cut properties. Perfect hand grip, light hand cooling	EN ISO 21420 EN388 (3442C)	7, 10	12/72
56-424	Najlon, spandeks, Nylon, spandex	Nitrilna mikrojena / Nitrile microfoam	1,30 mm	Elastična/ Elastic	Rukavica za rad u mokrom i vlažnom okruženju / Glove for work in wet and humid environments	EN ISO 21420 EN388 (4121A)	5-11	12/72



335


MAXIDRY

56-425
56-425BL



MAXIDRY ZERO

56-451



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
56-425	Najlon, spandeks, Nylon, spandex	Nitrilna mikropena / Nitrile microfoam	1,30 mm	Elastična/ Elastic	Rukavica za rad u mokrom i vlažnom okruženju / Glove for work in wet and humid environments	EN ISO 21420 EN388 (4121A)	5-11	12/72 BL = 1/72
56-451	Najlon, akril/ Nylon, acrylic	NBR + nitrilna mikropena / NBR + Nitrile microfoam	1,80 mm	Elastična/ Elastic	Rukavica za rad u mokrom, vlažnom hladnijem okruženju. Uz dodatak EN 407 za rad sa predmetima topline do 100 stepeni celijusa. Uz to ima i prorezni standard / Glove for working in a wet, humid cold environment. With the addition of EN 407 for working with objects up to 100 degrees Celsius. In addition, it has a pro-cutting norm	EN ISO 21420 EN 388 (4242B) EN 511 (021) EN 407 (X1XXXX)	7-11	6/72


MAXIDRY

56-426



MAXIDRY PLUS

56-530



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
56-426	Najlon/ Nylon	NBR + nitrilna mikropena / NBR + Nitrile microfoam	1,10 mm	Duga čvrsta manžetna/ Long solid cuff	Rukavica za rad u mokrom i vlažnom okruženju te za rad sa blažim hemikalijama. Dužine 26 cm / Glove for working in wet and damp environment and for working with milder chemicals. Length 26 cm	EN ISO 21420 EN 388 (4111A) EN 374-1 Tip C AJK	6-11	12/72
56-530	Najlon/ Nylon	NBR + nitrilna mikropena / NBR + Nitrile microfoam	1,20 mm	Duga čvrsta manžetna/ Long solid cuff	Rukavica niže hemijske otpornosti koja omogućuje optimizovani zahvat i vrhunske performanse i spretnost u vlažnom i uljnom okruženju. / A glove of lower chemical resistance which enables optimized grip and superior performance and dexterity in wet and oily environment	EN ISO 21420 EN 388 (4121A) EN 374-1 TIP B JKL EN 374-5	7-11	12/72

MAXICHEM LATEX

76-730



EN 374-5

 VIRUS

EN 388

 3131A

EN 407

 X1XXXX

EN 374-1
 TIP A

 KLMNOP

CE

MAXICHEM CUT LATEX

76-733



EN 407

 X1XXXX

EN 388

 4341C

EN 374-5

 VIRUS

EN 374-1
 TIP A

 KLMNOP

CE

ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
76-730	Najlon / Nylon	NRL prirodna lateks guma / NRL natural latex rubber	1.1 mm	Duga čvrsta manžetna / Long solid cuff	Tanka i udobna hemijski otporna rukavica, toplinska zaštita do 100°C / Thin and comfortable, chemically resistant glove, thermal protection up to 100°C	EN ISO 21420 EN 388 (4341C) EN 407 (X1XXXX) EN 374-1 TIP A (KLMNOP) EN 374-5	7-11	1/72
76-733	Najlon, spandeks / Nylon, spandex	NRL prirodna lateks guma / NRL natural latex rubber	1.3 mm	Duga čvrsta manžetna / Long solid cuff	Tanka i udobna hemijski otporna rukavica, toplinska zaštita do 100°C, sa MaxiCut tehnologijom / Thin and comfortable, chemically resistant glove, thermal protection up to 100°C, with MaxiCut technology	EN ISO 21420 EN 388(4341C) EN 407 (X1XXXX) EN 374-1 TIP A(KLMNOP) EN374-5	7-11	1/72

MAXICHEM

76-830



EN 388

 4111A

EN 374-5

 VIRUS

EN 374-1
 TIP A

 JKLMNO

CE

MAXICHEM CUT

76-833



EN 388

 4321B

EN 374-5

 VIRUS

EN 374-1
 TIP A

 JKLMNO

CE

ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
76-830	Najlon / Nylon	NBR nitrilna guma / NBR natural nitrile rubber	0.9mm	Duga čvrsta manžetna / Long solid cuff	Izrazito tanka i udobna hemijski otporna rukavica / Thin and comfortable, chemically resistant glove	EN ISO 21420 EN 388 (4111A) EN 374-1 TIP A(JKLMNO) EN 374-5	7-11	1/72
76-833	Najlon, spandeks, UHMWPE / Nylon, spandex, UHMWPE	NBR nitrilna guma / NBR natural nitrile rubber	1.10mm	Duga čvrsta manžetna / Long solid cuff	Izrazito tanka i udobna hemijski otporna rukavica, sa MaxiCut tehnologijom / Thin and comfortable, chemically resistant glove with MaxiCut technology	EN ISO 21420 EN 388 (4321B) EN 374-1 TIP A(JKLMNO) EN 374-5	7-11	1/72



MAXITHERM

30-201
30-201BL



EN 511



X1X

EN 388



1241B
EN 407



X2XXXX



NBR-LITE

24-986



EN 388



4121X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
30-201	Akriil, poliester / Acrylic, polyester	Latex premaz / Latex coating	2.50 mm	Elastična / Elastic	ATG classic range rukavice za rad u hladnom okruženju / ATG classic range gloves for cold work environment	EN ISO 21420 EN 388 (1241B) EN 511 (X1X) EN 407 (X2XXXX)	6-11	12/72 BL = 1/72
24-986	Najlon / Nylon	NBR premaz / NBR coating	1,10 mm	Elastična / Elastic	Radne rukavice dizajnirane za više fleksibilnosti i spretnosti u suvim i vlažnim uslovima / Work gloves designed for more flexibility and dexterity in dry and wet conditions	EN ISO 21420 EN 388 (4121X)	7 - 10	12/144

MAXIFOAM

34-900



EN 388



4121A



MAXIDEX

19-007BL



EN 374-5 EN 388



VIRUS



3111A



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
34-900	Najlon / Nylon	Nitrilna mikropena / Nitrile microfoam	1,00 mm	Elastična / Elastic	Lagane radne rukavice, osmišljene da „odvođe“ tečnost i ulja i pruže fleksibilnost i spretnost ruku u suvim i vlažnim uslovima. / Light work gloves, designed to they "drain" liquids and oils and provide flexibility and dexterity of hands in dry and wet conditions conditions	EN ISO 21420 EN 388 (4121A)	5 - 12	12/72
19-007BL	Najlon / Nylon	NBR/NBR	0.7mm	Elastična / Elastic	Prve hibridne rukavice na svetu. Vodonepropusne zaštitne rukavice za mehaničke poslove sa dodatnom zaštitom od virusa i bakterija. / The first hybrid gloves in the world. Waterproof protective gloves for mechanical jobs with additional protection from viruses and bacteria	EN ISO 21420 EN 388 (3111A) EN 374-5	6-11	1/72



KOŽNE RUKAVICE
LEATHER GLOVES



ATUM

6ATUM



LACUNA

EN 388



4144X

EN 407



413X4X

CE EN 12477 (TIP A)

HORUS

6HORU



LACUNA

EN 388



4143X

EN 407



413X4X

CE EN 12477 (TIP A)

ŠIFRA CODE	DLAN PALM	NADLANICA BACK PALM	MANŽETNA CUFF	PODSTAVA LINING	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6ATUM	Goveda špalt koža / Cow split leather	Goveda špalt koža / Cow split leather	Goveda špalt koža / Cow split leather	Pamučna / Cotton	Kažiprst i dlan s pojačanjem, kevlar konac / Forefinger and palm with reinforcement, Kevlar thread	EN ISO 21420 EN 388 (4144X) EN 407 (413X4X) EN 12477 (TYPE A)	10, 11	1/72
6HORU	Goveda špalt koža / Cow split leather	Goveda špalt koža / Cow split leather	Goveda špalt koža / Cow split leather	Pamučna / Cotton	Kažiprsti dlan s pojačanjem, kevlar konac / Forefinger and palm with reinforcement, Kevlar thread	EN 420 EN 388 (4143X) EN 407 (413X4X)	10, 11	1/72

FLASH

6FLASH
6FLASHWT



LACUNA



EN 388



3243X

EN 407



413X4X

CE EN 12477 (TIP A)

ATENA

6ATENA
6ATENAWT



LACUNA



EN 388



3222X

EN 407



413X4X

CE EN 12477 (TIP A)

ŠIFRA CODE	DLAN PALM	NADLANICA BACK PALM	MANŽETNA CUFF	PODSTAVA LINING	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6FLASH	Goveda špalt koža / Cow split leather	Goveda špalt koža / Cow split leather	Goveda špalt koža / Cow split leather	Pamuk / Cotton	Kevlar konac, vareni šavovi prsti i palac / Kevlar thread, welded seams on fingers and thumb	EN ISO 21420 EN 388 (3243X) EN 407 (413X4X) EN 12477 TIP A	10	12/72 WT = 1/72
6ATENA	Goveda špalt koža / Cow split leather	Goveda špalt koža / Cow split leather	Goveda špalt koža / Cow split leather	Pamuk / Cotton	Poliester konac, vareni šavovi prsti i palac / Kevlar thread, welded seams on fingers and thumb	EN ISO 21420 EN 388 (3222X) EN 407 (413X4X) EN 12477 TIP A	10	12/72 WT = 1/72

ATON

6ATON



LACUNA

EN 388



2121X

EN 407



412X4X

CE EN 12477 (TIP B)

HONOS

6HONO



LACUNA

EN 388



2121X

EN 407



412X4X

CE EN 12477 (TIP B)

ŠIFRA CODE	DLAN PALM	NADLANICA BACK PALM	MANŽETNA CUFF	PODSTAVA LINING	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6ATON	Kozja koža / Goat leather	Goveđa špalt koža / Cow split leather	Goveđa špalt koža / Cow split leather	Pamuk/Cotton	Vrlo fleksibilna s visokom spretnošću prstiju, prošivena kevlar koncem / Very flexible with high finger dexterity, stitched with Kevlar thread	EN ISO 21420 EN 388 (2121X) EN 407 (412X4X) EN 12477 (TIP B)	10, 11	1/72
6HONO	Glatka ovčja koža / Smooth sheep leather	Glatka ovčja koža / Smooth sheep leather	Goveđa špalt koža / Cow split leather	-	Pojačanjima na palcu te vrhovima prstiju, prošivena kevlar koncem / Reinforcements on the thumb and tips fingers, sewn with Kevlar thread	EN ISO 21420 EN 388 (2121X) EN 407 (412X4X) EN 12477 (TIP B)	10, 11	12/72

KRON

6KRON
6KRONWT



LACUNA



EN 388



3144X

EN 407



412X4X

CE



PALADA

6PALA



LACUNA

EN 388



3143X

EN 388



3143X

CE

ŠIFRA CODE	DLAN PALM	NADLANICA BACK PALM	MANŽETNA CUFF	PODSTAVA LINING	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6KRON	Mekana goveđa koža / Smooth cow leather	Mekana goveđa koža / Smooth cow leather	Goveđa špalt koža / Cow split leather	-	Dodatna zaštita nadlanice pojačanjem u predjelu članaka te ojačani vrhovi prstiju / Additional backrest protection reinforcement in the area of the articles and reinforced fingertips.	EN ISO 21420 EN 388 (3144X) EN 407 (412X4X)	10, 11	1/72
6PALA	Goveđa koža / Cow leather	Goveđa špalt koža / Cow split leather	Goveđa špalt koža / Cow split leather	-	Pojačanja na palcu, kažiprstu i na vrhovima prstiju / Reinforcement on thumb, forefinger and fingertips	EN ISO 21420 EN 388 (3143X)	10	12/72

EUROWELD 100

1WEL100

coverguard



EN 388



211X

EN 407



412X4X

CE EN 12477 (TIP B)

EUROWELD 140

1WEL140

coverguard

NOVO
NEW



EN 388



3143X

EN 407



412X4X

CE EN 12477 (TIP B)

ŠIFRA CODE	DLAN PALM	NADLANICA BACK PALM	MANŽETNA CUFF	PODSTAVA LINING	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
1WEL100	Kozja koža / Goat leather	Kozja koža / Goat leather	Goveđa koža / Cow leather	-	Vrlo fleksibilna s visokom spretnošću prstiju / Very flexible with high dexterity of the fingers	EN ISO 21420 EN388 (211X) EN407 (412X4X) EN 12477 (TIP B)	8-11	10/60
1WEL140	Goveđa špalt koža / Cow split leather	Goveđa špalt koža / Cow split leather	Goveđa špalt koža / Cow split leather	-	Antistatik, ojačan dlan / Antistatic, reinforced palm	EN ISO 21420 EN388 (3143X) EN407 (412X4X) EN 12477 (TIP A)	9-11	10/60

EUROWELD 200

1WEL200

coverguard



EN 388



211X

EN 407



412X4X

CE EN 12477 (TIP B)

EUROWELD 360

1WEL360

coverguard



EN 388



3244X

EN 407



433X4X

CE EN 12477 (TIP A)

ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	DEBLJ. NASLOJA THICKNESS OF LAYERS	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
1WEL200	Kozja koža / Goat leather	Kozja koža / Goat leather	Goveđa koža / Cow leather	-	Vrlo fleksibilna s visokom spretnošću prstiju / Very flexible with high dexterity of the fingers	EN ISO 21420 EN388 (211X) EN407 (412X4X) EN 12477 (TIP B)	8-11	10/60
1WEL360	Goveđa špalt koža / Cow split leather	Goveđa špalt koža / Cow split leather	Goveđa špalt koža / Cow split leather	fleece	Ojačan dlan, kevlar konac / Reinforced palm, kevlar thread	EN ISO 21420 EN388 (3244X) EN407 (433X4X) EN 12477 (TIP A)	9-11	6/36

LUND

6LUND
6LUNDWT

NOVO
NEW



LACUNA



EN 388



3133X

EN 407



X1XXXX



ASOP

6ASOP
6ASOPWT



LACUNA



EN 388



4233X



ŠIFRA CODE	DLAN PALM	NADLANICA BACK PALM	MANŽETNA CUFF	PODSTAVA LINING	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6LUND	Goveda špalt koža / Cow split leather	Goveda špalt koža / Cow split leather	Goveda špalt koža / Cow split leather	-	Kožna rukavica za rad u suvim uvjetima / Leather glove for working in dry conditions	EN ISO 21420 EN 388 (3133X) EN 407 (X1XXXX)	10	12/120 BL= 1/120
6ASOP	Goveda koža / Cow leather	Goveda špalt koža / Cow split leather	Goveda špalt koža / Cow split leather	-	Pojačanjima na palcu te vrhovima prstiju / Reinforcement between thumb and palm	EN ISO 21420 EN 388 (4233X)	10	12/72 BL=1/72

ATLAS

6ATLA
6ATLAWT



LACUNA



EN 388



3144X



CROM

6CROM



LACUNA

EN 388



2132X



ŠIFRA CODE	DLAN PALM	NADLANICA BACK PALM	MANŽETNA CUFF	PODSTAVA LINING	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6ATLA	Goveda koža / Cow leather	Goveda koža / Cow leather	Goveda koža / Cow leather	-	Pojačanje: na palcu, kažiprstu i na vrhovima prstiju, zaštita za zglob / Reinforcement: on thumb, forefinger and fingertips, wrist protection	EN ISO 21420, EN 388 (3144X)	10, 11	12/72 WT = 1/72
6CROM	Glatka goveda koža / Smooth cow leather	Tekstil / Textile	Tekstil / Textile	-	Pojačanje na dlanu, elastično područje zgloba / Reinforcement on the palm, elastic area of the wrist	EN ISO 21420 EN 388 (2132X)	10	12/120

LIGO

6LIGO
6LIGOWT



LACUNA



EN 388



3244X



EUROSTRONG 150

150

coverguard



EN 388



2132X

ŠIFRA CODE	DLAN PALM	NADLANICA BACK PALM	MANŽETNA CUFF	PODSTAVA LINING	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6LIGO	Goveđa špalt koža / Cow split leather	Pamuk i špalt koža / Cotton and split skin	Tekstil / Textile	-	Pojačanja na dlanu i palcu, kažiprst sašiven od kože u jednom komadu / Reinforcements on the palm and thumb, forefinger sewn from leather in one piece	EN ISO 21420 EN 388 (3244X)	10	12/120 WT 1/120
150	Goveđa špalt koža / Cow split leather	Goveđa špalt koža / Cow split leather	Tekstil / Textile	-	Mornar rukavica od sive govede kože i tekstila / Sailor glove made of gray cow leather and textiles	EN ISO 21420 EN 388 (2132X)	10	12/120

EUROSTRONG 152

152H

coverguard



EN 388



3133X

TORO

6TORO
6TOROWT



LACUNA



EN 388



2132X



ŠIFRA CODE	DLAN PALM	NADLANICA BACK PALM	MANŽETNA CUFF	PODSTAVA LINING	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
152H	Goveđa špalt koža / Cow split leather	Goveđa špalt koža / Cow split leather	Tekstil / Textile	-	Mornar rukavica od sive govede kože i tekstila / Sailor glove made of gray cow leather and textiles	EN ISO 21420 EN 388 (3133X)	10	12/60
6TORO	Glatka bivolja koža / Smooth buffalo skin	Glatka bivolja koža / Smooth buffalo skin	Elastična traka ispod nadlanice / Elastic band under the back palm	-	Elastično područje zgloba, kažiprst sašiven od kože u jednom komadu / Elastic area of the wrist, forefinger sewn from leather in one piece	EN ISO 21420 EN 388 (2132X)	9-11	12/120 WT = 1/120

FASO

6FASO
6FASOWT



EN 388



2132X



TOGO

6TOGO
6TOGOWT



EN 388



2132X



ŠIFRA CODE	DLAN PALM	NADLANICA BACK PALM	MANŽETNA CUFF	PODSTAVA LINING	POSEBNE KARAK. SPECIAL FEATURES	STANDARD SIZE	VELIČINE SIZE	PAKOVANJE PACKAGING
6FASO	Glatka bivolja koža / Smooth buffalo skin	Bivolja špalt koža / Buffalo split skin	Elastična traka ispod nadlanice / Elastic band under the back palm	–	Ergonomski palac, udobne i fleksibilne za precizne radove u suvim uslovima / Ergonomic thumb, comfortable and flexible for precise work in dry conditions	EN ISO 21420 EN 388 2132X	9-11	12/120 WT = 1/120
6TOGO	Goveđa koža / Cow leather	Goveđa špalt koža / Cow split leather	Elastična traka ispod nadlanice / Elastic band under the back palm	–	Ergonomski palac, udobne i fleksibilne za precizne radove u suvim uslovima / Ergonomic thumb, comfortable and flexible for precise work in dry conditions	EN ISO 21420 EN 388 2132X	8-11	12/120 WT = 1/120

LAGOA

6LAGOA
6LAGOAWT



EN 388



2132X



DOHA

6DOHA
6DOHAWT



EN 388



4122X



ŠIFRA CODE	DLAN PALM	NADLANICA BACK PALM	MANŽETNA CUFF	PODSTAVA LINING	POSEBNE KARAK. SPECIAL FEATURES	STANDARD SIZE	VELIČINE SIZE	PAKOVANJE PACKAGING
6LAGOA	Goveđa koža / Cow leather	Goveđa koža / Cow leather	Elastična traka ispod nadlanice / Elastic band under the back palm	–	Ergonomski palac, udobne i fleksibilne za precizne radove u suvim uslovima / Ergonomic thumb, comfortable and flexible for precise work in dry conditions	EN ISO 21420 EN 388 2132X	8-12	12/120 WT = 1/120
6DOHA	Goveđa špalt koža / Cow split leather	Goveđa špalt koža / Cow split leather	Elastična traka ispod nadlanice / Elastic band under the back palm	–	Ergonomski palac, udobne i fleksibilne za precizne radove u suvim uslovima / Ergonomic thumb, comfortable and flexible for precise work in dry conditions	EN ISO 21420 EN 388 4122X	9-11	12/120 WT = 1/120





HORA

6HORA
6HORAWT



LACUNA



EN 388



2121X



LIRA

6LIRA
6LIRAWT



LACUNA



NOVO
NEW



EN 388



2121X



ŠIFRA CODE	DLAN PALM	NADLANICA BACK PALM	MANŽETNA CUFF	PODSTAVA LINING	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6HORA	Glatka koža / Smooth goat skin	Plavi pamuk / Blue cotton	Elastična regulisana čičkom / Elastic, regulated by velcro	–	Rukavice za precizne radove u suvom okruženju / Gloves for precision work in a dry environment	EN ISO 21420, EN 388 (2121X)	7-11	12/120 WT = 1/120
6LIRA	Glatka koža / Smooth goat skin	Najlon / Nylon	Elastična traka ispod nadlanice / Elastic, regulated by velcro	–	Rukavice za precizne radove u suvom okruženju / Gloves for precision work in a dry environment	EN ISO 21420, EN 388 (2121X)	7-11	12/120 WT = 1/120

RUNA

6RUNA
6RUNAWT



LACUNA



NOVO
NEW



EN 388



2121X



EUROLITE MX200

1MEDX00

coverguard

NOVO
NEW



EN 388



2121X



ŠIFRA CODE	DLAN PALM	NADLANICA BACK PALM	MANŽETNA CUFF	PODSTAVA LINING	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6RUNA	Glatka ovčja koža / Smooth sheep skin	Pamuk / Cotton	Elastična regulisana čičkom / Elastic, regulated by velcro	–	Rukavice za precizne radove u suvom okruženju / Gloves for precision work in a dry environment	EN ISO 21420, EN 388 (2121X)	7-11	12/120 WT = 1/120
1MEDX	PU koža / PU leather	Sintetika / synthetics	Elastična regulisana čičkom / Elastic, regulated by velcro	–	Rukavice za precizne radove u suvom okruženju, pogodne za Touchscreen / Gloves for precise work in dry conditions environment, suitable for Touchscreen	EN ISO 21420, EN 388 (2121X)	7-11	5/50





CE
Art. 6FORTIS
SIZE/VEL. 7
331 / 2021
LACUNA
FORTIS

**RUKAVICE ZA ZAŠTITU
OD HEMIKA LIJA I
TEČNOSTI**
*GLOVES FOR
PROTECTION
AGAINST
CHEMICALS AND
LIQUIDS*

FORTIS

6FORTIS



LACUNA



EN374-5



EN 388



4101X

EN 374-1
TIP A



AJKLPOT



NEOCHEM

6NEOCHEM



LACUNA



EN374-5



VIRUS

EN 388



2110X

EN 374-1
TIP A1



AKLMNPST



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6FORTIS	Pamuk / Cotton	Nitril / Nitrile	Nitril / Nitrile	Otpornost na mehaničke rizike, otpornost na hemikalije, dužina 32 cm / Resistance to mechanical risks, resistance for chemicals, length 32 cm	EN ISO 21420 EN388 = 4101X EN 374-1 TIP A (AJKLPOT) EN374-5	7-11	1/120
6NEOCHEM	Pamuk / Cotton	Neoprene, lateks / Neoprene, latex	Neoprene, lateks / Neoprene, latex	Otpornost na mehaničke rizike, otpornost na hemikalije, dužina 30 cm / Resistance to mechanical risks, resistance for chemicals, length 30 cm	EN ISO 21420 EN 388 (2110X) EN 374-1 TIP A (AKLMNPST) EN 374-5	6-10	1/120

KONA

6KONA



LACUNA



CE EN ISO 21420

PARK 27 CM

6PARK27
6PARK27WT



LACUNA



EN 388



4121X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6KONA	Pamuk / Cotton	Prirodna guma (Latex) / Natural rubber(latex)	Prirodna guma (Latex) / Natural rubber(latex)	Domaćinska rukavica za minimalne rizike, dužina 30 cm / Household glove for minimal risks, length 30 cm	EN ISO 21420	S, M, L, XL	1/ 240
6PARK27	Pamuk / Cotton	PVC (polivinil klorid) / PVC	PVC (polivinil klorid) / PVC	Otpornost na mehaničke rizike, štiti od tečnosti, dužina 27 cm / Resistance to mechanical risks, protects against liquids, length 27 cm	EN ISO 21420 EN 388 (4121X)	10	12/60 WT = 1/60



PARK 35 CM

6PARK35
6PARK35 WT



EN 388



4121X



PARK 45 CM

6PARK45
6PARK45WT



EN 388



4121X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6PARK35	Pamuk / Cotton	PVC (polivinil klorid) / PVC	PVC (polivinil klorid) / PVC	Otpornost na mehaničke rizike, štiti od tečnosti, dužina 35 cm / Resistance to mechanical risks, protects against liquids, length 35 cm	EN ISO 21420 EN 388 (4121X)	10	12/60 WT = 1/60
6PARK45	Pamuk / Cotton	PVC (polivinil klorid) / PVC	PVC (polivinil klorid) / PVC	Otpornost na mehaničke rizike, štiti od tečnosti, dužina 45 cm / Resistance to mechanical risks, protects against liquids, length 45 cm	EN ISO 21420 EN 388 (4121X)	10	12/60 WT = 1/60

EUROCHEM NE530

1CHNE30

NOVO
NEW



coverguard

EN 388



3132X

EN 511



X1X

EN 374-1



TIP A
ALMNPST

EN 374-5



EN 407



X2XXXX



EUROCHEM NI550

1CHNI50

NOVO
NEW



coverguard

EN 374-1



TIP A

JKLOPT

EN 388



3131X

EN 511



X1X

EN 374-5



EN 407



X1XXXX



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
1CHNE30	Poliester pamuk / Polyester cotton	Neopren / Neoprene	Neopren / Neoprene	Vrhunsko priranje u svim, mokrim i masnim okruženjima. Hipoalergen. Vrhunska hemijska otpornost. Visoka toplotna izolacija na toplotu i niske temperature / Excellent grip in dry, wet and oily conditions environments. Hypoallergenic. Excellent chemistry resistance. High thermal insulation to heat and low temperature	EN ISO 21420 EN 388 (3132X) EN 407 (X2XXXX) EN 511 (X1X) EN 374-1 TIP A (ALMNPST) EN 374-5	7-11	12/72
1CHNI50	Poliester pamuk / Polyester cotton	Nitril / Nitrile	Nitril / Nitrile	Vrhunsko priranje u svim, mokrim i masnim okruženjima. Hipoalergen. Vrhunska hemijska otpornost. Ergonomski oblikovane. / Excellent grip in dry, wet and oily environments. Hypoallergenic. Excellent chemical resistance. Ergonomically designed	EN ISO 21420 EN 388 (3131X) EN 407 (X1XXXX) EN 511 (X1X) EN 374-1 TIP A (JKLOPT) EN 374-5	7-11	12/72



EUROCHEM L5210

5210

 coverguard



EN388



4131X

EN 374-5



EN 374-1
TIP B



CKL



EUROCHEM N5520

5520

 coverguard



EN3888



3101X

EN 374-5



EN 374-1
TIP B



JKL



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
5210	Pamuk / Cotton	Lateks / Latex	Lateks / Latex	Otpornost na hemikalije, pogodno za kontakt sa hranom, dužina 32 cm, debljina 1,3 mm / Chemical resistance, suitable for contact with food, length 32 cm, thickness 1.3 mm	EN ISO 21420 EN 388 (4131X) EN 374-1 TIP B (CKL) EN 374-5	6-11	10/100
5520	Pamuk / Cotton	Zeleni akrilonitril / Green acrylonitrile	Zeleni akrilonitril / Green acrylonitrile	Otpornost na hemikalije, dužina 33 cm, debljina 1,3 mm / Chemical resistance, good grip, comfort, flexibility, length 30 cm, thickness 1.3 mm	EN ISO 21420 EN 388 (3101X) EN 374-1 TIP B (JKL) EN 374-5	6-11	10/200

EUROCHEM N5530

5530

 coverguard



EN388



3001X

EN 374-5



EN 374-1
TIP B



AJL



EURODIP 5220

5220

 coverguard



EN388



2131X

EN 374-5



EN 374-1
TIP C



K



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
5530	Pamuk / Cotton	Zeleni akrilonitril / Green acrylonitrile	Zeleni akrilonitril / Green acrylonitrile	Otpornost na hemikalije, pogodno za kontakt sa hranom, dužina 33 cm, debljina 0,46 mm / Chemical resistance, suitable for contact with food, length 32 cm, thickness 0.38 mm	EN ISO 21420 EN 388 (3001X) EN 374-1 TIP B (AJL) EN 374-5	7-11	10/100
5220	Pamuk / Cotton	Plavi Latex / Blue Latex	Plavi Latex / Blue Latex	Otpornost na hemikalije, dobro hvatanje, dužina 30cm, debljina 1,3 mm / Chemical resistance, length 33 cm, thickness 0.38 mm	EN ISO 21420 EN 388 (2131X) EN 374-1 TIP C (K) EN 374-5	9-10	12/144

EUROCHEM NE5310

5310

coverguard



EN388



2010X

EN 374-5



EN 374-1



TIP B
AKL



EUROCHEM 3740

3740

coverguard



EN388



4121X

EN 374-5



VIRUS

EN 374-1



TIP A

JKLMPT



ŠIFRA CODE	PLETIVO KNITTING	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
5310	Pamuk / Cotton	Crni latex / Black Latex	Otpornost na hemikalije, dobro hvatanje, dužina 31cm, debljina 0.7 mm / Chemical resistance, good grip, length 31 cm, thickness 0.7 mm	EN ISO 21420 EN 388 (2010X) EN 374-1 TIP B (AKL) EN 374-5	7-11	10/100
3740	Pamuk / Cotton	PVC (polivinil klorid) / PVC	Otpornost na hemikalije, tretirano ACTIFRESH tretmanom za bolju higijenu, dužina 40 cm / Chemical resistance, treated with ACTIFRESH treatment for better hygiene, length 40 cm	EN ISO 21420 EN 388 (4121X) EN 374-1 TIP A (JKLMPT) EN 374-5	8-10	10/ 50

EUROCHEM 3636

3636

coverguard



EN388



4121X

EN 374-5



VIRUS

EN 374-1



TIP A

AKLMPT



EUROCHEM 3640

3640

coverguard



EN388



4121X

EN 374-5



VIRUS

EN 374-1



TIP A

AKLMPT



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
3636	Pamuk / Bombaž	Polivinilklorid (PVC) / PVC	Polivinilklorid (PVC) / PVC	Otpornost na hemikalije, dobro hvatanje, dužina 36 cm / Chemical resistance, good grip, length 36 cm	EEN ISO 21420 EN 388 (4121X) EN 374-1 TIP A (AKLMPT) EN 374-5	8-10	10/50
3640	Pamuk / Bombaž	Polivinilklorid (PVC) / PVC	Polivinilklorid (PVC) / PVC	Otpornost na hemikalije, dobro hvatanje, dužina 36 cm / Chemical resistance, good grip, length 40 cm	EN ISO 21420 EN 388 (4121X) EN 374-1 TIP A (AKLMPT) EN 374-5	10	10/50





**RUKAVICE ZA
PRECIZNE POSLOVE
I OPŠTU UPOTREBU
GLOVES FOR
PRECISION &
GENERAL USE**

DODO

6DODOWT

BLAKE

6BLAKE
6BLAKEWT



LACUNA



EN 388



2131X



LACUNA



EN 388



2131X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6DODO	Najlon / Nylon	Latex / Latex	Najlon / Nylon	Visoka pokretljivost prstiju, pogodna za precizne radove / High finger mobility, suitable for precise work	EN ISO 21420 EN 388 (2131X)	10	1/120
6BLAKE	Poliester / Polyester	Latex / Latex	Poliester / Polyester	Visoka pokretljivost prstiju, pogodna za precizne radove / High finger mobility, suitable for precise work	EN ISO 21420 EN 388 (2131X)	7-11	12/240 WT = 1/240

LUNA

6LUNAWT

VARDE

6VARDEWT



LACUNA



EN 388



3131X



LACUNA



EN 388



2141X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
LUNAWT	Najlon / Nylon	Lateks / Latex	Najlon / Nylon	Visoka pokretljivost prstiju, pogodna za precizne radove, vrhunsko hvatanje / High finger mobility, suitable for precise work, excellent grip	EN ISO 21420 EN 388 (3131X)	10	1/120
6VARDEWT	Poliester / Polyester	Lateks / Latex	Poliester / Polyester	Visoka pokretljivost prstiju, pogodna za precizne radove, premaz protiv klizanja, dobro prljanjanje / High finger mobility, suitable for precise works, anti-slip coating, good grip	EN ISO 21420 EN 388 (2141X)	8-11	1/120



NEVA

6NEVAWT

NEVA

6NEVARDWT



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6NEVAWT	Najlon / Nylon	Latex / Latex	Najlon / Nylon	Visoka pokretljivost prstiju, pogodna za precizne radove / High finger mobility, suitable for precise work.	EN ISO 21420 EN 388 (2131X)	7-11	WT = 1/120
6NEVARDWT	Najlon / Nylon	Lateks / Latex	Najlon / Nylon	Visoka pokretljivost prstiju, pogodna za precizne radove / High finger mobility, suitable for precise work.	EN ISO 21420 EN 388 (2131X)	7-11	WT = 1/120

NEVA

6NEVALBWT

EUROCUT STRONG L440

1CHLD00



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6NEVALBWT	Najlon / Nylon	Lateks / Latex	Najlon / Nylon	Visoka pokretljivost prstiju, pogodna za precizne radove / High finger mobility, suitable for precise work.	EN ISO 21420 EN 388 (2131X)	7-11	WT = 1/120
1CHLD00	HDPE, najlon, spandex / HDPE, nylon, spandex	Lateks / Latex	HDPE, najlon, spandex / HDPE, nylon, spandex	Visoka spretnost prstiju, dobro hvatanje. Otpornost na kontaktnu toplotu do 250 stepeni / High finger dexterity, good grip. Resistance to contact heat up to 250 degrees / 15 seconds	EN ISO 21420 EN 388 (3X42D) EN 407 (X2XXXX)	7-11	10/100



coverguard
EN 388:2016
*A1/2016
3K42D
EURO-CUT STRONG L440
1CHLD00010

CUT D

10/XL
CE

ANSI A4
CUT



EUROLITE L900

1LACW00

NOVO
NEW

coverguard



EN 388



2131X

EN 407



X2XXXX



EUROLITE 13L850

1LACR
1LACRWT

coverguard



EN 388



3131X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
1LACW	Reciklirani poliester (85%), elasthan (15%) / Recycled polyester (85%), elastane (15%)	Lateks / Latex	Reciklirani poliester (85%), elasthan (15%) / Recycled polyester (85%), elastane (15%)	Izradene od recikliranog polisestera (85%) i elastina (15%), Oeko Tex sertifikat, Visoka spretnost prstiju, dobro hvatanje / Made of recycled polyester (85%) and elastane (15%), Oeko Tex certificate, High finger dexterity, good grip	EN ISO 21420 EN 388 (2131X) EN 407 (X2XXXX)	7-11	10/100
1LACR	Poliester / Polyester	Latks / Latex	Poliester / Polyester	Naborani protuklizni premaz, omogućuje precizne radove u vlažnim uslovima, visoka pokretljivost prstiju / Wrinkled anti-slip coating, enables precise work in humid conditions, high finger mobility	EN ISO 21420 EN 388 (3131X)	6-11	10/100 WT = 1/100

EUROLITE 13L700

1LASB
1LASBWT

coverguard



EN 388



3131X



ROCA

6ROCAWT



LACUNA



EN 388



3121X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
1LASB	Poliester / Polyester	Lateks / Latex	Poliester / Polyester	Pletivo od poliester sa elasthanom, dvostruki premaz od Latex pene / Knitted polyester with elastane, double coating of Latex foam	EN ISO 21420 EN 388 (3131X)	6-11	10/100 WT = 1/100
6ROCAWT	Poliester / Polyester	Nitril / Nitrile	Poliester / Polyester	Visoka spretnost prstiju, dobro hvatanje / High finger mobility, good grip	EN ISO 21420 EN 388 (3121X)	7-10	1/120

NITRA

6NITRA
6NITRAWT



LACUNA



EN 388



4121X



BARO

6BAROWT




LACUNA



EN 388



4121X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6NITRA	Poliester / Polyester	Nitril / Nitrile	Poliester / Polyester	Pletivo od poliestera , rukavica je umočena u nitril u području dlana i na vrhovima prstiju na nadlanci / Made from polyester, the glove is coated with nitril in the palm area and fingertips of the back palm	EN ISO 21420 EN 388 (4121X)	9-10	12/240 WT = 1/240
6BAROWT	Najlon / spandeks/ Nylon / spandex	Nitril/ Nitrile	Najlon / spandeks/ Nylon / spandex	Visoka pokretljivost prstiju, pogodna za precizne radove / Knitted gloves with nitrile foam coating and elastic cuff for precision work	EN ISO 21420 EN 388 (4121X)	8-11	1/120

MITAS

6MITASYLWT



LACUNA



EN 388



3131X



TISA

6TISARDWT



LACUNA



EN388



4121X

EN 407



X1XXXX



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6MITASYLWT	Poliester/ Polyester	Nitril/Nitrile	Poliester/ Polyester	Visoka pokretljivost prstiju, pogodna za precizne radove / High finger mobility, suitable for precise works	EN ISO 21420 EN 388 (3131X)	8-11	1/120
6TISAWT	Najlon / spandeks/ Nylon / spandeks	Nitril/Nitrile	Najlon / spandeks/ Nylon / spandeks	Visoka pokretljivost prstiju, pogodna za precizne radove, zaštita od kontaktno toplote do 100°C / High finger mobility, suitable for precise works, protection against contact heat up to 100°	EN ISO 21420 EN 388 (4121X) EN 407 (X1XXXX)	7-11	1/120



HAGA

6HAGARDWT

EUROLITE 15N500

1NISG



LACUNA



EN388



4121X

EN 407



X1XXXX



NOVO
NEW

coverguard



EN 388



4131X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6HAGARD WT	Najlon, spandeks / Nylon / spandex	Nitril / Nitrile	Najlon, spandeks / Nylon / spandex	Visoka pokretljivost prstiju, pogodna za precizne radove, zaštita od kontaktne toplote do 100°C / High finger mobility, suitable for precise works, protection against contact heat up to 100°C	EN ISO 21420 EN 388 (4121X)	7-11	1/120
1NISG	Polimid, elasthan / Polyamide, elastane	Nitril / Nitrile	Polimid, elasthan / Polyamide, elastane	Visoka udobnost, odlično hvatanje u uljnom okruženju, Oeko Tex sertifikat / High comfort, excellent grip in an oily environment, Oeko Tex certificate	EN ISO 21420 EN 388 (4131X)	6-11	10/100

EUROLITE 15N600D

1NIDP00

EUROLITE 15N606D

1NIDG



NOVO
NEW

coverguard



EN 388



4131X



NOVO
NEW

coverguard



EN 388



4131X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
1NIDP	Polimid, spandeks / Polyamide, spandex	Nitril / Nitrile	Polimid, spandeks / Polyamide, spandex	Visoka pokretljivost prstiju, pogodna za precizne radove, PVC granule na dlanu, visoka udobnost, Oeko Tex sertifikat / High finger mobility, suitable for precise work, PVC granules on the palm, high comfort, Oeko Tex certificate/High	EN ISO 21420 EN 388 (4131X)	6-11	10/100
1NIDG	Polimid, spandeks / Polyamide, spandex	Nitril / Nitrile	Polimid, spandeks / Polyamide, spandex	Visoka pokretljivost prstiju, pogodna za precizne radove, PVC granule na dlanu, visoka udobnost, Oeko Tex sertifikat / High finger mobility, suitable for precise work, PVC granules on the palm, high comfort, Oeko Tex certificate	EN ISO 21420 EN 388 (4131X)	6-11	10/100

EUROCUT N303

1CUCC00

NOVO
NEW

coverguard



EN 388



4X42C



EUROCUT P313

1CUPC00

NOVO
NEW

coverguard



EN 388



4X42C



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
1CUCC	HDPE poliester spandex/ HDPE, polyester, spandex	Nitril/Nitrile	HDPE poliester spandex/HDPE polyester, spandex	Visoka pokretljivost prstiju, pogodna za precizne radove, touchscreen funkcija/High finger mobility, suitable for precise work, touchscreen function	EN ISO 21420 EN 388 (4X42C)	7-12	5/50
1CUPC	HDPE polimid elastan/HDPE Polyimide elastane	PU/PU	HDPE polimid elastan/HDPE Polyimide elastane	Visoka pokretljivost prstiju, pogodna za precizne radove, touchscreen funkcija/High finger mobility, suitable for precise work, touchscreen function	EN ISO 21420 EN 388 (4X42C)	7-11	10/100

EUROLITE SL555N

1NIFB

coverguard



EN 388



4121X



HONDO

6HONDO



LACUNA



EN 388



3121X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
1NIFB	Poliester/ Polyester	Nitril/ Nitrile	Poliester/ Polyester	Dvostruki premaz, narandžasti glatki premaz preko cele površine za rad u uljanim i masnim uslovima i crni nitrilni premaz preko dlana za bolji zahvat/Double coat, orange smooth coating over the entire surface for work in oily and greasy conditions and black nitrile coating over the palm for better grip	EN 420 EN 388 4121X	8, 9, 10, 11	10/100 WT= 1/100
6HONDO	Najlon/ Nylon	Poliuretane/ Polyurethane	Najlon/ Nylon	Pletivo od najlona, premaz od poliuretana, dobar zahvat/ Nylon knit, polyurethane coating, good grip	EN 420 EN 388 3121X	10	12/120 WT = 1/120

PINTO

6PINTOWH
6PINTOWHWT



LACUNA



EN 388



3121X



PINTO

6PINTOGM
6PINTOGMWT



LACUNA



EN 388



3121X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6PINTOWH	Poliester / polyester	Poliuretan / Polyurethane	Poliester / polyester	Rukavica za jednostavne mehaničke i poljoprivredne radove / Glove for simple mechanical and agricultural work	EN ISO 21420 EN 388 (3121X)	6-11	12/240 WT = 1/240
6PINTOGM	Poliester / polyester	Poliuretan / Polyurethane	Poliester / polyester	Rukavica za jednostavne mehaničke i poljoprivredne radove / Glove for simple mechanical and agricultural work	EN ISO 21420 EN 388 (3121X)	6-11	12/240 WT = 1/240

PINTO

6PINTOBK
6PINTOBKWT



LACUNA



EN 388



3121X



PINTO

6PINTOYLWT



LACUNA



EN 388



3121X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6PINTOBK	Poliester / polyester	Poliuretan / Polyurethane	Poliester / polyester	Rukavica za jednostavne mehaničke i poljoprivredne radove / Glove for simple mechanical and agricultural work	EN ISO 21420 EN 388 (3121X)	6-11	12/240 WT= 1/240
6PINTOYLWT	Poliester / polyester	Poliuretan / Polyurethane	Poliester / polyester	Rukavica za jednostavne mehaničke i poljoprivredne radove / Glove for simple mechanical and agricultural work	EN ISO 21420 EN 388 (3121X)	6-11	1/240

PINTO

6PINTOGRWT



LACUNA



EN 388



3121X



ARNO

6ARNONYWT



LACUNA



EN388



4131X

EN 407



X1XXXX



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PAKOVANJE
6PINTO-GRWT	Poliester / poliester	Poliuretan / Polyurethane	Poliester / poliester	Rukavica za jednostavne mehaničke i poljoprivredne radove / Glove for simple mechanical and agricultural work	EN ISO 21420 EN 388 (3121X)	6-11	1/240
6ARNONYWT	Najlon / Nylon	Poliuretan / Polyurethane	Najlon / Nylon	Visoka spretnost prstiju, dobro hvatanje, zaštite od kontaktna toplote do 100°C / High finger dexterity, good grip, protection from contact heat up to 100°C	EN ISO 21420 EN 388 (4131X)	7-11	12/120 WT = 1/120

FLORA

6FLORAPWT



LACUNA



EN 388



2131X



FLORA

6FLORARWT



LACUNA



EN 388



2131X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6FLORAP	Poliester / poliester	Poliuretan / Polyurethane	Poliester / poliester	Rukavice sa cvetnim uzorkom, odlične za upotrebu kod baštenskih poslova / Gloves with a floral pattern, great for use in gardening	EN ISO 21420 EN 388 (2131X)	8	12/120 WT= 1/120
6FLORAR	Poliester / poliester	Poliuretan / Polyurethane	Poliester / poliester	Rukavice sa cvetnim uzorkom, odlične za upotrebu kod baštenskih poslova / Gloves with a floral pattern, great for use in gardening	EN ISO 21420 EN 388 (2131X)	8	12/120 WT= 1/120



LENTE

6LENTE



LACUNA



CE EN ISO 21420

MINTA

6MINT



LACUNA



CE EN ISO 21420

ŠIFRA CODE	PLETIVO KNITTING	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6LENTE	Pamuk / Cotton	Pamuk / Cotton	Rukavica od kombinacije poliestera i pamuka, za jednostavne mehaničke poslove / Glove made of a combination of polyester and cotton, for simple mechanical jobs	EN ISO 21420	6-12	12/600
6MINT	Pamuk / poliester / Cotton / polyester	Pamuk / poliester / Cotton / polyester	Rukavica od 100% pamuka, za jednostavne mehaničke poslove / 100% cotton glove for simple mechanical work	EN ISO 21420	6-12	12/600

EUROLITE 4170

4170

coverguard



CE EN ISO 21420



TANA

6TANAWT



LACUNA



CE EN ISO 21420

ŠIFRA CODE	PLETIVO KNITTING	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
4170	Pamuk / Cotton	Pamuk / Cotton	Rukavica za jednostavne mehaničke i poljoprivredne radove / Glove for simple mechanical and agricultural work	EN ISO 21420	7-10	12/ 300
6TANA	Pamuk / Cotton	Pamuk / Cotton	Lagane, udobne, za precizne poslove, granule omogućuju dobro hvatanje / Light, comfortable, for precise work, the granules provide a good grip	EN ISO 21420	10	WT = 1/300

TIRA

6TIRA
6TIRAWT



LACUNA



CE EN ISO 21420

EUROSTRONG

4350
4355

coverguard



CE EN ISO 21420

ŠIFRA CODE	PLETIVO KNITTING	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6TIRA	Pamuk / Cotton	Pamuk / Cotton	Dlan sa PVC granulama za bolje hvatanje / Palm with PVC granules for better grip	EN ISO 21420	10	12/240 WT = 1/240
4350 crvena/rdeča 4355 plava/modra	Pamuk / poliester / Cotton / poliester	–	Dlan i nadlanica sa PVC granulama za bolje hvatanje / Palm and back palm with PVC granules for better grip	EN ISO 21420	4350/7, 4355/9	12/240

EUROLITE 4300/4305

4300
4305

coverguard



CE EN ISO 21420

EUROLITE 4330/4335

4330
4335

coverguard



CE EN ISO 21420

ŠIFRA CODE	PLETIVO KNITTING	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
4300,4305	Pamuk / Cotton	Pamuk / Cotton	Lagane, udobne, za precizne poslove / Light, comfortable, for precise jobs	EN ISO 21420	7, 10	10/ 250
4330,4335	Pamuk / Cotton	Pamuk / Cotton	Lagane, udobne, za precizne poslove / Light, comfortable, for precise jobs	EN ISO 21420	7, 10	10/ 250





**RUKAVICE ZA
TEŠKE I GRUBE
POSLOVE
GLOVES FOR HEAVY
AND ROUGH WORK**

CODO

6CODO
6CODOWT



LACUNA



EN 388



2142X



TREND

6TREND
6TRENDWT



LACUNA



EN 388



3142X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6CODO	Poliester / Polyester	Lateks / Latex	Poliester / Polyester	Vrhunska udobnost, odlično hvatanje, premaz naboranim Lateksom, elastična manžetna / Superior comfort, high grip, coated with wrinkled Latex, elastic cuff	EN ISO 21420 EN 388 (2142X)	10	12/120 WT = 1/120
6TREND	Poliester, pamuk / Polyester, cotton	Lateks / Latex	Poliester, pamuk / Polyester, cotton	Za upotrebu kod građevinskih radova, odlično hvatanje, premaz naboranim Lateksom, elastična manžetna / For use in construction work, high grip, wrinkled Latex coating, elastic cuff	EN ISO 21420 EN 388 (3142X)	10	12/120 WT = 1/120

HAKON

6HAKON
6HAKONWT



LACUNA



EN 388



2131X



BEST

6BEST
6BESTWT



LACUNA



EN 388



2121X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6HAKON / 6HAKON WT	Poliester / Polyester	Lateks / Latex	Poliester / Polyester	Za upotrebu kod građevinskih radova, odlično hvatanje, premaz / Superior comfort, good grip, Latex coating, elastic cuff	EN ISO 21420 EN 388 (2131X)	10	12/120 WT = 1/120
6BEST	Pamuk / Cotton	Lateks / Latex	Pamuk / Cotton	Za upotrebu kod građevinskih radova, elastična manžetna / For use in construction work, elastic cuff	EN ISO 21420 EN 388 (2121X)	10	12/120 WT = 1/120



DIFFER

6DIFFORWT



LACUNA



EN 388



2132X



DIFFER

6DIFFNYWT



LACUNA



EN 388



2132X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6DIFFORWT	Poliester / Polyester	Lateks / Latex	Poliester / Polyester	Za upotrebu kod građevinskih radova, odlično hvatanje, premaz naboranim Lateksom, elastična manžetna / For use in construction work, good grip, Latex coating, elastic cuff	EN ISO 21420 EN 388 (2132X)	10	12/120 WT = 1/120
6DIFFNYWT	Poliester / Polyester	Lateks / Latex	Poliester / Polyester	Za upotrebu kod građevinskih radova, odlično hvatanje, premaz naboranim Lateksom, elastična manžetna / For use in construction work, good grip, Latex coating, elastic cuff	EN ISO 21420 EN 388 (2132X)	10	12/120 WT = 1/120

DIFFER

6DIFFYLWT



LACUNA



EN 388



2132X



DIFFER

6DIFFGMWT



LACUNA



EN 388



2132X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6DIFFYLWT	Poliester / Polyester	Lateks / Latex	Poliester / Polyester	Za upotrebu kod građevinskih radova, odlično hvatanje, premaz naboranim Lateksom, elastična manžetna / For use in construction work, good grip, Latex coating, elastic cuff	EN ISO 21420 EN 388 (2132X)	10	12/120 WT = 1/120
6DIFFGMWT	Poliester / Polyester	Lateks / Latex	Poliester / Polyester	Za upotrebu kod građevinskih radova, odlično hvatanje, premaz naboranim Lateksom, elastična manžetna / For use in construction work, good grip, Latex coating, elastic cuff	EN ISO 21420 EN 388 (2132X)	10	1/120

EUROSTRONG 3840

3840
3840WT

coverguard



EN 388



4132X



CORDA

6CORDA
6CORDAWT



LACUNA



EN 388



4111X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
3840	Pamuk / Cotton	Lateks / Latex	Poliester / Polyester	Dvostruki Latex premaz na dlanu, elastična manžeta, visok nivo zaštite / Double Latex coating on the palm, elastic cuff, high level protection	EN ISO 21420 EN 388 (4132X)	10	12/72 WT = 1/72
6CORDA	Pamuk / Cotton	Nitril / Nitrile	Pamuk / Cotton	Vrhunski kvalitet i udobnost, za sve teže mehaničke radove / Top quality and comfort, for increasingly difficult mechanical work	EN ISO 21420 EN 388 (4111X)	10	12/120 WT= 1/120

SINOP

6SINOP
6SINOPWT



LACUNA



EN 388



3111X



SINOP

6SINOPNY
6SINOPNYWT



LACUNA



EN 388



3111X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6SINOP	Pamuk / Cotton	Nitril / Nitrile	Pamuk / Cotton	Za uporabu kod mehaničkih radova, premaz nitrilom, elastična manžeta / For use in mechanical work, nitril coating, elastic cuff	EN ISO 21420 EN 388 (3111X)	10	12/120 WT = 1/120
6SINOPNY	Pamuk / Cotton	Nitril / Nitrile	Pamuk / Cotton	Za uporabu kod mehaničkih radova, premaz nitrilom, elastična manžeta / For use in mechanical work, nitril coating, elastic cuff	EN ISO 21420 EN 388 (3111X)	10	12/120 WT = 1/120





**TEHNIČKE RUKAVICE
PROTIVREZNE
& RUKAVICE ZA
SPECIJALNE RIZIKE**
*TECHNICAL ANTI-CUT
GLOVES AND SPECIAL
RISK GLOVES*

EUROCUT 1CRAG

1CRAG

coverguard



EN 388



4342C



EUROWINTER L20

1LAFO

coverguard



EN 388



2242X

EN 511



X2X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
1CRAG	HPPE, Sintetička vlakna, staklena vlakna / HPPE, Synthetic fibers, glass fibers	Poliuretan / Polyurethane	HPPE, Sintetička vlakna, staklena vlakna / HPPE, Synthetic fibers, glass fibers	Velika trajnost, optimizovana pokretljivost, protivrezne karakteristike, dobra otpornost na prljavštinu / Great durability, optimized mobility, anti-cut, good resistance to dirt	EN ISO 21420 EN 388 (4342C)	6-11	12/120
1LAFO	Akril / Acrylic	Lateks / Latex	Akril / Acrylic	Hi-viz žuto pletivo, dvostruki premaz na dlanu, visoka fleksibilnost, dobra prozračnost / Hi-viz yellow knit, double coating on the palm, high flexibility, good permeability, protection from moisture and water	EN ISO 21420 EN 388 (2242X) EN 511 (X2X)	8-11	5/50

EUROWINTER L22

1LAWO

coverguard



EN 388



2141X

EN 511



X1X



EUROWINTER 6610

6610

coverguard



EN 388



2243X

EN 511



X2X



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
1LAWO	Akril / Acrylic	Lateks / Latex	Akril / Acrylic	Hi-viz žuto pletivo, dvostruki premaz na dlanu, visoka fleksibilnost, dobra prozračnost, zaštita od vlage i vode / Hi-viz yellow knit, double coating on the palm, high flexibility, good permeability, protection from moisture and water	EN 420, EN 388 2141X, EN511 X1X;	8-11	5/50
6610	Poliester, akril / Polyester, Acrylic	Lateks / Latex	Poliester, akril / Polyester, Acrylic	Elastična manžeta, visoka udobnost i trajnost, 3/4 Lateks premaz, odlično hvatanje / Elastic cuff, high comfort and durability, 3/4 Latex coating, good grip	EN ISO 21420 EN 388 (2243X) EN 511 (X2X)	8-11	10/100



EURO ICE 2

1WIPPO

coverguard



EN 388



3231X

EN 511



X2X



EURO CUT IMPACT 100

1CHIC60

coverguard



EN 388



4232CP



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
1WIPPO	Akril / Acrylic	PVC (polivinilklorid) / PVC	Akril / Acrylic	Elastična manžetna, visoka udobnost i trajnost, odlično hvatanje, vodoonopropusna / Elastic cuff, high comfort and durability, good grip, water-repellent	EN ISO 21420 EN 388 (3231X) EN 511 (X2X)	7-11	10/100
1CHIC60	HPPE pletivo / HPPE knit	Latex / Latex	Nitril / Nitrile	Otpornost na udarce, visoka protureznost (razina C), visoka trajnost (abrazija razine 4/4) / Impact resistance, high resistance (level D), high durability (abrasion level 4/4)	EN ISO 21420 EN 388 (4342CP)	7-11	5/50

ARKAD

6ARKA
6ARKAWT

LACUNA



EN 388



3233X



EUROSTRONG VIBE

1VIBL00

coverguard



EN 388



4243XP

EN 10819:2013 /A1:2019



T[M] 0;738 - T[H] 0;577



ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
6ARKA	Goveda koža, poliester / Cow leather, polyester	-	Poliester / Polyester	Kombinacija kože i poliestera, pogodna za radove u građevini, antivibracijska svojstva / Combination of leather and polyester, suitable for construction work, anti-vibration properties	EN ISO 21420 EN 388 (3233X)	10-11	12/72 WT = 1/72
1VIBL00	Poliester pletivo / Polyester knit	Lateks / Latex	Poliester pletivo / Polyester knit	Antivibracijska rukavica, zaštita od udarca, pojačanje na nadlanci i prstima, dobro hvatanje u suvim i mokrim uslovima / Anti-vibration glove, shock protection, reinforcement on the back palm and fingers, good grip in dry and wet conditions	EN ISO 21420 EN 388 (4243XP) EN ISO 10819 (T[M] 0,738 - T(H) 0,577)	8-11	6/30



EUROHEAT 4655/4657

4655
4657

coverguard



EN 388



1x40D

EN 407



44XXXX



EUROHEAT 4715

4715

coverguard



EN 388



2231X

EN 407



X2XXXX



ŠIFRA CODE	PLETIVO KNITTING	MANŽETNA CUFF	PODSTAVA LINING	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
4655 - 27 cm 4657 - 35 cm	Kevlar / Kevlar	Elastična / Elastic	Debeli pamuk / Thick cotton	Termalna izolacija do 350°C, za rukovanje ostrim i vrućim predmetima / Thermal insulation up to 350°C, for handling sharp and hot objects	EN ISO 21420 EN 388 (1x40D) EN 407 (44XXXX)	10	5/50
4715	Pamuk / Cotton	Plastična / Plastic	Pamuk / Cotton	Termalna izolacija do 350°C, za rukovanje ostrim i vrućim predmetima / Thermal insulation up to 350°C, for handling sharp and hot objects	EN ISO 21420 EN 388 (2231X) EN 407 (X2XXXX)	10	5/60

ELEKTRIČARSKÉ RUKAVICE ELECTROVOLT ELECTRICAL INSULATING GLOVE ELECTROVOLT

8024-8411

KLASA/CLASS 00 2.500 V	8024 - 8027 VEL./SIZE 8 - 11
KLASA/CLASS 0 5.000 V	8054 - 8057 VEL./SIZE 8 - 11
KLASA/CLASS 1 10.000 V	8108 - 8111 VEL./SIZE 8 - 11
KLASA/CLASS 2 20.000 V	8208 - 8211 VEL./SIZE 8 - 11
KLASA/CLASS 3 30.000 V	8308 - 8311 VEL./SIZE 8 - 11
KLASA/CLASS 3 40.000V	8408 - 8411 VEL./SIZE 8 - 11

coverguard



ŠIFRA CODE	PLETIVO KNITTING	MANŽETNA CUFF	PODSTAVA LINING	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
8024-8411	Prirodna guma / Natural rubber	Gumena / Rubber	-	Visoka dielektrična zaštita, ergonomski oblik / High dielectric protection, Ergonomic shape	EN60903:2003 CEI 60903:2014 EPI Kategorija III/ EPI Category III	8-11	1

EUROLITE EST80

1EST80

NOVO
NEW

coverguard



EN 388



114XX

EN16350



CE

EUROLITE EST90

1EST90

NOVO
NEW

coverguard



EN 388



4142X

EN16350



CE

ŠIFRA CODE	PLETIVO KNITTING	NASLOJ LAYER	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
1EST80	Poliester 60%, ugljen 40% / Polyester 60%, charcoal 40%	PU / PU	Elastična / Elastic	Sastav rukavica osigurava zaštitu od antistatičkog pražnjenja (poliester / ugljik) - elektrostatička disipacija smanjuje rizik od eksplozije. / The composition of the gloves provides protection against antistatic discharge (polyester / carbon) - electrostatic dissipation reduces the risk of explosions.	EN21420 EN388 (114XX) EN16350	6-11	10/100
1EST90	Poliester 60%, ugljen 40% / Polyester 60%, charcoal 40%	PU / PU	Elastična / Elastic	Sastav rukavica osigurava zaštitu od antistatičkog pražnjenja (poliester / ugljik) - elektrostatička disipacija smanjuje rizik od eksplozije. / The composition of the gloves provides protection against antistatic discharge (polyester / carbon) - electrostatic dissipation reduces the risk of explosions.	EN21420 EN388 (4142X) EN16350	6-12	10/100

MESARSKA RUKAVICA - KRATKA GLOVE FOR MEAT INDUSTRY - SHORT

810

NOVO
NEW

REIKO



CE

MESARSKA RUKAVICA - DUGA GLOVE FOR MEAT INDUSTRY - LONG

812

NOVO
NEW

REIKO



CE

ŠIFRA CODE	PLETIVO KNITTING	MANŽETNA CUFF	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
810	Nerdajući čelik / Stainless steel	-	Lančana rukavica od metalnih prstena sa plastičnom trakom za pričvršćivanje, odgovara na levu i desnu ruku / Chain glove made of metal rings with a plastic strap for attachment, fits left and right hand	EN 1082-1	XXS-XL	1/60
812	Nerdajući čelik / Stainless steel	16 cm	Lančana rukavica od metalnih prstena sa plastičnom trakom za pričvršćivanje, odgovara na levu i desnu ruku / Chain glove made of metal rings with a plastic strap for attachment, fits left and right hand	EN1082-1	XXS-XL	1/60



**JEDNOKRATNE
RUKAVICE**
DISPOSABLE GLOVES

RAZLIKA IZMEĐU NITRIL, LATEKS I VINIL JEDNOKRATNIH RUKAVICA

Najpopularniji materijali od koji se izrađuju jednokratne rukavice danas su nitril, lateks i vinil.

Koje su razlike između nitril, lateks i vinil rukavica i za koje se primene i industrije preporučuju:

LATEKS jer prirodni materijal dobijen iz mlečnog soka biljke *Hevea brasiliensis* iz porodice kaučukovca koji se nakon prerade koristi kao proizvodna supstanca u raznim industrijama. Lateks je još uvek najpopularnija supstanca za proizvodnju jednokratnih rukavica, ali kod određenog broja ljudi izaziva alergijske reakcije pa su razvijene tzv. lateks free alternative u obliku nitril i vinil rukavica.

U medicinskom sektoru lateks je još uvek prvi izbor kad su u pitanju jednokratne rukavice zbog sledećih performansi:

- visok nivo zaštite
- fleksibilnost i izuzetna spretnost prstiju
- visoka dodirna osetljivost („second skin“ osećaj) i komfor

Osim medicinskog sektora, lateks se preporučuje za sve industrije gde nema prevelikog dodira sa teškim uljima i mastima (kozmetički saloni, poslovi održavanja i čišćenja).

Kao prirodni materijal, lateks je i biorazgradiv što mu daje dodatnu prednost u odnosu na veštački stvorene materijale.

NITRIL (Acrylonitrile butadiene rubber NBR) je sintetička guma proizvedena iz organskih hemikalija.

Krajem devedesetih godina, razvijena je kao alternativa lateksu tj. prirodnoj gumi koja je do tad bila nezamenljiva u mnogim industrijama. Nitril odnosno nitrilna guma ima sledeće performanse:

- superiorna čvrstina i rezistentnost na hemikalije u odnosu na prirodni lateks
- izuzetna rezistentnost na teške masnoće i ulja
- visoka stabilnost na ekstremnim temperatura od -40 °C do +108 °C
- antialergijska svojstva - latex free
- dugotrajnost

Nitril je opšteprihvaćen kao proizvodna supstanca u svim industrijama, od automobilske, avio industrije, proizvodnje obuće, proizvodnje lične zaštitne oprema, do proizvodnje rukavica.

Jednokratne rukavice od nitrila, uz sve navede performanse, pokažu le su izuzetnu otpornost i na mikroorganizme i odlična su alternativa prirodnom lateksu. Jedini nedostatak nitril rukavica je manja fleksibilnost i komfor u odnosu na prirodni lateks.

Primena: nitril je primenljiv u svim sektorima i industrijama, a posebno u prehrambenoj, automobilskoj, hemijskoj, naftnoj industriji, ali sve više i u medicinskom i farmaceutskom sektoru, kao i u domaćinstvima. U svetu je poslednjih godina zabeležen rast popularnosti rukavica izrađenih od nitrila i one definitivno preuzimaju primat u ukupnoj potrošnji jednokratnih rukavice u svetu.

VINIL je sintetički materijal i jedna od vrsta PVC-a, tačnije film nastao na bazi nafte. Primarna prednost vinil jednokratnih rukavica je jeftinija sirovina u odnosu na nitril i lateks, a uprkos tome što su manje izdržljive od lateks i nitril rukavica te nude ograničenu zaštitu od hemijske ili biomedicinske izloženosti, mnogo se koriste upravo zbog pristupačnih cena.

Vinil rukavice manje prijanaju uz ruku, manje su elastične te pružaju manji osećaj opipa od lateks ili nitril rukavica, ali se preporučuju ljudima koji su skloni alergijama jer su prijatne za kožu, pružaju osećaj komfora i dobra su opcija za dosta radnih pozicija.

Preporučena primena u prehrambenoj industriji kod kontakta sa nemasnom hranom, u domaćinstvu, veterini, uslužnim delatnostima kao što su frizerski saloni, zatim u prerađivačkoj industriji kao i drugim sektorima sa niže rizičnim okruženjem.

DIFFERENCE BETWEEN NITRILE, LATEX AND DISPOSABLE GLOVES VINYL

The most popular materials from which disposable gloves are made today are nitrile, latex and vinyl.

What are the differences between nitrile, latex and vinyl gloves and for which applications and industries are some of these gloves recommended:

LATEX because the natural material is obtained from the milky juice of the plant *Hevea brasiliensis* from the rubber family, which after processing is used as a production substance in various industries. Latex is still the most popular substance for the production of disposable gloves, but it causes allergic reactions in a certain number of people, so the so-called latex free alternatives are developed in the form of nitrile and vinyl gloves. In the medical sector, latex is still the first choice when it comes to disposable gloves due to the following performances:

- high level of protection
- flexibility and exceptional dexterity of the fingers
- high touch sensitivity (second skin feeling) and comfort

Apart from the medical sector, latex is recommended for all industries where there is not too much contact with heavy oils and fats (beauty salons, maintenance and cleaning work).

As a natural material, latex is also biodegradable, which gives it an additional advantage over artificially created materials.

NITRILE (Acrylonitrile butadiene rubber NBR) is a synthetic rubber produced from organic chemicals.

At the end of the nineties, it was developed as an alternative to latex, ie. natural rubber, which until then had been irreplaceable in many industries. Nitrile, or nitrile rubber, is characterized by the following performance:

- superior strength and resistance to chemicals compared to natural latex
- extreme resistance to heavy fats and oils
- high stability at extreme temperatures from -40 °C to +108 °C
- antiallergic properties - latex free
- longevity

NITRIL is generally accepted as a production substance in all industries,

from the automotive, aviation industry, footwear production, production of personal protective equipment and thus the production of gloves. Disposable nitrile gloves with all the above performance showed are excellent resistance to both microorganisms and are an excellent alternative natural latex. The only disadvantage of nitrile gloves is less flexibility and comfort compared to natural latex.

APPLICATION: nitrile is applicable in all sectors and industries, especially

food, automotive, chemical, oil industries, but everything more in the medical sector, pharmacy, household. It's in the world in recent years, there has been a growing popularity of gloves made from nitriles and they definitely take precedence in the total consumption of disposable gloves in the world.

VINYL is a synthetic material and one of the types of PVC, more precisely a film created on the basis of oil. The primary advantage of vinyl disposable gloves is cheaper raw materials compared to nitrile and latex, despite being less durable from latex and nitrile gloves and offering limited protection from chemical or biomedical exposure, they are widely used precisely because of the affordable prices.

Vinyl gloves stick less to the hand, are less elastic and provide less sense of touch than latex or nitrile gloves, but are recommended for people who are prone to allergies because they are comfortable for the skin, provide a sense of comfort and are a good option for a lot of work positions. Recommended application in the food industry in contact with low-fat food, in the household, veterinary, service activities such as hairdressing salons, processing industry and in other sectors with a lower risk environment.



DERMAGEL COATED

RD100060

MERCATORMEDICAL



CE EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3

COMFORT POWDER FREE

RD1000500

MERCATORMEDICAL



CE EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3

ŠIFRA CODE	MATERIJAL MATERIAL	BOJA COLOR	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
RD100060	Latex bez pudera / Latex without powder	Krem / Beige	Za rad u laboratoriju, industriji nameštaja, dijagnostici, salonima lepote, nezi bolesnika; dentalna medicina, veterinarska medicina, kontakt sa hranom / For laboratory work, furniture industry, diagnostics, beauty salons, patient care, dental medicine, veterinary medicine, contact with food	EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3	XS - XL	100 kom paket /100 pcs package/ 10 packages box
RD1000500	Latex bez pudera / Latex without powder	Bela / White	Za rad u laboratoriju, industriji nameštaja, dijagnostici, salonima lepote, nezi bolesnika; dentalna medicina, veterinarska medicina, kontakt sa hranom / For laboratory work, furniture industry, diagnostics, beauty salons, patient care, dental medicine, veterinary medicine, contact with food	EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420	XS - XL	100 kom paket /100 pcs package/ 10 packages box

SANTEX POWDERED

RD110100

MERCATORMEDICAL



CE EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420

VINYLEX POWDER FREE

RD200180

MERCATORMEDICAL



CE EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3

ŠIFRA CODE	MATERIJAL MATERIAL	BOJA COLOR	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
RD110100	Latex s puderom / Latex with powder	Krem / Beige	Nega bolesnika, dentalna medicina, veterinarska medicina, saloni lepote, kontakt sa hranom, mehaničarski radovi i auto industrija, štamparije, kućna radinost / Patient care, dental medicine, veterinary medicine, beauty salons, food contact, mechanical works and car industry, printing houses, handicraft	EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420	XS - XL	100 kom paket /100 pcs package/ 10 packages box
RD200180	Vinil bez pudera / Vinyl without powder	Prozirna / Transparent	Veterinarska medicina, saloni lepote / Veterinary medicine, beauty salons	EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3	XS - XL	100 kom paket /100 pcs package/ 10 packages box

NITRYLEX CLASSIC

RD300190

MERCATORMEDICAL



CE EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420

NITRYLEX CLASSIC

RD3031000

MERCATORMEDICAL



CE EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420

ŠIFRA CODE	MATERIJAL MATERIAL	BOJA COLOR	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
RD300190	Nitril bez pudera / Nitrile without powder	Plava / Blue	Nega bolesnika, dentalna medicina, veterinarska medicina, saloni lepote, kontakt sa hranom, mehaničarski radovi i auto industrija, štamparije, kućna radinost / Patient care, dental medicine, veterinary medicine, beauty salons, food contact, mechanical works and car industry, printing houses, handicrafts	EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3	XS - XL	100 kom paket /100 pcs package/ 10 packages box
RD3031000	Nitril bez pudera / Nitrile without powder	Plava / Blue	Nega bolesnika, dentalna medicina, veterinarska medicina, saloni lepote, kontakt sa hranom, mehaničarski radovi i auto industrija, štamparije, kućna radinost / Patient care, dental medicine, veterinary medicine, beauty salons, food contact, mechanical works and car industry, printing houses, handicrafts	EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3	S-XL	200 kom paket /200 pcs package/ 10 packages box

NITRYLEX CLASSIC

RD3016900

MERCATORMEDICAL



CE EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420

NITRYLEX BLACK

RD301040

MERCATORMEDICAL



CE EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420

ŠIFRA CODE	MATERIJAL MATERIAL	BOJA COLOR	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
RD3016900	Nitril bez pudera / Nitrile without powder	Ljubičasta / Violet	Nega bolesnika, dentalna medicina, veterinarska medicina, saloni lepote, kontakt sa hranom, mehaničarski radovi i auto industrija, štamparije, kućna radinost / Patient care, dental medicine, veterinary medicine, beauty salons, food contact, mechanical works and car industry, printing houses, handicrafts	EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3	XS - XL	100 kom paket /100 pcs package/ 10 packages box
RD301040	Nitril bez pudera / Nitrile without powder	Crna / Black	Mehaničarski radovi i auto industrija, tattoo saloni, osoblje za čišćenje, nega bolesnika, dentalna medicina, veterinarska medicina, saloni lepote, kontakt sa hranom, štamparije, kućna radinost / Mechanical works and car industry, tattoo parlors, cleaning staff, patient care, dental medicine, veterinary medicine, beauty salons, food contact, printing houses, handicrafts.	EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3	XS - XL	100 kom paket /100 pcs package/ 10 packages box



MERCATOR gogrip



2x deblje od standardnih rukavica
2x thicker than standard gloves.

Otporne na odabrane hemikalije kao i viruse, bakterije i gljivice
Resistant to selected chemicals as well as viruses, bacteria and fungi

Odobrene za kontakt s hranom
Approved for contact with food

Zaštita zdravlja i sigurnost na radu u teškim okruženjima
Occupational health and safety in difficult environments

Rad na mobilnim uređajima
Operation of mobile devices

Fleksibilne i izrazito otporne na rastezanje
Flexible and highly resistant to stretching

Revolucionarna 3D dijamantna tekstura:

- stabilno i sigurno hvatanje prstima čak i u teškom radnom okruženju
- sprečava znojenje ruku tokom upotrebe

Revolutionary 3D diamond texture:

- -provides a stable and secure grip
- even in a difficult work environment
- -prevents hand sweating during use

DIAMOND TEXTURE FOR EXTRA GRIP

DIAMOND TEXTURE EXTRA STRONG



3x deblje od standardnih rukavica
3x thicker than standard gloves

Otporne na odabrane hemikalije (tip B)
Resistant to selected chemicals (type B)

Visoka kvaliteta i snaga
High quality and strength

Jasne, lako uočljive boje koji se ističe u svakom okruženju
Distinct, easy-to-see colour that stands out in any environment

Rad na mobilnim uređajima
Operation of mobile devices

Revolucionarna 3D dijamantna tekstura:

- stabilno i sigurno hvatanje prstima čak i u teškom radnom okruženju
- sprečava znojenje ruku tokom upotrebe


Revolutionary 3D diamond texture:

- provides a stable and secure grip
- even in a difficult work environment
- prevents hand sweating during use

DIAMOND TEXTURE FOR EXTRA GRIP

DIAMOND TEXTURE EXTRA STRONG

MERCATOR go grip long



Zaštita zdravlja i sigurnost na radu u teškim okruženjima
Occupational health and safety in difficult conditions

Otporne na odabrane hemikalije kao i viruse, bakterije i gljivice
Resistant to selected chemicals as well as viruses, bacteria and fungi

Najdeblje rukavice u asortimanu sa dijamantnom teksturom. Debljina na prstima: **0,28 mm**
The thickest gloves in the assortment with the diamond texture. Thickness on fingers: 0,28 mm

SKALA DEBLJINE RUKAVICA
LESTVICA DEBELINE ROKAVIC



Pogodne za touchscreen
Touchscreen-ready

Dvostruka dijamantna snaga:
Dvostrana 3D struktura
Double diamond power: Double-sided 3D structure

Duža manžetna:
min. 300 mm
Longer cuff: min. 300 mm

Revolucionarna 3D dijamantna tekstura:

- stabilno i sigurno hvatanje prstima čak i u teškom radnom okruženju
- sprečava znojenje ruku tokom upotrebe

Revolutionary 3D diamond texture:

- Provides a stable and secure grip even in difficult work conditions
- Prevents excessive sweating of the hands when wearing gloves, even in extended periods



GOG RIP PRO

RP3003000

MERCATOR MEDICAL



EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420

GOG RIP PRO

RP3002300

MERCATOR MEDICAL



EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420

ŠIFRA CODE	MATERIJAL MATERIAL	BOJA COLOR	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
RP3003000	Nitril bez pudera / Nitrile without powder	Plava / Blue	2 puta deblja od standardnih jednokratnih rukavica, obložena granulama za bolje prijanjanje; Preporučena područja upotrebe: prehrambena industrija, prerada mesa i ribe, profesionalno čišćenje i održavanje, hotelijerstvo i ugostiteljstvo, Uradi sam trgovine / 2 times thicker than standard disposable gloves, coated with granules for better grip; Recommended areas of use: food industry, meat and fish processing, professional cleaning and maintenance, hotel management and catering, DIY stores	EN ISO 374-1, EN 374-2, EN 374-4, EN374-5, EN 16523-1, EN ISO 21420	S-XXL	50 kom paket/ 10 paketa kutija / 50 pcs package/ 10 packages box
RP3002300	Nitril bez pudera / Nitrile without powder	Crna / Black	2 puta deblja od standardnih jednokratnih rukavica, obložena granulama za bolje prijanjanje; Preporučena područja upotrebe: Automobilska industrija, građevina, montažni radovi, mehaničarski poslovi, industrija, prehrambena industrija, Uradi sam trgovine / 2 times thicker than standard disposable gloves, coated with granules for better grip; Recommended areas of use: Automotive industry, construction, assembly works, mechanical works, industry, food industry, DIY stores	EN ISO 374-1 (Type B), EN 374-2, EN 374-4, EN374-5, EN 16523-1 EN ISO 21420	M-XXL	50 kom paket/ 10 paketa kutija / 50 pcs package/ 10 packages box

GOG RIP PRO

RP3002900

MERCATOR MEDICAL



EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420

GOG RIP PRO

RP3002500

MERCATOR MEDICAL



EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420

ŠIFRA CODE	MATERIJAL MATERIAL	BOJA COLOR	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
RP3002900	Nitril bez pudera / Nitrile without powder	Zelena / Green	3 puta deblja od standardnih jednokratnih rukavica, obložena granulama za bolje prijanjanje; Preporučena područja upotrebe: poljoprivreda, hortikultura, EN ISO 374-1, EN vrtlarstvo, profesionalno čišćenje i održavanje, kontakt s hranom, auto industri- 374-2, EN 374-4. Uradi sam. / 3 times thicker than standard disposable gloves, coated with granules for better grip; Recommended areas of use: agriculture, horticulture, gardening, professional cleaning and maintenance, contact with food, auto industry, DIY stores	EN ISO 374-1, EN 374-2, EN 374-4, EN374-5, EN 16523-1, EN ISO 21420	M-XXL	50 kom paket/ 10 paketa kutija / 50 pcs package/ 10 packages box
RP3002500	Nitril bez pudera / Nitrile without powder	Narančasta / Orange	3 puta deblja od standardnih jednokratnih rukavica, obložena granulama za bolje prijanjanje; Preporučena područja upotrebe: Hemijska industrija, Automobilska industrija, građevina, montažni radovi, mehaničarski/ 3 times thicker than standard disposable gloves, coated with granules for better grip; Recommended areas of use: Chemical industry, Automotive industry, construction, assembly works, mechanical works, industry, food industry, DIY stores	EN ISO 374-1 (Type B), EN 374-2, EN 374-4, EN374-5, EN 16523-1 EN ISO 21420	M-XXL	50 kom paket/ 10 paketa kutija / 50 pcs package/ 10 packages box

GOGRIP PRO LONG BLUE

RP3003100

**NOVO
NEW**

MERCATOR MEDICAL



CE EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420

ŠIFRA CODE	MATERIJAL MATERIAL	BOJA COLOR	POSEBNE KARAK. SPECIAL FEATURES	STANDARD STANDARD	VELIČINE SIZE	PAKOVANJE PACKAGING
RP3003100	Nitril bez pudera / Nitrile without powder	Plava / Blue	Najdeblje rukavice u asortimanu sa dijamantnom teksturom. Debljina na prstima: 0,28 mm Preporučena područja upotrebe: prehrambena industrija, prerada mesa i ribe, profesionalno čišćenje i održavanje, hotelijerstvo. / The thickest gloves in the assortment with a diamond texture. Finger thickness: 0.28 mm Recommended areas of use: food industry, meat and fish processing, professional cleaning and maintenance, hotel and catering, DIY shops	EN ISO 374-1 EN 374-2 EN 374-4 EN374-5 EN 16523-1 EN ISO 21420	S-XXL	50 kom paketa/10 paketa kutija /50 pcs package/ 10 packages box



ZAŠTITA GLAVE I SLUHA HEAD AND HEARING PROTECTION

 coverguard

 Climax

ZAŠTITA GLAVE I SLUHA

Lacuna nudi široki izbor artikala za zaštitu glave i sluha. Naša ponuda čepića za uši, antifona, kaciga, vizira i ostalih artikala iz ovog asortimana osigurava rešenja u skladu sa potrebama vašeg radnog mesta.

Izuzetan dizajn, maksimalna udobnost i izvanredna zaštita su glavne karakteristike naših proizvoda. Zaštite svoj sluh i glavu uz kvalitetne artikle branda COVERGUARD i CLIMAX.

HEAD AND HEARING PROTECTION

Lacuna offers a wide selection of head and hearing protection items. Ours offer earplugs, ear muffs, helmets, visors and other items from this range provides solutions in accordance with the needs your workplace.

Exceptional design, maximum comfort and outstanding protection are the main features of our products. Protect your hearing and head with quality COVERGUARD and CLIMAX brand items.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/LACUNA is not responsible for misprints in the catalogue .

Zadnje važeće cene molimo proverite na LACUNA B2B/Last valid recommended prices check on LACUNA B2B

Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/Full LACUNA range available at www.lacuna.hr



EVROPSKI STANDARD ZA ZAŠTITU SLUHA

Evropska regulativa 2016/425 određuje kategorizaciju LZO (Lične Zaštitne Opreme); za svaku kategoriju određuje postupak sertifikovanja i tehničkih pravila koje oprema mora zadovoljiti.

*Tip I LZO: manji rizici (namenjeni zaštiti od površinskih povreda).

Proizvođač ima CE sertifikat. On izjavljuje da, kada je nova, LZO odgovara zahtevima direktive. Njegova lična odgovornost je uključena. Proizvod je potom označen sa CE.

*Tip II LZO: Srednji rizici (namenjeni za zaštitu od mehaničkih, toplotnih i hemijskih rizika). Proizvođač podnosi zahtev za CE inspekciju, praćen tehničkom dokumentacijom LZO, jednoj od 80 obaveštenih evropskih laboratorija, koja nastavlja sa nizom testova i dodeljuje EC sertifikat za ispitivanje tipa (TEC) ako LZO odgovara zahtevima.

*Tip III LZO: smrtna opasnost (namenjena zaštiti od smrtne opasnosti ili rizika nepovratne zdravstvene štete).

Proizvođač ima izbor za nadzor proizvodnje svog proizvoda između završenog CE sistema osiguranja proizvoda (11A) ili sistema osiguranja kvaliteta sa nadzorom proizvodnje (11B). Pre toga trebao je obaviti isti postupak kao i za LZO TIP II - srednji rizici. LZO namenjena zaštiti od pada sa visina pripadaju kategoriji III. CE oznaka odnosi se na sve tri kategorije.

Proizvodi overeni na ovaj način nose oznaku CE, a za kategoriju III sledi broj prijavljenog tela kojim se upravlja kontrola kvaliteta. Za svaki sertifikovani proizvod, proizvođač isporučuje korisnička uputstva sa njegovim imenom i adresom, čuvanjem, korištenjem i uputstvima za održavanje, preporučenim vremenom upotrebe i značenjem oznaka. Sve ove specifikacije su propisane prethodno navedenim "usklađenim" EN standardima.

Prema Evropskoj regulativi 2016/425, pojedinačni zaštitnici od buke svrstani su u Tip III LZO: smrtna opasnost (na menjena zaštiti od smrtne opasnosti ili rizika nepovratne zdravstvene štete).

STANDARDI

EN 352 > Evropski standard za zaštitu sluha napravljen je u nekoliko delova zbog bezbednosti i testiranja na različitim tipovima individualnih štitnika za sluh.

U ovom katalogu nalaze se:

EN 352-1 štitnici za uši EN 352-2 čepići za uši

EN 352-3 kaciga sa montiranim štitnicima EN 352-4 nivo-zavisni štitnici

EN 352-8 štitnici sa ugrađenim radio prijemnikom

EN 166 > Specifikacije za individualnu zaštitnu opremu za oči i lice. Određuje se specifikacija za konstrukciju izvedbe (optičke karakteristike kao što su snaga, transmisija i difuzija faktora svetla, mehaničke karakteristike kao što su čvrstoća, termalna stabilnost i otpor).

EN 1731 > Štitnici za oči i lice, za industrijsku i neindustrijsku upotrebu, zaštita od mehaničkih rizika i/ili od vrućine.

EN 812 > Ovim standardom određeni su fizički zahtevi, kao i zahtevi u vezi izvedbe, načina testiranja te zahtevi za poklopce koji se koriste u industriji, a otporni su na jake udarce. Poklopci koji su otporni na udarce namenjeni su za ograničenu zaštitu glave, u okolnostima kada može doći do jakih udaraca, dovoljno snažnih za povredu ili onesposobljavanje radnika. U suštini su namenjeni okolnostima gde objekti ne mogu pasti. Poklopci nisu namenjeni zaštiti od efekata padajućih objekata kao ni visećih ili pomerajućih tereta. Poklopci otporni na udarce ne mogu ni u kojem slučaju zameniti zaštitnu industrijsku kacigu koja je u skladu sa EN 397 standardom.

EN 397 > Evropski standard EN 397 određuje zahteve vezane uz metode testiranja kao i zahteve za zaštitne kacige koje se koriste u industriji. Te kacige štite od padajućih objekata. EN50365 - Električno izolacione kacige za upotrebu na instalacijama niskog napona. Ovaj se standard primenjuje na električno izolacione kacige koje se koriste za rad na delovima pod naponom ili u njihovoj blizini instalacijama koje ne prelaze 1.000 V AC ili 1500 V DC. Te kacige, kada se koriste istovremeno sa drugom električno izolacionom zaštitnom opremom, sprečavaju opasne električne udare koji prolaze kroz glavu.

SNR = Single Number Rating - Globalni index prigušenja označava nivo dB od koje LZO može zaštititi. To nije precizan indeks.

OBRAZLOŽENJE

SNR - Single Number Rating.

Govori o prigušenosti zvuka kojeg provode pojedini artikli H, M, L

Prikazuje prigušenost pojedinih štitnika obzirom na stepen frekvencije:

H: visoka frekvencija iz prirode

M: srednja frekvencija iz prirode

L: niska frekvencija iz prirode

EUROPEAN STANDARD FOR HEARING PROTECTION

European Regulation 2016/425 provides for the categorization of PPE (personal protective equipment), and for each category, a certification procedure and technical rules that the equipment must meet are specified.

**PPE type I: lower risks (intended to protect against surface damage).*

The manufacturer is CE certified, and states that personal protective equipment, when new, responds to the requirements of the directive. Its personal responsibility is included.

The product is then CE marked.

**PPE type II: medium risks (intended for protection against mechanical, thermal and chemical risks). The manufacturer shall request a CE inspection, together with a technical inspection PPE documentation for one of the 80 informed European laboratories, which continues the series of tests and awards the EC type-examination certificate (TEC) if the PPE meets the requirements.*

**PPE type III: risk of death (intended to protect against death or danger of irreparable damage to health). In the meantime, the manufacturer may monitor the production of the product by a completed CE product assurance system (11A) or a quality assurance system with production control (11B). Prior to that, he had to do the same procedure as for TYPE II PPE - medium risk PPE intended for protection against falls from heights fall into category III.*

The CE mark is valid for all three categories. The products thus certified bear the CE marking, followed by the number of the notified body responsible for quality control after category III of certification and the product manufacturer shall enclose the instructions for use with its name and the address, instructions for storage, use and maintenance, recommended time of use and meaning of labels. All these specifications are prescribed by the above-mentioned "harmonized" EN standards.

In accordance with the European Regulation 2016/425, individual noise protection devices are classified as personal protective equipment type III: lethal hazard (intended to protect against fatal or irreparable damage to health)

STANDARD

EN 352 > The European Standard for noise protectors is made in several parts for the safety and testings on the different types of individual noise protectors.

This catalog contains:

EN 352-1 ear protectors

EN 352-2 earplugs

EN 352-3 helmet with mounted shields

EN 352-4 level-dependent shields

EN 352-8 shield with integrated radio receiver

EN 166 > Specifications for individual eye and face protection equipment. The specification of the construction performance is determined (optical characteristics such as power, transmittance and diffusion of light factors, mechanical characteristics such as strength, thermal stability and resistance).

EN 1731 > Eye and face protectors, for industrial and non-industrial use, protection against mechanical hazards and/or heat.

EN 812 > This standard specifies physical and performance requirements, test methods and requirements for covers used in industry and resistant to strong shocks. Impact-resistant covers are intended for limited protection of the head in cases where strong impacts may occur which are strong enough to injure or disable the workers. In essence, they are designed for situations where objects cannot fall. The covers are not intended to protect against the effects of falling objects or hanging or moving loads. Impact-resistant covers can in no case replace a protective industrial helmet that complies with standard EN 397.

EN 397 > European standard EN 397 sets out requirements for test methods and requirements for safety helmets used in industry. These helmets protect against falling objects. EN 50365 - Electrical insulating helmets for use on low voltage installations. This standard applies to electrical insulating fronts used for work on or near parts of the installation not exceeding 1000 V AC or 1500 V DC. These helmets, when used at the same time as other electrical insulating protective equipment, prevent the passage of dangerous electric shocks through the head.

SNR = Single Number Rating- Global depreciation index indicates the level of dB against which PPE can protect. This is not an exact index.

EXPLANATION

SNR - Single Number Rating It speaks about the attenuation of sound, which is carried out by certain objects H, M, L. Shows the weakening of individual shields depending on frequency.

H: high frequency from nature

M: medium frequency from nature

L: low frequency from nature



ČEPIĆI ZA UŠI/ EAR PLUGS

30205

Opis: čepići za uši
Materijal: poliuretlan
Karakteristike: anatomski oblikovani, vrlo mekani i udobni
SNR: 39 dB
Boja: narandžasta
Standard: EN352-2:2002
Originalno pakovanje: 200 pari u paketu, 10 paketa u kutiji

Description: ear plugs
Material: polyurethan
Features: anatomically shaped, very soft and comfortable
SNR: 36 dB
Color: orange
Standard: EN 352-2:2002;
Original packaging: 200 pairs in a package, 10 packages in a box



 coverguard

 EN352-2:2002



ČEPIĆI ZA UŠI/ EAR PLUGS

30215

Opis: čepići za uši
Materijal: poliuretlan
Karakteristike: anatomski oblikovani, vrlo mekani i udobni
SNR: 39 dB
Boja: narandžasta
Standard: EN352-2:2002
Originalno pakovanje: 500 pari u paketu, 10 paketa u kutiji

Description: ear plugs
Material: polyurethan
Features: anatomically shaped, very soft and comfortable
SNR: 36 dB
Color: orange
Standard: EN 352-2:2002
Original packaging: 500 pairs in a package, 10 packages in a box



 coverguard

 EN352-2:2002



SPREMNIK ZA ČEPIĆE ZA UŠI/ EAR PLUG CONTAINER

30300

Opis: prazni spremnik za čepiće za uši
Karakteristike: puni se sa artiklom 30215, kapacitet 500 pari, ima opciju pričvršćenja na zid
Boja: zelena
Originalno pakovanje: 1 komad u paketu, 4 paketa u kutiji

Description: empty earplugs
Features: refillable with item 30215, capacity 500 pairs, has the option of wall mounting
Color: green
Original packaging: 1 piece in a package, 4 packs in a box



 coverguard



ČEPIĆI ZA UŠI S DRŽAČEM/ EAR PLUGS WITH LACE

30220

Opis: čepići za uši
Materijal: poliuretana, luk od polipropilena
Karakteristike: vrlo lagani i udobni
SNR: 20 dB
Boja: žuta
Standard: EN352-2:2002
Originalno pakovanje: 40 pari u paketu, 10 paketa u kutiji

Description: ear plugs
Material: polyurethane, polypropylene bow
Features: very light and comfortable
SNR: 20 dB
Color: yellow
Standard: EN3 52-2:2002
Original packaging: 40 pairs in a package, 10 packages in a box

 coverguard



 EN352-2:2002

ČEPIĆI ZA UŠI/ EAR PLUGS

30221

Opis: zamjenski čepići za uši za 30220
Materijal: poliuretana
Karakteristike: vrlo lagani i udobni
SNR: 20 dB
Boja: žuta
Standard: EN352-2:2002
Originalno pakovanje: 20 pari u paketu, 10 paketa u kutiji

Description: replacement earplugs for 30220
Material: polyurethane
Features: very light and comfortable
SNR: 20 dB
Color: yellow
Standard: EN 352-2:2002
Original packaging: 20 pairs in a package, 10 packages in a box

 coverguard



 EN352-2:2002

ČEPIĆI ZA UŠI SA VEZICOM/ EAR PLUGS WITH LACE

30206

Opis: čepići za uši s vezicom
Materijal: poliuretana, PVC vezica
Karakteristike: anatomski oblikovani, vrlo mekani i udobni
SNR: 38 dB
Boja: narandžasta
Standard: EN352-2:2002
Originalno pakovanje: 150 pari u paketu, 10 paketa u kutiji

Description: earplugs with lace
Material: polyurethane, PVC lace
Features: anatomically shaped, very soft and comfortable
SNR: 36 dB
Color: orange
Standard: EN 352-2:2002
Original packaging: 150 pairs in a package, 10 packages in a box

 coverguard



 EN352-2:2002

ČEPIČI ZA UŠI SA VEZICOM/ EAR PLUGS WITH LACE

30211

Opis: čepiči za uši s vezicom
Materijal: plavi elastomer (PU pjena bez lateksa), vezica od tkanine
Karakteristike: anatomski oblikovani, individualno pakovanje po 1 par u kutiji, detektabilni - pogodni za industriju hrane, mogu se prati i ponovo koristiti
SNR: 26 dB
Boja: plava
Standard: EN352-2:2002
Originalno pakovanje: 50 pari u paketu, 12 paketa u kutiji

Description: earplugs with lace
Material: blue elastomer (PU foam without latex), fabric cord
Features: anatomically shaped, individually packed 1 pair in a box, perceptible - suitable for the food industry, can be washed and reused
SNR: 30 dB
Color: blue
Standard: EN 352-2:2002
Original packaging: 50 pairs in a package, 12 packages in a box



coverguard



CE EN352-2:2002



ČEPIČI ZA UŠI SA VEZICOM/ EAR PLUGS WITH LACE

30213

Opis: čepiči za uši s vezicom
Materijal: žuti elastomer (PU pjena bez lateksa), vezica od tkanine
Karakteristike: anatomski oblikovani, individualno pakovanje po 1 par u kutiji, mogu se prati i ponovo koristiti
SNR: 30 dB
Boja: žuta
Standard: EN352-2:2002
Originalno pakovanje: 50 pari u paketu, 12 paketa u kutiji

Description: earplugs with lace
Material: blue elastomer (PU foam without latex), fabric lace
Features: anatomically shaped, individually packed 1 pair in a box, perceptible - suitable for the food industry, can be washed and reused
SNR: 30 dB
Color: yellow
Standard: EN 352-2:2002
Original packaging: 50 pairs in a package, 12 packages in a box



coverguard



EN352-2:2002



ANTIFON MAX 340/ SILENCER MAX 340

6MX3400NSI

Opis: antifon MAX 340
Materijal: ABS školjka, PVC jastučići
Karakteristike: anatomski oblikovan, prilagodljiva veličina, individualno pakovani
SNR: 34dB
Težina: 261 g
Standard: EN352-1:2002
Originalno pakovanje: 1/20

Description: muffler MAX 340
Material: ABS shell, PVC pads
Features: anatomically shaped, flexible sizes, individually packaged
SNR: 34 dB
Weight: 261 g
Standard: EN 352-1:2002
Original packaging: 1/20

 coverguard



CE EN 352-1:2002



ANTIFON MAX 700/ SILENCER MAX 700

6MX7000NSI

Opis: antifon MAX 7000
Materijal: ABS školjka, PVC jastučići
Karakteristike: anatomski oblikovan, prilagodljiva veličina, individualno pakovani
SNR: 32dB
Težina: 236 g
Standard: EN352-1:2002
Originalno pakovanje: 1/20

Description: muffler MAX 700
Material: ABS shell, PVC pads
Features: anatomically shaped, flexible sizes, individually packaged
SNR: 32 dB
Weight: 236 g
Standard: EN 352-1:2002
Original packaging: 1/20

 coverguard



CE EN 352-1:2002



ANTIFON MAX 200/ SILENCER MAX 200

31020

Opis: antifon MAX 200
Materijal: ABS školjka, PVC jastučići
Karakteristike: anatomski oblikovani, prilagodljiva veličina, individualno pakovani
SNR: 27,6 dB
Težina: 166 g
Standard: EN352-1:2002
Originalno pakovanje: 1/60

Description: muffler MAX 200
Material: ABS shell, PVC pads
Features: anatomically shaped, flexible sizes, individually packaged
SNR: 27,6 dB
Weight: 166 g
Standard: EN 352-1:2002
Original packaging: 1/60

 coverguard



CE EN 352-1:2002



ANTIFON MAX 400/ SILENCER MAX 400

31040

Opis: antifon MAX 400
Materijal: ABS školjka, PVC jastučići
Karakteristike: anatomski oblikovan, prilagodljiva veličina, individualno pakovani
SNR: 27,6 dB
Težina: 178 g
Standard: EN352-1:2002
Originalno pakovanje: 1/60

Description: muffler MAX 400
Material: ABS shell, PVC pads
Features: anatomically shaped, flexible sizes, individually packaged
SNR: 27,6 dB
Weight: 178 g
Standard: EN 352-1:2002
Original packaging: 1/60



coverguard



CE EN352-1:2002



ANTIFON MAX 500/ SILENCER MAX 500

31050

Opis: antifon MAX 500
Materijal: ABS školjka, PVC jastučići
Karakteristike: anatomski oblikovan, preklopni, prilagodljiva veličina, individualno pakovani
SNR: 30,4 dB
Težina: 257 g
Standard: EN352-1:2002
Originalno pakovanje: 1/60

Description: muffler MAX 500
Material: ABS shell, PVC pads
Features: anatomically shaped, flexible sizes, individually packaged
SNR: 30,4 dB
Weight: 257 g
Standard: EN 352-1:2002
Original packaging: 1/60



coverguard



CE EN352-1:2002



**ZAŠTITNA KAPA/
PROTECTIVE CAP**

6SYM120MSI

Opis: zaštitna šilt kapa s unutarnjom zaštitom od udaraca, ne štiti od padajućih predmeta
Materijal: 75% mikrovlakana, 25% mrežica, ABS školjka, jastučić od EVA pjene
Karakteristike: anatomski oblikovan, prilagodljiva veličina, individualno pakovani, metal free
Standard: EN812:2012
Originalno pakovanje: 1/20

Description: protective cap with internal impact protection, does not protect against falling objects
Material: 75% microfiber, 25% mesh, ABS shell, cushion made of EVA foam
Characteristics: anatomical shaped, adjustable size, individually packed, metal free
Standard: EN812:2012
Original packaging: 1/20



coverguard

NOVO
NEW



CE EN 812:2012

**ZAŠTITNA KAPA/
PROTECTIVE CAP**

57300

Opis: zaštitna šilt kapa s unutarnjom zaštitom od udaraca, ne štiti od padajućih predmeta
Materijal: 100% pamuk, plastična školjka od ABS-a
Karakteristike: unutrašnjost podložena sa EVA jastučićima, metalne zračnice, regulator veličine
Standard: EN 812:2012
Originalno pakovanje: 1/60

Description: protective cap with internal impact protection, no protection against falling objects
Material: 100% cotton, ABS plastic shell
Features: the interior is lined with EVA pads, metal pipes, size regulator
Standard: EN 812:2012
Original packaging: 1/60



coverguard



CE EN 812:2012

57300

plava
blue



57302

zelená
green



57305

crvena
red



57306

crna
black



57307

fluo žuta
hi viz yellow



57308

fluo narandžasta
hi viz orange



**ZAŠTITNA KACIGA GP3000/
PROTECTIVE HELMET GP3000**

65211

Opis: zaštitna kaciga GP3000
Materijal: PE HD UV, unutarnja školjka: poliester, plastika
Karakteristike: otporna na temperature od + 50 do - 20 C, električna otpornost 440 VCA, regulator veličine, uložak za upijanje znoja
Standard: EN 397: 2012
Originalno pakovanje: 1/24

Description: protective helmet G3000
Material: PE HD UV, inner shell: polyester, plastic
Features: resistant at temperatures from + 50 to - 20 C, electric resistor 440 VCA, size regulator, sweat absorber insert
Standard: EN 397:2012
Original packaging: 1/24



LACUNA



CE EN397:2012

652111

bela
white



652112

crvena
red



652113

plava
blue



652114

žuta
yellow



652115

narandžasta
orange



652117

fluo žuta
hi viz yellow



**ZAŠTITNA KACIGA GP PALLADIO/
PROTECTIVE HELMET GP PALLADIO**

65222

Opis: zaštitna kaciga GP PALLADIO
Materijal: PE HD UV, unutarnja školjka: poliester, plastika
Karakteristike: otporna na temperature od + 50 do - 20 C, regulator veličine, uložak za upijanje znoja, specijalni dvostruki sistem za ventilaciju
Standard: EN 397:2012
Originalno pakovanje: 1/24

Description: protective helmet GP PALLADIO
Material: PE HD UV, inner shell: polyester, plastic
Features: resistant to temperatures of + 50 to - 20 C, size regulator, cartridge for sweat absorption, special double system ventilation
Standard: EN 397:2012
Original packaging: 1/24



LACUNA



CE EN 397:2012

652221

plava
blue



652222

bela
white



652223

žuta
yellow



652224

crvena
red



652225

narandžasta
orange



ZAŠTITNA KACIGA CLASSIC/ PROTECTIVE HELMET CLASSIC

65100

Opis: zaštitna kaciga CLASSIC
Materijal: PE polietilen
Karakteristike: regulator veličine, uložak za upijanje znoja, otvori za ventilaciju sa strane
Težina: 370 g
Standard: EN 397: 2012
Originalno pakovanje: 1/24

Description: protective helmet CLASSIC
Material: PE polyethylene
Features: size regulator, cartridge, which absorbs sweat, side openings for ventilation
Weight: 370 g
Standard: EN 397:2012
Original packaging: 1/24

 coverguard



 EN 397:2012

65100

bela
white



65101

plava
blue



65102

zelena
green



65103

žuta
yellow



65104

narandžasta
orange



65105

crvena
red



VEZICE ZA KACIGU/ HELMET TIES

65150

Opis: vezica 65150 namijenjena je za kacigu CLASSIC (65100-65105)
Materijal: koža
Karakteristike: prilagodljiva dužina od 25 do 44 cm
Originalno pakovanje: 10/1000

Description: 65150 lace intended for CLASSIC helmet (65100-65105)
Material: leather
Features: adjustable length from 25 to 44 cm
Original packaging: 10/1000

 coverguard



 EN352-1:2002

VEZICE ZA KACIGU/ HELMET TIES

65153

Opis: pletena vezica za kacigu, namijenjena za kacigu GP3000 (652111-652116)
Materijal: poliester
Karakteristike: podesiva vezica koja omogućava bolju zaštitu i prijanjanje za korisnika kacige
Originalno pakovanje: 10/2000

Description: knitted helmet strap, intended for the GP3000 helmet (652111-652116)
Material: polyester
Features: adjustable lace which enables better protection and fit for the helmet user
Original packaging: 10/2000



LACUNA

VEZICE ZA KACIGU CHS/ HELMET TIES CHS

CHS

Opis: vezica CHS namijenjena za kacigu Curro, 5RS, 5RG, Tirreno TXR
Materijal: poliester
Karakteristike: lako se sastavlja i rastavlja zahvaljujući plastičnim kukama
Originalno pakovanje: 1/100

Description: lace CHS intended for helmet Curro, 5RS, 5RG, Tirreno TXR
Material: polyester
Characteristics: easy to assemble and disassembles thanks to plastic with hooks
Original packaging: 1/100

 Climax



**ZAŠTITNA KACIGA ALTAI PRO/
PROTECTIVE HELMET ALTAI PRO**

7ALTP40NSI

7ALTP60NSI

Opis: zaštitna električarska kaciga ALTAI PRO

Materijal: ABS

Karakteristike: kaciga je podesiva po opsegu glave 52-63 cm

Težina: 470 g/m²

Standard: EN50365:2002, EN397:2012+A1:2012

Originalno pakovanje: 1/20



Description: protective electrician's helmet ALTAI PRO

Material: ABS


Characteristics: the helmet is adjustable for head circumference 52-63 cm

Weight: 470 g/m²

Standard: EN50365:2002, EN397:2012+A1:2012

Original packaging: 1/20



 EN397:2012
EN 50365:2002

**ZAŠTITNA KACIGA ALTAI WIND/
PROTECTIVE HELMET ALTAI WIND**

7ALTW40NSI

7ALTW60NSI

Opis: zaštitna kaciga ALTAI WIND

Materijal: ABS

Karakteristike: kaciga je podesiva po opsegu glave 52-63 cm, ventilacijski otvori

Težina: 470 g/m²

Standard: EN397:2012+A1:2012

Originalno pakovanje: 1/20



Description: protective helmet ALTAI WIND

Material: ABS

Characteristics: the helmet is adjustable for head circumference 52-63 cm, ventilation openings

Weight: 470 g/m²

Standard: EN397:2012+A1:2012

Original packaging: 1/20



 EN 397:2012



cover
guard



ZAŠTITNA KACIGA 5RG/ PROTECTIVE HELMET 5RG

5RG

Opis: 5-RG dizajnirana je i proizvedena kako bi osigurala optimalnu zaštitu od udaraca od predmeta kao što su kamenje, crijep, cigla i drugi predmeti slične težine, kao i od električnih pražnjenja do 1000Vac ili 1500Vdc

Materijal: HDPE

Dodatak: uključena traka za znoj, automatsko podešavanje pojasa za glavu, 6 tačaka kopčanja

Težina: 322 g

Standard: EN 397 CE, EN 50365 CE

Originalno pakovanje: 1/56

Description: 5-RG is designed and manufactured to provide optimal protection against impacts from objects such as stones, tiles, bricks and other objects of similar weight, as well as from electrical discharges up to 1000Vac or 1500Vdc

Material: HDPE

Extra: sweatband included, automatic belt adjustment for head, 6 fastening points

Weight: 322 g

Standard: EN 397 CE, EN 50365 CE

Original packaging: 1/56



CE EN397:2012
EN 50365:2002



5RG/WH

bela
white



5RG/RD

crvena
red



5RG/BL

plava
blue



5RG/YL

žuta
yellow



5RG/OR

narandžasta
orange



ZAŠTITNA KACIGA 5RS/ PROTECTIVE HELMET 5RS

5RS

Opis: 5-RS dizajnirana je i proizvedena kako bi osigurala optimalnu zaštitu od udaraca od predmeta kao što su kamenje, crijep, cigla i drugi predmeti slične težine, kao i od električnih pražnjenja do 1000Vac ili 1500Vdc

Materijal: HDPE

Dodatak: uključena traka za znoj, ručno podešavanje pojasa za glavu, 6 točaka kopčanja

Težina: 322 g

Standard: EN 397 CE, EN 50365 CE

Originalno pakovanje: 1/56

Description: The 5-RS is designed and manufactured to provide optimal protection against impacts from objects such as stones, tiles, bricks and other objects of similar weight, as well as against electric discharges up to 1000Vac or 1500Vdc

Material: HDPE

Extra: sweatband included, manual belt adjustment for head, 6 fastening points

Weight: 322 g

Standard: EN 397 CE, EN 50365 CE

Original packaging: 1/56



CE EN 397:2012
EN 50365:2002



5RS/WH

bela
white



5RS/RD

crvena
red



5RS/BL

plava
blue



5RS/YL

žuta
yellow



5RS/OR

narandžasta
orange



ZAŠTITNA KACIGA TIRRENO/ PROTECTIVE HELMET TIRRENO

TIRRENO/TXR



Opis: idealno za puno radno vrijeme na mjestima gdje postoji opasnost od pada predmeta i električnih pražnjenja do 440 Vac, nudi savršenu i dugotrajnu zaštitu

Materijal: ABS

Dodatak: uključena traka za znoj, automatsko podešavanje pojasa za glavu, 4 točaka kopčanja

Težina: 355 g

Standard: EN 397

Originalno pakovanje: 1/36

Description: ideal for full-time work in places where there is a risk of falling objects and electrical discharges up to 440 Vac, offers perfect and long-lasting protection

Material: ABS

Extras: included sweatband, automatic head strap adjustment, 4 fastening points

Weight: 355 g

Standard: EN 397

Original packaging: 1/36



TIRRENO/TXR/WH

bela
white

TIRRENO/TXR/YL

žuta
yellow



CE EN397:2012

ZAŠTITNA KACIGA CURRO/ PROTECTIVE HELMET CURRO

CURRO



Opis: CURRO električarska kaciga nudi zaštitu od električnog napona do 1000 V. CURRO kaciga specijalno je dizajnirana za rad na visini, za hitne intervencije i rad u uskim prostorima, bez vizira, ventilirana, prikladna je za primenu i u industriji, građevini, javnim radovima, šumarstvu, pomorstvu

Materijal: ABS

Dodatak: ručno podešavanje pojasa za glavu, 6 točaka kopčanja u dvije visine

Težina: 369 g

Standard: EN 397 CE, EN 50365 CE

Boja: bela

Originalno pakovanje: 1/20

Description: The CURRO electrician's helmet offers protection against electric voltage up to 1000 V. The CURRO helmet is specially designed for work at height, for emergency interventions and work in narrow spaces, without a visor, ventilated, suitable for use in industry, construction, public works, forestry, maritime

Material: ABS

Accessory: manual head strap adjustment, 6 fastening points in two heights

Weight: 369 g

Standard: EN 397 CE, EN 50365 CE

Color: white

Original packaging: 1/20



CE EN 397:2012
EN 50365:2002

DRŽAČ VIZIRA/ VISOR HOLDER

60700

Opis: držač vizira

Materijal: polipropilen

Karakteristike: regulator veličine, uložak za upijanje znoja, podesiv u tri položaja

Standard: EN 166:2002, N1731:2007

Originalno pakovanje: 1/40

Description: visor holder

Material: polypropylene

Features: size regulator, sweat-absorbing cartridge, adjustable in three positions

Standard: EN 166:2002, EN1731: 2007

Original packaging: 1/40



coverguard



CE EN 166:2002
EN 1731:2007

DRŽAČ VIZIRA ZA ANTIFON 31040/ VISOR HOLDER FOR SILENCER 31040

60740

Opis: držač vizira za antifon 31040

Materijal: polipropilen

Karakteristike: regulator veličine, uložak za upijanje znoja, podesiv u tri položaja, antifon nije uključen

Standard: EN 166:2002, EN1731:2007

Originalno pakovanje: 1/50

Description: visor holder for muffler 31040

Material: polypropylene

Features: size regulator, sweat pad, adjustable in three positions, the ear muffler is not included

Standard: EN 166:2002, EN 1731:2007

Original packaging: 1/50



coverguard

CE EN 166:2002
EN 1731:2007

60700 + 60710



60740 + 31040 + 60710



PROZIRNI VIZIR/ TRANSPARENT VISOR

60710

Opis: prozirni vizir

Materijal: polikarbonat

Karakteristike: veličina 200x400 mm, štiti od tečnosti, kompatibilan sa artiklima 60700, 60740, 60707, 60705

Standard: EN 166:2002; EN 1731:2007

Originalno pakovanje: 1/100

Description: transparent visor


Material: polycarbonate

Features: size 200x400 mm, protects against liquids, compatible with items 60700, 60740, 60707, 60705

Standard: EN 166:2002, EN 1731:2007

Original packaging: 1/100

 coverguard



CE EN166:2002
EN 1731:2007

PROZIRNI VIZIR S ALUMINIJSKIM OBRUBOM/ TRANSPARENT VISOR WITH ALUMINUM EDGING

60711

Opis: prozirni vizir

Materijal: polikarbonat

Karakteristike: aluminijski rub, veličina 200x400 mm, štiti od tečnosti, kompatibilan sa artiklima 60700, 60740, 60707, 60705

Standard: EN 166:2002, EN 1731:2007

Originalno pakovanje: 1/100

Description: transparent visor

Material: polycarbonate

Features: aluminum edge, size 200x400 mm, protects against liquids, compatible with items 60700, 60740, 60707, 60705

Standard: EN 166:2002, EN 1731:2007

Original packaging: 1/100

 coverguard



CE EN166:2002
EN 1731:2007



MREŽASTI VIZIR/ MESH VISOR

60720

60721

Opis: mrežasti vizir

Materijal: žičana mrežica

Karakteristike: kompatibilan sa artiklima 60700, 60740, 60707, 60705

Standard: EN 166:2002, EN 1731:2007

Originalno pakovanje: 1/100

60720 - dimensions 30x19 cm

60721 - dimensions 40x19 cm

Description: mesh visor

Material: wire mesh

Features: compatible with items 60700, 60740, 60707, 60705

Standard: EN 166:2002, EN 1731:2007

Original packaging: 1/100

 coverguard



CE EN166:2002
EN 1731:2007

ADAPTER ZA NOSAČ VIZIRA/ VISOR HOLDER ADAPTER

60706

Opis: adapter za fiksiranje nosača vizira 60707 na zaštitnu kacigu CLASSIC

Karakteristike: omogućuje nošenje vizira na kacigi bez antifona
Originalno pakovanje: 50/100

Description: adapter for attaching the holder of visor 60707 on protective helmet CLASSIC

Features: allows to wear visor on helmet without muffler
Original packaging: 50/100

 coverguard



ANTIFON ZA KACIGU/ HELMET SILENCER

60750

Opis: antifon za ugradnju na kacigu

Materijal: ABS školjka, PVC jastučići

Karakteristike: može se kombinirati sa svim modelima kaciga SNR 60750:25,9 dB SNR 60755,60757:23 dB

Težina: 178 g

Standard: EN352-3:2003

Originalno pakovanje: 1/60

BOJA: 60750 - žuta, 60755 - zeleni, 60757 - narandžasti

Description: helmet muffler

Material: ABS shell, PVC pads

Features: in combination with all helmet models;

SNR 60750: 25,9 dB, SNR 60755,60757: 23 dB

Weight: 178 g

Standard: EN 352-3: 2003

Original packaging: 1/60

COLOR: 60750 - yellow, 60755 - green, 60757 - orange

 coverguard



 EN352-3:2003

ANTIFON ZA KACIGU MAX300 / HELMET SILENCER MAX300

6MX300NSI

Opis: antifon MAX300 za ugradnju na kacigu CLASSIS

Materijal: ABS školjka, PVC jastučići

Karakteristike: dobra kombinacija visoke razine zaštite i udobnosti i lakoće nošenja

SNR: 30 dB

Težina: 301 g

Standard: EN352-1:2002, EN352-3:2002

Originalno pakovanje: 1/20

Description: silencer MAX300 for installation on CLASSIS helmet

Material: ABS shell, PVC pads

Characteristics: a good combination of a high level of protection and comfort and ease of wearing

SNR: 30 dB

Weight: 301 g

Standard: EN352-1:2002, EN352-3:2002

Original packaging: 1/20

 coverguard

**NOVO
NEW**



NOSAČ VIZIRA ZA KACIGU / HELMET VISOR HOLDER

60707

Opis: nosač vizira za zaštitnu kacigu CLASSIC
Karakteristike: mora se koristiti u kombinaciji s
artiklom 60706
Standard: EN166:2022; EN1731:2007
Originalno pakovanje: 10/60


Description: visor holder for protective
helmet CLASSIC

Characteristics: must be used in combination
with article 60706

Standard: EN 166:2022; EN 1731:2007
Original packaging: 10/60

 coverguard



 EN166:2002
EN 1731:2007

NOSAČ VIZIRA ZA KACIGU/ HELMET VISOR HOLDER

60705

Opis: nosač vizira za zaštitnu kacigu CLASSIC
Karakteristike: fiksira se na kacigu putem
rastezljive trake, podesiv u tri pozicije
Standard: EN166:2022; EN1731:2007
Originalno pakovanje: 10/60

Description: visor holder for protective helmet
CLASSIC

Features: it is fixed to the helmet via an elastic
band, adjustable in three positions

Standard: EN 166:2022; EN 1731:2007
Original packaging: 10/60

 coverguard



 EN166:2002
EN 1731:2007



PRIMJERI UPOTREBE/EXAMPLES OF USE



ZAŠTITA OČIJU EYE PROTECTION

 **coverguard**

 **UNIVET**

ZAŠTITA OČIJU

Zaštitne naočare štite oko i njegovo okolno područje od upada različitih čestica ili hemikalija.

Lacuna nudi veliki izbor zaštitnih naočara za rad u svim vremenskim uslovima.

Izuzetan dizajn, maksimalna udobnost i vrhunska zaštita glavne su karakteristike naših zaštitnih naočara.

Zaštite svoj vid i odaberite kvalitetne zaštitne naočare marke UNIVET i COVERGUARD.

EYE PROTECTION

Goggles protect the eye and the surrounding area from various particles or chemicals.

Lacuna offers a large selection of glasses for work in all weather conditions.


Exceptional design, maximum comfort and exceptional protection are the main features of our glasses.

Protect your eyes and choose quality UNIVET i COVERGUARD.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/LACUNA is not responsible for misprints in the catalogue.

Zadnje važeće cene molimo proverite na LACUNA B2B/Last valid recommended prices check on LACUNA B2B

Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/Full LACUNA range available at www.lacuna.hr



STANDARDI ZA NAOČALE

STANDARDS FOR GLASSES

SVI NAŠI MODELI SU ISPITANI PO NORMI EN...

ALL OUR MODELS ARE TESTED BY NORM EN...

EN166	Specifikacije	Specifications
EN169	Filtri za zavarivanje i slične tehnike	Welding filters and related techniques
EN170	Ultraljubičasti filtri	Ultraviolet filters
EN172	Sunčani filtri za industrijsku uporabu	Ultraviolet filters
EN175	Oprema za zaštitu očiju i lica pri zavarivanju i srodnim procesima	Equipment for protection of eyes and face in welding and related processes
EN379	Automatski filtri za zavarivanje	Equipment for protection of eyes and face in welding and related processes
EN1731	Mrežasti štitnici za oči i lice	Mesh eye and face protectors
EN12312-1	Sunčane naočale i sunčani filtri za opću uporabu i filtri za izravno promatranje sunca	Sunglasses and goggles filters for general use and filters for direct Sun observation

OZNAKE NA OKVIRIMA I SOČIVIMA MARKINGS ON FRAMES AND LENSES



OTPORNOST NA UDARCE/IMPACT RESISTANCE		
POKRIVENI RIZICI/RISKS COVERED	Maksimalna brzina/Maximum speed	Simbol/Symbol
Jaki udarci/Strong blows	190	A
Srednje jaki udarci/Medium blows	120	B
Slabi udarci/Weak blows	45	F
Pojačana čvrstoća/Increased strength	12	S

SPECIFIKACIJA MOGUĆIH OPCIJA/SPECIFICATION OF POSSIBLE OPTIONS	
RIZICI/RISKS	Simbol/Symbol
Otpornost na ogrebotine/Scratch resistance	K
Otpornost na pare/isparavanje/Vapor/evaporation resistance	N
Otpornost na udare pri visokoj temperaturi/High temperature shock resistance	T
Otpornost na tečnosti/Resistance to liquids	3
Otpornost na prašinu/Dust resistance	4

OPTIČNI RAZRED/OPTICAL CLASS	
TOLERANCIJA OPTIČKE SNAGE/OPTICAL POWER TOLERANCE	Simbol/Symbol
+0.06 za stalno nošenje/Frequent wear	1
+0.12 povremeno nošenje/Occasional wear	2
+0.25 nošenje u izuzetnim prilikama/Wearing on exceptional occasions	3

ZAŠTITA PROTIV UV-A I UV-B ZRAČENJA

PROTECTION AGAINST UV AND UV-B RADIATION

Smanjivanje zaštitnog ozonskog omotača naglašava sve veći značaj zaštite od sunca. Ljudsko oko i koža su veoma osetljivi na visoku energiju zraka sadržanih u ultravioletnom (UV) spektru. Čak i za vreme naoblacenja, UV zaštita je izuzetno bitna jer oblaci absorbiraju vidljivu svetlost, ali veoma malo UV. Oči su još više izložene prilikom planinarenja ili u okruženju u kojem se UV reflektuju kroz sneg, vodu, pesak, jeku kroz porozne zidove, prozore ili ogledala (npr. voda reflektuje 5 do 10% UV zraka; pesak 20%, sneg 85%). U planinama, količina UV zračenja raste 10% na svakih 1000 metara. Iz ovih razloga naše zaštitne naočare LUX OPTICAL filtriraju 99,9% UV zraka.

POLARIZOVANA SOČIVA - Polarizovani filteri pružaju veću udobnost u zonama sa visokim nivoom reflektovanja svetla (zgrade sa reflektujućim zidovima, voda, lagani pesak, sneg...) i bolju percepciju reljefa i kontrasta.

UV400 - Dodatna zaštita do 400 nm protiv plavog svetla, koji sledi ultravioletne zrake (do 380 nm) sertifikovana 100%-tna zaštita protiv UV zraka.

IR - Infrared (infra crvene) zraci slede vidljivu crvenu svetlost, nevidljivi sa ljudskom oku i vode zagrevanju isijavajućih površina i tela.

EN 12312-1 - Sočiva sunčanih naočara štite protiv opasnih sunčevih zraka. Evropski standard EN 1836 klasifikuje sočiva u 5 kategorija koje se razlikuju prema procentu absorbujućeg svetla preko sočiva.

Reduction of the protective ozone layer emphasizes the growing importance of sun protection. The human eye and skin are very sensitive to the high energy of the rays contained in the ultraviolet (UV) spectrum. Even during a cloud day, UV protection is extremely important because clouds absorb visible light, but very little UV. The eyes are even more exposed at hiking or in an environment where UV is reflected through snow, water, sand, echoing through transparent walls, windows or mirrors (eg water reflects 5 to 10% of UV rays; sand 20%, snow 85%). In the mountains, the amount of UV radiation increases by 10% every 1000 meters. This is why our LUX OPTICAL glasses filter 99.9% UV rays.

POLARIZED LENSES - Polarized filters provide greater comfort on areas with a high level of light reflection (buildings with mirrored walls, water, light sand, snow...) and better perception of relief and contrast.

UV400 - Additional protection up to 400 nm against the following blue light ultraviolet rays (up to 380 nm) certified 100% UV protection.

IR - Infrared rays follow visible red light, invisible to the human eye that lead to heating of the radiating surfaces and bodies.

EN 12312-1 - Sunglasses protect against dangerous sunlight. European standard EN1836 classified lenses into 5 categories, which differ by percent in absorbing light through the lens.



BOJA SOČIVA LENS COLOR	BROJ CE SKALE NUMBER OF "CE" SCALE	EN NORMA EU NORM	% VIDLJIVE PROZIRNE SVJETLOSTI % VISIBLE TRANSPARENT LIGHT
	IR3	EN169	8-18%
	IR5	EN169	118-316%
	Prozirna Transparent	EN170	90%
	Žuta Yellow	EN170	89%
	I/O zrcalna I/O mirror	EN172 UV400	53%
	Braon Brown	EN172	23%
	Srebrno zrcalna Silver mirror	EN172	20%
	Plava zrcalna Blue	EN172	20%
	Tamna Dark	EN172	17%
	Zelena Green	EN170 UV400	16%
	Crveno zrcalna Red mirror	EN172	14%
	Tamna Dark	EN172	6%
	Polarizirana tamna Polarized dark smoke	EN172	6%

KARAKTERISTIKE CHARACTERISTICS

Pogodna za indirektnu izloženost okolini sa niskim do srednjim razinama IR zračenja (npr. lijevanje metala, lemjenje, rezanje...)

Suitable for indirect exposure to low to medium levels of IR radiation (eg casting, soldering, cutting...)

Pogodna za okolinu izloženu niskim do srednjim razinama IR zračenja (npr. Lijevanje metala, lemjenje, rezanje...) Nije preporučljivo vozačima.

Suitable for environments exposed to low to medium levels of IR radiation (eg metal casting, soldering, cutting ...) Not recommended for drivers.

Osnovna značajka jest da pruža maksimalnu vidljivost. Unutarnje leće, pogodne za mehaničke poslove, tamnije prostore i poslove koji se obavljaju noću.

The basic feature is that it allows maximum visibility. Indoor lenses suitable for mechanical tasks, darker rooms and tasks performed at night.

Maksimalno poboljšanje kontrasta boja u slabo osvijetljenim prostorijama, npr. skladištima. Zauzastavlja 87% plave svjetlosti; osigurava svjetliji pogled u rano jutro ili kasno navečer, kod naobladačenja, magle. Preporuča se vozačima koji voze noću, mehaničkim radnicima.

Maximum improvement in color contrast in poorly lit rooms, e.g. Stops 87% of blue light; allows for a brighter view in the early morning or late evening when it is cloudy, foggy. Recommended for drivers driving at night, mechanics.

Prozirna UV400 leća sa laganim zlatnim premazom za upotrebu u zatvorenim kao i otvorenim prostorima. 100% zaštita protiv štetnih UV-A i UV-B zraka. Daje stvarnu percepciju boja. Najčešće korištena za osobe koje se kreću između zatvorenih i otvorenih prostora; npr. vilježeri, dostavljači.

Transparent UV400 lens with light gold coating for indoor and outdoor use. 100% protection against harmful UV-A and UV-B rays. The real thing is color perception. They are most commonly used for people moving between enclosed and open spaces, on pr. forklift drivers, delivery trucks.

Poboljšava percepciju prilikom promjene svjetla i sjene, posebice u šumskom okruženju. Mala transmisija svjetla poboljšava oštrinu vida i percepciju boja.

Improves perception when changing light and shadow, especially in a forest environment. Poor light transmission improves visual acuity and color perception

Reducira sunčev odsjaj | Intenzivno sunčevo svjetlo. Tamna leća bez degradacije boja. Često korištena za aktivnosti na otvorenom i iznimnim sunčanim uvjetima, pogotovo za radnike na otvorenom.

Reduces sun glare and intense sunlight. Dark lens without decomposition colors It is often used for outdoor activities and extreme sunny conditions, especially for outdoor workers.

Reducira sunčev odsjaj i intenzivno sunčevo svjetlo. Tamna leća bez degradacije boja. Često korištena za aktivnosti na otvorenom i iznimnim sunčanim uvjetima. Idealne za aktivnosti na vodi, poput ribolova te razne druge vodene aktivnosti, te vožnju i letenje.

Reduces sun glare and intense sunlight. Dark lens without color decomposition It is often used for outdoor activities and exceptional sunny conditions. Ideal for water activities such as fishing and various other water activities as well as driving and flying.

Štiti oči od jakog sunčevog odsjaja i visokih razina opasnih vidljivih svjetlosti i ultra lubičastih zračenja bez distorzije (iskrivljenja) percepcije boja. Idealne na otvorenom, posebno za sunčane dane i jaku sunčevu svjetlost, ali ne poboljšava vid. Opća svrha je kao zaštitna leća.

Protects the eyes from strong sunlight and a high level of dangerous visible light and ultra-violet radiation without distorting (distorting) the color perception. Ideal outdoors, especially on sunny days and strong sunlight, but does not improve vision. The general purpose is as a protective lens.

Zelena ZV400 leća (100% zaštita). Pruža zaštitu od pretjeranog odsjaja i 100% od štetne ultra lubičaste (UV-A i UV-B) radijacije. Alternativa za standardne zatamnjene leće.

Green lens ZV400 (100% protection). It provides protection against excessive glare and 100% against harmful ultraviolet (UV-A and UV-B) radiation. An alternative to standard tinted lenses.

Reducira sunčev odsjaj i intenzivno sunčevo svjetlo. Tamna leća bez degradacije boja. Često korištena za aktivnosti na otvorenom i jakom suncu. Zrcalo reflektira svjetlo, pritom reducirajući količinu svjetla koje prolazi kroz leću.

Reduces sun glare and intense sunlight. Dark lens without discoloration. It is often used for outdoor activities and strong sun. In doing so, the mirror reflects light reducing the amount of light that passes through the lens.

Za iznimno jaku sunčevu svjetlost i uvjete jakih odsjaja, ali nisu prikladne za vožnju u prometu. Preporučene za aktivnosti na velikim visinama i za zaštitu od odsjaja od snijega, pjeska i građevina.



















For extremely strong sunlight and conditions of strong glare, but not suitable for driving traffic. Recommended for altitude activities and for protection against glare from snow, sand and buildings.














Odične za iznimno jaku i izravnu svjetlost te uvjete jakih odsjaja. Nisu prikladne za vožnju u prometu. Preporučene za aktivnosti na otvorenom i na velikim visinama. Blokira reflektirane zrake svjetla (voda, zrcala, snijeg...) i poboljšava kontrast. 100% UV zaštita.

Great for extremely bright and direct light and strong glare driving in traffic. Recommended for outdoor activities and improve contrast. 100% UV protection.

SLIKA/ PICTURE	ŠIFRA/ CODE	BOJA OKVIRA/ FRAME COLOR	BOJA SOČIVA/ LENS COLOR	KARAKTERISTIKE / FEATURES	OZNAKA OKVIRA/ FRAME MARKING	OZNAKA SOČIVA/ LENS MARK	STANDARD/ STANDARD
	66FOXCO0NSI	Prozirna/crvena <i>Transparent/red</i>	Prozirna <i>Transparent</i>	Ojačana/Anti UV/Anti-scratch <i>Reinforced/UV solar protection/ Anti-scratch</i>	1FT	2C-1.2 1FT	EN166 EN170
	6FOXSO0NSI	Crna/crvena <i>Black/red</i>	Tamna <i>Dark</i>	Ojačana/Anti UV/Anti-scratch <i>Reinforced/UV solar protection/ Anti-scratch</i>	FT	5-3.1 1FT	EN166 EN172
	6PANCO0NSI	Siva/plava/crna <i>Grey/blue/black</i>	Prozirna <i>Transparent</i>	Ojačana/Anti UV/Anti-scratch <i>Reinforced/UV solar protection/ Anti-scratch</i>	FT	2C-1.2 1FT	EN166 EN170
	6PANSO0NSI	Siva/plava/crna <i>Grey/blue/black</i>	Tamna <i>Dark</i>	Ojačana/Anti UV/Anti-scratch <i>Reinforced/UV solar protection/ Anti-scratch</i>	FT	5-3.1 1 FT	EN166 EN172
	6TIFCO0NSI	Prozirna/crna <i>Transparent/black</i>	Prozirna <i>Transparent</i>	Ojačana/Anti UV/Anti-scratch <i>Reinforced/UV solar protection/ Anti-scratch</i>	FT	2C-1.2 1FT	EN166 EN170
	6TIFSO0NSI	Crna <i>Black</i>	Tamna <i>Dark</i>	Ojačana/Anti UV/Anti-scratch <i>Reinforced/UV solar protection/ Anti-scratch</i>	FT	5 - 3,1 FT	EN166 EN172
	6TIMCO0NSI	Crna/limeta <i>Black/lime</i>	Prozirna <i>Transparent</i>	Ojačana/Anti UV/Anti-scratch <i>Reinforced/UV solar protection/ Anti-scratch</i>	FT	5-3.1 1FTN	EN166 EN172
	6TIHCO0NSI	Prozirna/siva/ limeta <i>Transparent/grey/ lime</i>	Prozirna <i>Transparent</i>	Ojačana/Anti UV/Anti-scratch <i>Reinforced/UV solar protection/ Anti-scratch</i>	FT	2C-1.2 1FTKN	EN166 EN170
	6LYNCO0NSI	Crna/plava <i>Black/blue</i>	Prozirna <i>Transparent</i>	Ojačana/Anti UV/Anti-scratch <i>Reinforced/UV solar protection/ Anti-scratch</i>	FT	2C-1.2 1FT	EN166 EN170
	6PSIO	Prozirna <i>Transparent</i>	Tamna <i>Dark</i>	Ojačane/UV <i>Reinforced/UV</i>	SFT	2-1.2 1SFTK	EN166 EN170
	6PSI3	Tamna <i>Dark</i>	Prozirna <i>Transparent</i>	Ojačane/UV solarna zaštita <i>Reinforced/UV solar protection</i>	SFT	5-3.1 1SFTK	EN166 EN172
	6LIMCO0	Tamna <i>Dark</i>	Prozirna <i>Transparent</i>	Ojačane/Protiv magljenja/UV solarna zaštita <i>Reinforced/Anti fog/UV solar protection</i>	FT	5-3.1 1SFTK	EN166 EN172
	6LIMS00	Prozirna <i>Transparent</i>	Tamna <i>Dark</i>	Ojačane/UV <i>Reinforced/UV</i>	FT	2-1.2 1FTK	EN166 EN170
	6PHI0	Prozirna <i>Transparent</i>	Prozirna <i>Transparent</i>	Ojačane/UV <i>Reinforced/UV</i>	SFT	2-1.2 1SFTK	EN166 EN170
	6PHI3	Crna/crvena <i>Black/red</i>	Tamna <i>Dark</i>	Ojačane/UV solarna zaštita <i>Reinforced/UV solar protection</i>	SFT	5-3.1 1SFTK	EN166 EN172
	6RH00	Prozirna/crni <i>Transparent/black</i>	Prozirna <i>Transparent</i>	Ojačane/protiv zamagljivanja <i>Reinforced/Anti-fog</i>	SFT	2-1.2 1SFTK	EN166 EN170
	6RH03	Tamna/crna <i>Dark/black</i>	Tamna <i>Dark</i>	UV solarna zaštita <i>UV solar protection</i>	SFT	5-3.1 1SFTK	EN166 EN172
	60560	Crna <i>Black</i>	Prozirna <i>Transparent</i>	Ojačane/UV <i>Reinforced/UV</i>	FT	2-1.2 1SFTK	EN166 EN170



SLIKA/ PICTURE	ŠIFRA/ CODE	BOJA OKVIRA/ FRAME COLOR	BOJA SOČIVA/ LENS COLOR	KARAKTERISTIKE / FEATURES	OZNAKA OKVIRA/ FRAME MARKING	OZNAKA SOČIVA/ LENS MARK	STANDARD/ STANDARD
	60563	Crna Black	Tamna Dark	Ojačane/UV solarna zaščita Reinforced/UV solar protection	1FT	5-3.1 1SFTK	EN166 EN172
	60350	Prozorna Transparent	Prozorna Transparent	Ojačane/UV Reinforced/UV	FT	2-1.2 1SFTK	EN166 EN170
	60353	Plava Blue	Tamna Dark	Ojačane/UV solarna zaščita Reinforced/UV solar protection	SFT	5-3.1 1SFTK	EN166 EN172
	6SIG0	Prozorna Transparent	Prozorna Transparent	Ojačane/Protiv zamagljivanja/UV Anti-fog/Reinforced/UV	SFT	2-1.2 1SFTK	EN166 EN170
	6SIG3	Crna Black	Tamna Dark	Ojačane/Protiv zamagljivanja/UV solarna zaščita Reinforced/Anti-fog/UV solar protection	SFT	5-3.1 1SFTK	EN166 EN172
	60550	Prozorna Transparent	Prozorna Transparent	Ojačane/Protiv zamagljivanja/UV Anti-fog/Reinforced/UV	SFT	2-1.2 1SFTK	EN166 EN170
	62583	Crno-crvena Black/red	Tamna Dark	Ojačane/UV solarna zaščita Reinforced/UV solar protection	SFT	5-3.1 1SFTK	EN166 EN172
	60513	Crna Black	Tamna Dark	Ojačane/UV solarna zaščita Reinforced/UV solar protection	SFT	5-3.1 1SFTK	EN166 EN172
	6GAM0	Crna Black	Prozorna Transparent	Ojačane/UV zaščita Reinforced/UV	SFT	2C-1.2 1FT	EN166 EN170
	60363	Crna Black	Prozorna Transparent	UV zaščita UV protection	F	2-1.2 1F	EN166 EN170
	60363	Crna Black	Tamna Dark	UV solarna zaščita UV solar protection	F	5-3.1 1F	EN166 EN172
	6OVEC00	Sivo/limeta Gray/lime	Prozorna Transparent	UV zaščita UV protection	FT	2-1.2 1FTK	EN166 EN170
	60401	Prozorna Transparent	Prozorna Transparent	UV zaščita UV protection	FT	2-1.2 1FTK	EN166 EN170
	60599	Zelena Green	Prozorna Transparent	Podesivo/tečnosti Adjustable/fluids	3B	1B	EN166
	60600	Zelena Green	Prozorna Transparent	Protiv zamagljivanja/UV/tečnosti Anti fog/UV/fluids	3B	1 BN	EN166
	6STOC00	Prozorna Transparent	Prozorna Transparent	Podesivo/Protiv zamagljivanja/UV Adjustable/Anti-fog/UV	3.4 FT	2-1.2 1FTN	EN166 EN170
	60590	Prozorna Transparent	Prozorna Transparent	Podesivo/UV Adjustable/UV	BT	2-1.2 BT	EN166 EN170
	516.01.00.00	Prozorna/zelena Transparent/green	Prozorna Transparent	Ojačane/Anti UV Reinforced/Anti UV	FT	2C-1.2 U 1 FT	EN166 EN170

SLIKA/ PICTURE	ŠIFRA/ CODE	BOJA OKVIRA/ FRAME COLOR	BOJA SOČIVA/ LENS COLOR	KARAKTERISTIKE / FEATURES	OZNAKA OKVIRA/ FRAME MARK- ING	OZNAKA SOČIVA/ LENS MARK	STANDARD/ STANDARD
	516.0110.02	Crna/zelena <i>Black/green</i>	Tamna <i>Dark</i>	Ojačana/Anti UV <i>Reinforced/Anti UV</i>	FT	2C-2.5/5-2.5 U 1 FT	EN166 EN170 EN172
	5X8.01.00.00	Prozirna <i>Transparent</i>	Prozirna <i>Transparent</i>	Anti UV <i>Anti UV</i>	FT	2C-1.2 U 1 FT	EN166 EN170
	5X8.03.11.00	Crna/zelena <i>Black/green</i>	Prozirna <i>Transparent</i>	Ojačana/Anti UV <i>Reinforced/Anti UV</i>	FT	2C-1.2 U 1 FT K N	EN166 EN170
	553Z.01.00.00	Prozirna <i>Transparent</i>	Prozirna <i>Transparent</i>	Ojačana/Anti UV <i>Reinforced/Anti UV</i>	FT	2C-1.2 U 1 FT K	EN166 EN170
	506U.04.04.05	Crna/zelena <i>Black/green</i>	Tamna <i>Dark</i>	Ojačana/Anti UV <i>Reinforced/Anti UV</i>	FT	2C-3/5-3.1 U 1 FT	EN166 EN170 EN172
	506U.63.08.00	Prozirna <i>Transparent</i>	Prozirna <i>Transparent</i>	Ojačana/Anti UV <i>Reinforced/Anti UV</i>	FT	2C-1.4/5-1.4 U 1 FTKN	EN166 EN170
	506U.03.00.00	Prozirna/zelena <i>Transparent/green</i>	Prozirna <i>Transparent</i>	Protiv zamagljivanja/ojačane/UV <i>Anti-fog/Reinforced/UV</i>	FT	2C-1.2 U 1FTKN	EN166 EN170 EN172
	513.03.10.02	Crna <i>Black</i>	Tamna <i>Dark</i>	Ojačane/ UV <i>Reinforced/UV</i>	FT	2C-3/5-3.1 U 1 FT	EN166 EN170
	513.01.00.00	Prozirna <i>Transparent</i>	Prozirna <i>Transparent</i>	Ojačane/UV zaštita <i>Reinforced/UV protection</i>	FT	2C-1.2 U 1 FT	EN166 EN170
	511.03.01.00	Plava <i>Blue</i>	Prozirna <i>Transparent</i>	Ojačane/ UV <i>Reinforced/UV</i>	F	2C-1.2 U 1 F	EN166 EN170
	601.03.07.00	Prozirna <i>Transparent</i>	Prozirna <i>Transparent</i>	Protiv zamagljivanja/ojačane/UV <i>PAnti-fog/Reinforced/UV</i>	F	3 4 5 9 BT 2C-1.2	EN166 EN170
	619.02.01.00	Plava <i>Blue</i>	Prozirna <i>Transparent</i>	Protiv zamagljivanja/ojačane/UV <i>Anti-fog/Reinforced/UV</i>	FT	3 4 9 B 2C-1.2	EN166 EN170
	620U.02.10.00	Prozirna <i>Transparent</i>	Prozirna <i>Transparent</i>	Protiv zamagljivanja/ojačane/UV <i>Anti-fog/Reinforced/UV</i>	FT	3 4 BT 2C-1.2	EN166 EN170



FOX

6FOXC00NSI**6FOXS00NSI**

Okvir: polikarbonat + TPR
(termoplastična guma)
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 2,2 mm
Težina: 22 g
Originalno pakovanje: 1/100

Frame: polycarbonate + TPR
(thermoplastic rubber)
Temples: polycarbonate
Lenses: polycarbonate
Thickness: 2.2 mm
Weight: 22 g
Original packaging: 1/100

coverguard**CE EN 166**

PANTHER

6PANC00NSI**6PANS00NSI**

Okvir: polikarbonat + TPR
(termoplastična guma) + SBC
kopolimer
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 1,6 mm
Težina: 22 g
Originalno pakovanje: 1/100

Frame: polycarbonate + TPR
(thermoplastic rubber) + SBC
copolymer
Temples: polycarbonate
Lenses: polycarbonate
Thickness: 1.6 mm
Weight: 22 g
Original packaging: 1/100

coverguard**CE EN 166**

	FOX	FOX	PANTHER	PANTHER
BOJA OKVIRA/ FRAME COLOR	Prozirna/crvena Transparent/red	Crna/crvena Black/red	Siva/plava/crna Grey/blue/black	Siva/plava/crna Grey/blue/black
KOD/CODE	6FOXC00NSI	6FOXS00NSI	6PANC00NSI	6PANS00NSI
OZNAKA OKVIRA/ FRAME MARK	1FT	FT	FT	FT
SOČIVA/LENSES	Prozirna/Transparent Ojačana/Reinforced Anti UV/Anit UV Anti-scratch/Anti-scratch	Tamna/Dark Ojačana/Reinforced Anti UV/Anit UV Anti-scratch/Anti-scratch	Prozirna/Transparent Ojačana/Reinforced Anti UV/Anit UV Anti-scratch/Anti-scratch	Tamna/Dark Ojačana/Reinforced Anti UV/Anit UV Anti-scratch/Anti-scratch
OZNAKA SOČIVA/ LENS LABEL	2C-1.2 1FT	5-3.1 1FT	2C-1.2 1FT	5-3.1 1FT
EVROPSKI STANDARD SOČIVA/ EUROPEAN LENS STANDARD	EN170	EN172	EN170	EN172

TIGER FIRST

6TIFC00NSI

6TIFS00NSI

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 1,6 mm
Težina: 17 g
Originalno pakovanje: 1/100

Frame: polycarbonate
Temples: polycarbonate
Lenses: polycarbonate
Thickness: 1.6 mm
Weight: 17 g
Original packaging: 1/100

coverguard



CE EN 166

TIGER MEDIUM

6TIMC00NSI

TIGER HIGH

6TIHC00NSI

Okvir: polikarbonat + TPR
 (termoplastična guma)
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 1,6mm
Težina: 18 g
Originalno pakovanje:
 1/100

Frame: polycarbonate +
 TPR (thermoplastic rubber)
Temples: polycarbonate
Lenses: polycarbonate
Thickness: 1.6mm
Weight: 18 g
Original packaging: 1/100

coverguard



CE EN 166



Okvir: polikarbonat + TPR
 (termoplastična guma)
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 1,6mm
Težina: 22 g
Originalno pakovanje:
 1/100

Frame: polycarbonate +
 TPR (thermoplastic rubber)
Temples: polycarbonate
Lenses: polycarbonate
Thickness: 1.6mm
Weight: 22 g
Original packaging: 1/100

coverguard



CE EN 166



	TIGER FIRST	TIGER FIRST	TIGER MEDIUM	TIGER HIGH
BOJA OKVIRA/ FRAME COLOR	Prozirna/crna Transparent/black	Crna Black	Prozirna/Limeta Transparent/lime	Prozirna/siva/limeta Transparent/gray/lime
KOD/CODE	6TIFC00NSI	6TIFS00NSI	6TIMC00NSI	6TIHC00NSI
OZNAKA OKVIRA/ FRAME MARK	FT	FT	FT	FT
SOČIVA/ LENSES	Prozirna/Transparent Ojačana/Reinforced Anti UV/Anti UV Anti-scratch/Anti-scratch	Tamna/Dark Ojačana/Reinforced Anti UV/Anti UV Anti-scratch/Anti-scratch	Prozirna/Transparent Ojačana/Reinforced Anti UV/Anti UV Anti-scratch/Anti-scratch Protiv zamagljivanja/ Anti fog	Prozirna/Transparent Ojačana/Reinforced Anti UV/Anti UV Anti-scratch/Anti-scratch Protiv zamagljivanja/ Anti fog
OZNAKA SOČIVA/ LENS LABEL	2C-1.2 1FT	5 - 3.1 FT	2C-1.2 1FTN	2C-1.2 1FTKN
EVROPSKI STANDARD SOČIVA/ EUROPEAN LENS STANDARD	EN170	EN172	EN170	EN170



LYNXX

6LYNC00NSI

Okvir: polikarbonat + TPR
(termoplastična guma)
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 2,2 mm
Težina: 28 g
Originalno pakovanje: 1/100

Frame: polycarbonate + TPR
(thermoplastic rubber)
Temples: polycarbonate
Lenses: polycarbonate
Thickness: 2.2 mm
Weight: 28 g
Original packaging: 1/100

coverguard



CE EN 166

PSI

6PSI0

6PSI3

Okvir: polikarbonat, ne klizajuće
ležište za nos
Krila: polikarbonat sa PVC mekim
vrhom
Sočiva: polikarbonat
Debljina: 2,4 mm
Težina: 24g
Originalno pakovanje: 1/120

Frame: polycarbonate,
non-slip nasal bridge
Temples: polycarbonate with PVC
soft top
Lenses: polycarbonate
Thickness: 2.4 mm
Weight: 24 g
Original packaging: 1/120

coverguard



CE EN 166

	LYNXX	PSI	PSI
BOJA OKVIRA/ FRAME COLOR	Crna/plava Black/blue	Crna Black	Crna Black
KOD/CODE	6LYNC00NSI	6PSI0	6PSI3
OZNAKA OKVIRA/ FRAME MARK	FT	SFT	SFT
SOČIVA/LENSES	Prozirna/Transparent Ojačana/Reinforced Anti UV/Anit UV Anti-scratch/Anti-scratch	Prozirna/Transparent Ojačana/Reinforced Anti UV/Anti UV	Tamna/Dark Ojačana/Reinforced UV Solarna zaštita/ UV Solar protection
OZNAKA LEĆE/ LENS LABEL	2C-1.2 1FT	2-1.2 1SFTK	5-3.11 SFTK
EVROPSKI STANDARD SOČIVA/ EUROPEAN LENS STANDARD	EN170	EN170	EN172

LIMELUX

6LIMC00

6LIMS00

Okvir: polikarbonat, PVC (polivinilklorid)
Kрила: polikarbonat, PVC (polivinilklorid)
Sočiva: polikarbonat
Debljina: 2 mm
Težina: 23 g
Originalno pakovanje: 1/100

Frame: polycarbonate, PVC (polyvinyl chloride)
Temples: polycarbonate, PVC (polyvinyl chloride)
Lenses: polycarbonate
Thickness: 2 mm
Weight: 23 g
Original packaging: 1/100

coverguard



CE EN 166



PHI

6PHI0

6PHI3

Okvir: polikarbonat sa neklizajućim jastučicom za nos
Kрила: polikarbonat sa mekim TPU jastukom
Sočiva: polikarbonat
Debljina: 2,3 mm
Težina: 22 g
Originalno pakovanje: 1/120

Frame: polycarbonate, non-slip nasal bridge
Temples: polycarbonate with soft TPU pillow
Lenses: polycarbonate
Thickness: 2,3 mm
Weight: 22 g
Original packaging: 1/120

coverguard



CE EN 166



	LIMELUX	LIMELUX	PHI	PHI
BOJA OKVIRA/ FRAME COLOR	Crna/Limeta Black/lime	Crna/Limeta Black/lime	Prozirna/Žuta Transparent/yellow	Crna/Crvena Black/red
KOD/CODE	6LIMC	6LIMS	6PHI0	6PHI3
OZNAKA OKVIRA/ FRAME MARK	FT	FT	SFT	SFT
SOČIVA/LENSES	Prozirna/Transparent Anti UV/Anti UV Protiv zamagljivanja/ Anti fog	Tamna/Dark Anti UV/Anti UV Protiv zamagljivanja/Anti fog	Prozirna/Transparent Ojačana/Reinforced Anti UV/Anti UV	Tamna/Dark Ojačana/Reinforced UV Solarna zaštita/ UV Solar protection
OZNAKA SOČIVA/ LENS LABEL	2-1.2 1 FTN	5-3.11 FTN	2-1.2 1 SFTK	5-3.11 SFTK
EVROPSKI STANDARD SOČIVA/ EUROPEAN LENS STANDARD	EN170	EN172	EN170	EN172

RHO

6RHO0

6RHO3

Krila: polikarbonat sa PVC mekim vrhom i neklizajućim jastučicom za nos

Sočiva: polikarbonat

Debljina: 2,2 mm

Težina: 24g

Originalno pakovanje: 1/120

Temples: polycarbonate with soft and non-slip nasal pad

Lenses: polycarbonate

Thickness: 2,2 mm

Weight: 24 g

Original packaging: 1/120

coverguard



CE EN 166



SOFTILUX

60560

60563

Krila: polikarbonat

Sočiva: polikarbonat

Debljina: 2,4 mm

Težina: 22 g

Originalno pakovanje: 1/120

Temples: polycarbonate

Lenses: polycarbonate

Thickness: 2,4 mm

Weight: 22 g

Original packaging: 1/120

coverguard



CE EN 166



	RHO	RHO	SOFTILUX	SOFTILUX
BOJA OKVIRA/ FRAME COLOR	Crna Black	Crna Black	Crna Black	Crna Black
KOD/CODE	6RHO0	6RHO3	60560	60563
OZNAKA OKVIRA/ FRAME MARK	SFT	SFT	FT	FT
SOČIVA/LENSES	Prozirna/Transparent Ojačana/Reinforced Protiv zamagljivanja/Anti fog Anti UV/Anti UV	Tamna/Dark Ojačana/Reinforced Protiv zamagljivanja/Anti fog UV Solarna zaštita/UV Solar protection	Prozirna/Transparent Ojačana/Reinforced Anti UV/Anti UV	Tamna/Dark Ojačana/Reinforced UV Solarna zaštita/ UV Solar protection
OZNAKA SOČIVA/ LENS LABEL	2-1.2 1 SFTKN	5-3.1 1 SFTKN	2-1.2 1FTK	5-3.1 1FTK
EVROPSKI STANDARD SOČIVA/ EUROPEAN LENS STANDARD	EN170	EN172	EN170	EN172

SABLUX

60350

60353

Okvir: najlon
Krila: najlon, podesiva dužina
Sočiva: polikarbonat
Debljina: 2,2 mm
Težina: 36 g
Originalno pakovanje: 1/120

Frame: nylon
Temples: nylon, adjustable length
Lenses: polycarbonate
Thickness: 2,2 mm
Weight: 36 g
Original packaging: 1/120

coverguard



CE EN 166



SIGMA

6SIG0

6SIG3

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 2,3 mm
Težina: 24 g
Originalno pakovanje: 1/120

Temples: polycarbonate
Lenses: polycarbonate
Debelina: 2,3 mm
Thickness: 24 g
Original packaging: 1/120

coverguard



CE EN 166



	SABLUX	SABLUX	SIGMA	SIGMA
BOJA OKVIRA/ FRAME COLOR	Prozirna Transparent	Tamna Dark	Prozirna Transparent	Crna Black
KOD/CODE	60350	60353	6SIG0	6SIG3
OZNAKA OKVIRA/ FRAME MARK	FT	FT	SFT	SFT
SOČIVA/LENSES	Prozirna/Transparent Ojačana/Reinforced Anti UV/Anti UV	Tamna/Dark Ojačana/Reinforced UV Solarna zaštita/ UV Solar protection	Prozirna/Transparent Ojačana/Reinforced Protiv zamagljivanja/Anti fog Anti UV/Anti UV	Tamna/Dark Ojačana/Reinforced Protiv zamagljivanja/Anti fog UV Solarna zaštita/UV Solar protection
OZNAKA SOČIVA/ LENS LABEL	2-1.2 1FTK	5-3.1 1FTK	2-1.2 1SFTKN	5-3.1.1 SFTKN
EVROPSKI STANDARD SOČIVA/ EUROPEAN LENS STANDARD	EN170	EN172	EN170	EN172

POKELUX

60550

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 2,4 mm
Težina: 23 g
Originalno pakovanje: 1/120

Okvir: polikarbonat
Ročke: polikarbonat
Leče: polikarbonat
Debelina: 2,4 mm
Teža: 23 g
Originalna embalaža: 1/120

coverguard



CE EN 166

THUNDERLUX

62583

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 2,2 mm
Težina: 25 g
Originalno pakovanje: 1/120

Frame: polycarbonate
Temples polycarbonate
Lenses: polycarbonate
Thickness: 2,2 mm
Weight: 25 g
Original packaging: 1/120

coverguard



CE EN 166

STYLUX

60513

Okvir: najlon, ne klizajuće ležište za nos
Krila: najlon, regulacija dužine
Sočiva: polikarbonat
Debljina: 2,2 mm
Težina: 29 g
Originalno pakovanje: 1/120

Frame: nylon, non-slip, nasal bridge
Temples: nylon, length adjustment
Lenses: polycarbonate
Thickness: 2,2 mm
Weight: 29 g
Original packaging: 1/120

coverguard



CE EN 166

GAMMA

6GAM0

Okvir: najlon
Krila: najlon, podesiva
Sočiva: polikarbonat
Debljina: 2,5 mm
Težina: 38 g
Originalno pakovanje: 1/120

Temples: nylon, adjustable
Lenses: polycarbonate
Thickness: 2,5 mm
Weight: 38 g
Original packaging: 1/120

coverguard



CE EN 166

	POKELUX	THUNDERLUX	STYLUX	GAMMA
BOJA OKVIRA/ FRAME COLOR	Prozirna Transparent	Crno/crveni Black/red	Crna Black	Crna Black
KOD/CODE	60550	62583	60513	6GAM0
OZNAKA OKVIRA/ FRAME MARK	FT	F-CAT.3	FT	SFT
SOČIVA/LENSES	Prozirna/Transparent Protiv zamagljivanja Anti fog	Tamna/Dark Ojačana/Reinforced UV Solarna zaštita/ UV Solar protection	Tamna/Dark Ojačana/Reinforced UV Solarna zaštita/ UV Solar protection	Prozirna/Transparent Ojačana/Reinforced Anti UV/Anti UV
OZNAKA SOČIVA/ LENS LABEL	2-1.2 1FTN	5-3.11 FK	5-3.11 FTK	2-1.2 1SFTK
EVROPSKI STANDARD SOČIVA/ EUROPEAN LENS STANDARD	EN170	EN172	EN172	EN170

ECOLUX

60360

60363

Okvir: najlon
Krila: najlon, podesiva
Sočiva: polikarbonat
Debljina: 2,4 mm
Težina: 34 g
Originalno pakovanje: 1/120



Temples: nylon, adjustable
Lenses: polycarbonate
Thickness: 2,4 mm
Weight: 34 g
Original packaging: 1/120



CE EN 166

OVERLUX

60VEC00

VISILUX

60401

Okvir: polikarbonat /TPE
Krila: polikarbonat/TPE, podesiva
Sočiva: polikarbonat
Debljina: 1,6 mm
Težina: 37 g
Originalno pakovanje: 10/80



Frame: polycarbonate/TPE
Temples: polycarbonate/TPE, adjustable
Lenses: polycarbonate
Thickness: 1,6 mm
Weight: 37 g
Original packaging: 10/80



Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 2,2 mm
Težina: 45 g
Originalno pakovanje: 1/120



Frame: polycarbonate
Temples: polycarbonate
Lenses: polycarbonate
Thickness: 2,2 mm
Weight: 45 g
Original packaging: 1/120



CE EN 166



CE EN 166

	ECOLUX	ECOLUX	OVERLUX	VISILUX
BOJA OKVIRA/ FRAME COLOR	Crna Black	Crna Black	Sivo/Limeta Gray/lime	Prozirna Transparent
KOD/CODE	60360	60363	60VEC00	60401
OZNAKA OKVIRA/ FRAME MARK	F	F	FT	FT
SOČIVA/LENSES	Prozirna/Transparent Anti UV/Anti UV	Tamna/Dark UV Solarna zaštita/ UV Solar protection	Prozirna/Transparent Ojačana/Reinforced Anti UV/Anti UV	Prozirna/Transparent Anti UV/Anti UV
OZNAKA SOČIVA/ LENS LABEL	2-1.2 1F	5-3.1 1F	2-1.2 1 FTK	2-1.2 1FT
EVROPSKI STANDARD SOČIVA/ EUROPEAN LENS STANDARD	EN170	EN172	EN170	EN170

CHIMILUX

60599

60600

Okvir: meki polivinilklorid (PVC)
Sočiva: polikarbonat
Debljina: 1,7 mm
Težina: 75 g
Originalno pakovanje: 1/200

coverguard

Frame: soft polyvinyl chloride (PVC)
Lenses: polycarbonate
Thickness: 1,7 mm
Weight: 75 g
Original packaging: 1/200



CE EN 166

STORMLUX

6STOC00NSI

MONOLUX

60590

Okvir: polivinilklorid (PVC) i polikarbonat
Sočiva: acetat
Debljina: 2,3 mm
Težina: 80 g
Originalno pakovanje: 10/50

coverguard

Frame: polyvinyl chloride (PVC) and polycarbonate
Lens: acetate
Thickness: 2,3 mm
Weight: 80 g
Original packaging: 10/50



CE EN 166

Okvir: meki polivinilklorid (PVC)
Sočiva: polikarbonat
Debljina: 1,7 mm
Težina: 60 g
Originalno pakovanje: 1/100

coverguard

Frame: soft polyvinylchlorid (PVC)
Lenses: polycarbonate
Thickness: 1,7 mm
Weight: 60 g
Original packaging: 1/100



CE EN 166

	CHIMILUX	CHIMILUX	STORMLUX	MONOLUX
BOJA OKVIRA/ FRAME COLOR	Zelena Green	Zelena Green	Prozirna Transparent	Prozirna Transparent
KOD/CODE	60599	60600	6STOC00NSI	60590
OZNAKA OKVIRA/ FRAME MARK	3B	3B	34 Ft	BT
SOČIVA/LENSES	Prozirna/Transparent Tečnosti/Liquids	Prozirna/Transparent Protiv Zamagljivanja/Anti fog	Prozirna/Transparent Protiv Zamagljivanja/ Anti fog Anti Uv/Anti Uv	Prozirna/Transparent Anti UV/Anti UV
OZNAKA SOČIVA/ LENS LABEL	1B	1BN	2-1.2 FTN	2-1.2 BT
EVROPSKI STANDARD SOČIVA/ EUROPEAN LENS STANDARD	EN166	EN166	EN170	EN170



UNIVET

516.01.00.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 24 g
Originalno pakovanje:
 1/250

UNIVET

NOVO
NEW

Frame: polycarbonate
Temples: polycarbonate
Lenses: polycarbonate
Weight: 24 g
Original packaging:
 1/250



CE EN 166

UNIVET

516.01.10.02

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 24 g
Originalno pakovanje:
 1/250

UNIVET

NOVO
NEW

Frame: polycarbonate
Temples: polycarbonate
Lenses: polycarbonate
Weight: 24 g
Original packaging:
 1/250



CE EN 166

UNIVET

5X8.01.00.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 24 g
Originalno pakovanje: 10/250

UNIVET

NOVO
NEW

Frame: polycarbonate
Temples: polycarbonate
Lenses: polycarbonate
Weight: 24 g
Original packaging: 10/250



CE EN 166

UNIVET

5X8.03.11.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 29 g
Originalno pakovanje:
 1/250

UNIVET

NOVO
NEW

Frame: polycarbonate
Temples: polycarbonate
Lenses: polycarbonate
Weight: 29 g
Original packaging:
 1/250



CE EN 166

	516.01.00.00	516.01.10.02	5X8.01.00.00	5X8.03.11.00
BOJA OKVIRA/ FRAME COLOR	Prozirna/zelena Transparent/Green	Crna/zelena Black/green	Prozirna Transparent	Crna/zelena Black/green
KODI/CODE	516.01.00.00	516.01.10.02	5X8.01.00.00	5X8.03.11.00
OZNAKA OKVIRA/ FRAME MARK	FT	FT	FT	FT
SOČIVA/LENSES	Prozirna/Transparent Ojačana/Reinforced Anti UV/Anti UV	Tamna/Dark Ojačana/Reinforced Anti UV/Anit UV	Prozirna/Transparent Anti UV/Anti UV	Prozirna/Transparent Anti UV/Anti UV
OZNAKA SOČIVA/ LENS LABEL	2C-1.2 U 1 FT	2C-2.5/5-2.5 U 1 FT	2C-1.2 U 1 FT	2C-1.2 U 1 FT KN
EVROPSKI STANDARD SOČIVA/ EUROPEAN LENS STANDARD	EN170	EN170, EN172	EN170	EN166, EN170

UNIVET

553Z.01.00.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 19 g
Originalno pakovanje:
 1/250

Frame: polycarbonate
Temples: polycarbonate
Lenses: polycarbonate
Weight: 19 g
Original packaging:
 1/250

UNIVET

NOVO
NEW



CE EN 166

UNIVET

506U.04.04.05

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 25 g
Originalno pakovanje:
 1/250

Frame: polycarbonate
Temples: polycarbonate
Lenses: polycarbonate
Weight: 25 g
Original packaging:
 1/250

UNIVET

NOVO
NEW



CE EN 166

UNIVET

506U.63.08.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 25 g
Originalno pakovanje:
 1/250

Frame: polycarbonate
Temples: polycarbonate
Lenses: polycarbonate
Weight: 25 g
Original packaging:
 1/250

UNIVET

NOVO
NEW



CE EN 166

UNIVET

506U.03.00.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 29 g
Originalno pakovanje:
 1/250

Frame: polycarbonate
Temples: polycarbonate
Lenses: polycarbonate
Weight: 25 g
Original packaging:
 1/250

UNIVET

CE EN 166



	553Z.01.00.00	506U.04.04.05	506U.63.08.00	506U.03.00.00
BOJA OKVIRA/ FRAME COLOR	Prozirna Transparent	Crna/zelena Black/green	Prozirna Transparent	Prozirna Transparent
KOD/CODE	553Z.01.00.00	506U.04.04.05	516.01.10.02	506U.03.00.00
OZNAKA OKVIRA/ FRAME MARK	FT	FT	FT	FT
SOČIVA/LENSES	Prozirna/Transparent Ojačana/Reinforced Anti UV/Anti UV	Tamna/Dark Ojačana/Reinforced Anti UV/Anit UV	Prozirna/Transparent Ojačana/Reinforced Anti uv/Anti UV	Prozirna/Transparent Ojačana/Reinforced Anti uv/Anti UV Protiv zamaljivanja/Anti fog
OZNAKA SOČIVA/ LENS LABEL	2C-1.2 U 1 FT K	2C-3/5-3.1 U 1 FT	2C-1.2 U 1 FT K	2C-1.2 U 1FTKN
EVROPSKI STANDARD SOČIVA/ EUROPEAN LENS STANDARD	EN170	EN170, EN172	EN170	EN170, EN172

UNIVET

513.03.10.02

UNIVET

513.01.00.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 23 g
Originalno pakovanje:
1/250

Frame: polycarbonate
Temples: polycarbonate
Lenses: polycarbonate
Weight: 23 g
Original packaging:
10/250



CE EN 166


Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 23 g
Originalno pakovanje: 10/250

Frame: polycarbonate
Temples: polycarbonate
Lenses: polycarbonate
Weight: 23 g
Original packaging:
10/250



CE EN 166

	513.03.10.02	513.01.00.00
BOJA OKVIRA/FRAME COLOR	Crna/Black	Prozirna/Transparent
KOD/CODE	513.03.10.02	513.01.00.00
OZNAKA OKVIRA/FRAME MARK	FT	FT
SOČIVA/LENSES	Tamna/Dark Ojačana/Reinforced Anti UV/Anti UV Protiv zamaljivanja/Anti fogu	Prozirna/Transparent Ojačana/Reinforced Anti UV/Anti UV Protiv zamaljivanja/Anti fogu
OZNAKA SOČIVA/LENS LABEL	2C-3/5-3.1 U 1 FT	2C-1.2 U 1 FT
EVROPSKI STANDARD SOČIVA/ EUROPEAN LENS STANDARD	EN170, EN172	EN170



UNIVET

511.03.01.00

Okvir: polikarbonat
Kрила: polikarbonat
Sočiva: polikarbonat
Težina: 30 g
Originalno pakovanje:
 1/250

Frame: polycarbonate
Temples: polycarbonate
Lenses: polycarbonate
Weight: 30 g
Original packaging:
 1/250



CE EN 166



UNIVET

601.03.07.00

Okvir: polikarbonat
Kрила: polikarbonat
Sočiva: polikarbonat
Težina: 123 g
Originalno pakovanje:
 1/100

Frame: polycarbonate
Temples: polycarbonate
Lenses: polycarbonate
Weight: 123 g
Original packaging:
 1/100



CE EN 166

UNIVET

619.02.01.00

Okvir: polikarbonat
Kрила: polikarbonat
Sočiva: polikarbonat
Težina: 84 g
Originalno pakovanje:
 1/100

Frame: polycarbonate
Temples: polycarbonate
Lenses: polycarbonate
Weight: 84 g
Original packaging:
 1/100



CE EN 166



UNIVET

620U.02.10.00

Okvir: polikarbonat
Kрила: polikarbonat
Sočiva: polikarbonat
Težina: 88 g
Originalno pakovanje:
 1/100


Frame: polycarbonate
Temples: polycarbonate
Lenses: polycarbonate
Weight: 88 g
Original packaging:
 1/100



CE EN 166



	511.03.01.00	601.03.07.00	619.02.01.00	620U.02.10.00
BOJA OKVIRA/ FRAME COLOR	Plava Blue	Prozirna Transparent	Plava Blue	Crna Black
KODI/CODE	511.03.01.00	601.03.07.00	619.02.01.00	620U.02.10.00
OZNAKA OKVIRA/ FRAME MARK	FT	3 4 5 9 BT 2C-1.2	3 4 9 B 2C-1.2	3 4 BT 2C-1.2
SOČIVA/LENSES	Prozirna/Transparent Ojačana/Reinforced Anti uv/Anti UV	Prozirna/Transparent Ojačana/Reinforced Anti uv/Anti UV Protiv zamaljivanja/Anti fogu	Prozirna/Transparent Ojačana/Reinforced Anti uv/Anti UV Protiv zamaljivanja/Anti fog	Prozirna/Transparent Ojačana/Reinforced Anti uv/Anti UV Protiv zamaljivanja/Anti fog
OZNAKA SOČIVA/ LENS LABEL	2C-1.4/5-1.4 U 1FTKN	2C-1.2 U 1BT 9 K N	2C-1.2 U 1B 9 K N	2C-1.2 U 1BT K N
EVROPSKI STANDARD SOČIVA/ EUROPEAN LENS STANDARD	EN170	EN170	EN170	EN170



ZAŠTITA DISAJNIH ORGANA RESPIRATORY PROTECTION



ZAŠTITA DISAJNIH ORGANA

Lacuna pruža kompletan asortiman za zaštitu disajnih organa kroz partnerstvo sa brendovima BLS i COVERGUARD. Svi artikli BLS brenda su proizvedeni u EU po najvišim standardima kvaliteta.

RESPIRATORY PROTECTION

Lacuna provides a complete range for respiratory protection through partnerships with the BLS and COVERGUARD brands.

All BLS brand products are manufactured in the EU to the highest standards quality.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/*LACUNA is not responsible for misprints in the catalogue.*

Zadnje važeće cene molimo proverite na LACUNA B2B/*Last valid recommended prices check on LACUNA B2B.*

Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/*Full LACUNA range available at www.lacuna.hr*



LIČNA SREDSTVA ZA ZAŠTITU DISAJNIH ORGANA

PROTECTIVE RESPIRATORS, MASKS AND HALF MASKS

OSOBNNA SREDSTVA ZA ZAŠTITU DIŠNIH PUTOVA

- Respirator za zaštitu disajnih organa je namenjen ličnoj zaštiti protiv rizika udisanja opasnih supstanci koje se nalaze u radnoj atmosferi u obliku prašine ili tečnih aerosola, gasa ili pare.
- Korisnici respiratora moraju poznavati prirodu prisutnih rizika, koncentraciju opasnih supstanci u radnoj atmosferi, limite zaštite respiratora, dužinu radnog vremena kako bi se odabrao odgovarajući respirator i omogućila adekvatna zaštita.
- Potrebno je imati percepciju o limitima izlaganja rizicima. Limiti izlaganja su nivoi u kojima nezaštićeni radnik može biti izložen štetnim uticajima otrova. Razlikujemo dugotrajne limite izlaganja (LTEL-Long Term Exposure Limit; 8h izlaganje) i kratkotrajne limite izlaganja (STEL-Short Term Exposure Limit; 15 min izlaganje).
- Navedene vrednosti zavise o nacionalnim odredbama.

RESPIRATORI ZA JEDNOKRATNU UPOTREBU KOJI ŠTITE OD ČESTICA

- Sastoji se potpuno ili gotovo potpuno od filtera
- Mogu imati ventil za disanje.
- Artikle pokriva norma EN 149:2001. Označavaju se oznakama FFP1 (filter niskog kapaciteta), FFP2 (filter srednjeg kapaciteta) ili FFP3 (filter visokog kapaciteta), prema klasi efikasnosti.

Pune maske i polumaske sa filterom

- Pune maske prekrivaju čelo, nos, usta, bradu i imaju štitnik za oči; njihova su svojstva definisana u standardu EN 136.
- Polumaske pokrivaju nos, usta i bradu i njihova svojstva su definisana normom EN 140.
- Polumaske i maske moraju u potpunosti prijanjati uz lice kako bi njihova upotreba bila potpuna (u protivnom, njihova primena će biti delimična).
- Svojstva zamenskih filtera definisana su standardom EN 141 (zaštita od organske i anorganske pare, prašine, kiseli gas, amonijak, rastvarači), EN 143 (prašina, neotoksični gas i sitne toksične čestice) i označeni su različitim bojama koje predstavljaju određenu zaštitu prema evropskim standardima i klasi filtera: 1 = nizak kapacitet, 2 = srednji kapacitet, 3 = visok kapacitet.
- Nikada ne koristiti filter masku u uslovima kada je koncentracija kiseonika niža od 17 Vol.%

OBJAŠNJENJE SKRAĆENICA

"SL"	artikl štiti i od prašine i od aerosola
"VO"	filteri koje štite od organiskih para
"GA"	artikl štiti od kiselih gasova
"NR"	jednokratni
"R"	višekratni
"D"	dolomit test za dugotrajnost
"C"	aktivni ugaj

ITEMS FOR PERSONAL RESPIRATORY PROTECTION

- *Respiratory protection respirator is intended for personal protection against the risk of inhalation of hazardous substances in the working atmosphere in the form of solid dust or liquid aerosols, gas or vapor.*
- *Respirator users must know the nature of the risks present, the concentration of hazardous substances in the working atmosphere, the protection limits of the respirator, the length of working hours in order to select an adequate respirator and provide adequate protection.*
- *It is necessary to have a perception of the limits of risk exposure. Exposure limits are the levels at which an unprotected worker may be exposed to the harmful effects of toxins. We distinguish between long-term exposure limits (LTEL-Long Term Exposure Limit; 8h exposure) and short-term exposure limits (STEL-Short Term Exposure Limit; 15 min exposure).*
- *The stated values depend on national regulations.*

DISPOSABLE RESPIRATORS PROTECTING FROM PARTICLES

- *They consist entirely or almost entirely of filters*
- *They may have a breathing valve*
- *Items are covered by EN 149: 2001. They are marked FFP1 (low capacity filter), FFP2 (medium capacity filter) or FFP3 (high capacity filter), in accordance with the efficiency class.*

Full masks and half masks with filter

- *Full masks cover the forehead, nose, mouth, chin and have an eye shield; their properties are defined in EN 136.*
- *Half masks cover the nose, mouth and chin and their properties are defined by EN 140.*
- *Half masks and masks must adhere completely to the face in order for their use to be complete (otherwise, their application will be partial).*
- *The properties of replacement filters are defined by EN 141 (protection against organic and inorganic vapors, dust, acid gas, ammonia, solutions), EN 143 (dust, neotoxic gas and fine toxic particles) and are marked with different colors that represent certain protection according to European standards and filter class: 1 = low capacity, 2 = medium capacity, 3 = high capacity.*
- *Never use a filter mask in conditions where the concentration is oxygen lower than 17 Vol.%.*

EXPLANATION OF ABBREVIATIONS

"SL"	<i>article protects against both dust and aerosols</i>
"VO"	<i>filters that protect against organic vapors</i>
"GA"	<i>article protects against acid gases</i>
"NR"	<i>disposable</i>
"R"	<i>multiple</i>
"D"	<i>dolomite durability test</i>
"C"	<i>activated carbon</i>

Kompanija BLS osnovana je 1970 godine sa sedištem u Milanu sa misijom stvaranja proizvoda za zaštitu respiratornog sistema visokog stepena zaštite, kvaliteta i dugotrajnosti.

PPE (Personal Protective Equipment) tj. Lična Zaštitna Oprema se dele u 3 kategorije

- KATEGORIJA I _ minimalni rizici – CAT I
- KATEGORIJA II _ rizici kod kojih može doći do povrede ljudi ali nemaju smrtno posledice – CAT II
- KATEGORIJA III _ oprema za zaštitu od smrtnih rizika i ireverzibilnih (trajnih) štetnih povreda - CAT III
- RPP (Respiratory Protection Products) SPADAJU U KATEGORIJU III PPE služe za zaštitu ljudi od smrtnih rizika a osnovna podela je na proizvode koji štite od PRAŠINE, MAGLE, DIMA I AEROSOLA (RESPIRATORI) i proizvodi koji štite od GASOVA I PARA (MASKE I POLUMASKE I ODGOVARAJUĆI FILTERI)

BLS was founded in 1970 with its headquarters in Milan with the mission of creating products for the protection of the respiratory system with a high degree of protection, quality and longevity. PPE ie. Personal Protective Equipment is divided into 3 categories

- CATEGORY I _ minimal risks - CAT I
- CATEGORY II _ risks that can injure people but do not have fatal consequences - CAT II
- CATEGORY III _ equipment for protection against fatal risks and irreversible (permanent) harmful injuries - CAT III
- RPP (Respiratory Protection Products) BELONG TO CATEGORY III PPE are used to protect people from fatal risks and the basic division is into products that protect from DUST, FOG, SMOKE AND AEROSOLS (RESPIRATORS) and products that protect from GASES AND VAPORS (MASKS AND HALF MASKS) AND SUITABLE FILTERS)

RAZRED ZAŠTITE za prašinu, maglu, dim i aerosole - BLS ZERO/ ZERO FLAT SERIJA, BLS 500 SERIJA, BLS CLASSIC SERIJA, BLS 100 SERIJA

Evropski standard EN 529:2005 pokazuje kako odabrati ispravan aparat za disanje na osnovu procene rizika. Ovaj standard označava zaštitu faktor koji je po definiciji parametar koji izražava odnos između koncentracija zagađivača u okolini i njegovoj koncentraciji unutar aparata za disanje. Značajna razlika se odnosi na nominalni faktor zaštite (NPF) i dodeljeni faktor zaštite (APF). Nominalni faktor zaštite (NPF) je broj izveden iz maksimalnog postotka ukupnog gubitka (prema unutrašnjosti uređaja za disanje) dozvoljenog evropskim standardima. Dodeljeni faktor zaštite (APF) je nivo respiratorne zaštite koja se realno može očekivati na 95% radnih mesta korisnika LZO. Važna referenca za odabir uređaja za disanje je granična vrednost (TLV), odnosno "granična vrednost izloženosti" koja ukazuje na koncentraciju hemikalija u okolini kojoj većina radnika može biti izložena dnevno, bez ikakvog negativnog uticaja na njihovo zdravlje.

RESPIRATORI RESPIRATORS			POLUMASKE HALF MASK			MASKE MASKS		
CLASS	NPF	MAX CONC.	FILTER CLASS	NPF	MAX CONC.	FILTER CLASS	NPF	MAX CONC.
FFP1	4	4xTLV	P1	4	4xTLV	P1	5	5xTLV
FFP2	12	12xTLV	P2	12	12xTLV	P2	16	16xTLV
FFP3	50	50xTLV	P3	48	48xTLV	P3	1000	100xTLV

*TLV: time-weighted average concentration of a substance to which the operator can be exposed without adverse health effects.

KLASA ZAŠTITE za gasove i pare - BLS 4000next SERIJA, BLS SGE46, BLS 8000 SERIJA, BLS 5000 SERIJA, BLS 3000 SERIJA, BLS 2000 SERIJA, BLS 1000 SERIJA

Da biste odabrali pravu zaštitu protiv gasova i para, morate poznavati hemijsku prirodu zagađivača. Tabele koje pruža BLS, označavaju vrstu filtra kojeg treba koristiti, u zavisnosti od kontaminanta i nivoa koncentracije, pazeći da je nivo kiseonika veći od 17%. Propisane su tri klase filtera: niska (klasa 1), srednja (klasa 2), visoka (nivo 3). Za zaštitu od gasova i para, utvrđuje se nominalni faktor zaštite po vrsti maske.

Evropski standard 14387: 2004 + A1: 2008 definiše zaštitu od gasova i pare prema sledećoj tabeli: European standard 14387: 2004 + A1: 2008 defines protection against gases and vapors according to the following table

TIP/TYPE	BOJA/COLOR	ZAŠTITA/PROTECTION
A	BRAON/BROWN	Organski gasovi i pare s vrelištem iznad 65°C Organic gases and vapors boiling above 65°C
B	SIVA/GRAY	Anorganski gasovi i para/Inorganic gases and vapors
E	ŽUTA/YELLOW	Kisel gasovi/Acid gases
K	ZELENA/GREEN	Amonijak i derivati/Ammonia and derivatives
AX	BRAON/BROWN	Organski gasovi i pare s vrelištem nižim od 65°C Organic gases and vapors with a boiling point lower than 65°C
P	BELO/WHITE	Čestice, magle, pare/particles, mists, vapors
HG	CRVENO/RED	Živine pare/Mercury vapors
NO	PLAVA/BLUE	Nitrozni gasovi/Nitrous gases
CO	CRNA/BLACK	Ugljični oksid/Carbon oxide
Reaktor	Narandžasta/ ORANGE	Reaktor - Radioaktivni jod (uključujući radioaktivni jodometan/ Radioactive iodine, including radioactive iodomethane

PROTECTION CLASS for dust, fog, smoke and aerosols - BLS ZERO SERIES, BLS FLICKIT SERIES, BLS CLASSIC SERIES

European standard EN 529: 2005 shows how to choose the right breathing apparatus based on risk assessment. This standard denotes a protection factor which is by definition a parameter that expresses the relationship between the concentrations of pollutants in the environment and the concentration inside the breathing apparatus. A significant difference relates to the nominal protection factor (NPF) and the assigned protection factor (APF). The nominal protection factor (NPF) is a number derived from the maximum percentage of total loss (according to the inside of the breathing apparatus) allowed by European standards. Assigned protection factor (APF) is the level of respiratory protection that is can realistically expect 95% of PPE user jobs. An important reference for the selection of breathing apparatus is the limit value (TLV), ie the "exposure limit value" which indicates the concentration of chemicals in the environment to which most workers can be exposed daily without any negative impact on their health.



PROTECTION CLASS for gases and vapors - BLS 4000 SERIES, BLS SGE46, BLS 8000 SERIES, BLS 5000 SERIES, BLS 3000 SERIES

To choose the right protection against gases and vapors, you need to know the chemical nature of the pollutants. The tables provided by the BLS indicate the type of filter to be used depending on the contaminant and the concentration level, making sure that the oxygen level is higher than 17%. Three classes of filters are prescribed: low (class 1), medium (class 2), high (class 3). For protection against gases and vapors, the nominal protection factor is determined by the type of mask.

KLASA/ CLASS	1	2	3
KAPACITET/CAPACITY	NISKI/LOW	SREDNJI/MEDIUM	VISOKI/HIGH
GRANIČNA VREDNOST IZLAGANJA	1000 ppm	5000 ppm	10000 ppm

	POLUMASKA/ HALF MASK		MASKA PUNO LICE/FULL FACE MASK	
	NPF	KONCENTRACIJA MASKE/ MASK CONCENTRATION	NPF	KONCENTRACIJA MASKE/ MASK CONCENTRATION
PLIN	50	50xTLV	2000	2000xTLV
PLIN P3	48	48xTLV	1000	1000xTLV

* TLV: vremenski ponderisana prosečna koncentracija materije kojoj operater može biti izložen bez štetnih efekata na zdravlje. / TLV: time-limited value of average concentration of a substance to which an operator may be exposed without adverse health effects.



OSNOVNE ZNAČAJKE JEDNOKRATNIH RESPIRATORA

BASIC CHARACTERISTICS OF DISPOSABLE RESPIRATORS

Trajanje proizvoda je predviđeno za jednu ili više radnih smena. Proizvod štiti samo od čestica. Proizvodi su podeljeni u tri klase prema efikasnosti filtriranja i prijanjanju (FFP1, FFP2, FFP3).

The duration of the product is for one or more work shifts. They can only protect from particles. There are three classes of devices divided according to filtering and fitting efficiency (FFP1, FFP2, FFP3)

Karakteristike/Features



EOLO VENTIL/ EOLO VALVE

BLS-ova Eolo tehnologija ventila drastično smanjuje otpor disanja i dozvoljava 30% veći prolaz vazduha od klasičnih ventila, koncentrirajući to maksimalnim otvaranjem u dve tačke.

The Eolo technology of BLS valves drastically reduces breathing resistance and allows an air passage 30% higher than classic valves, concentrating it in two points of maximum opening.

ZAŠTITA/ ARMOR

Spoljni sloj osigurava zaštitu materijala za filtriranje od prljavštine, prašine i tečnosti i time čuva efikasnost filtriranja čineći proizvod sigurnijim.

It's an external layer that ensures the protection of the filtering material from dirt, dust and liquids extending and preserving filtering efficiency and making the device safer

KLIP ZA NOS/ NOSE CLIP

Zajedno sa zaptivkom, osigurava prijanjanje na najkritičnijem delu lica, gornjem delu nosa, te poboljšava performanse u testnoj fazi pogodnosti proizvoda.


Along with the face seal it secures the fit of the filtering facepiece to the most critical part of the face, the upper part of the nose, and it improves performance in the fit test phase.

ZAPTIVKA/ FACE SEAL

Penasta traka postavljena oko respiratora garantuje maksimalnu zaštitu, izbegavajući prolazke strujanja vazduha kroz nezapečaćene delove. Može biti delimična (zaptivke gornjeg dela proizvoda) ili potpuna.

A foamy strip placed around the respirator is essential to guarantee maximum protection avoiding air flows passing through unsealed borders. It can be partial (sealing the upper part of the device) or complete.


Vrste filtriranja/Filtration principles



MEHANIČKO/ MECHANICAL

Ako se udahnu, nanočestice (veličine između 1 i 100 nanometara), mogu proći kroz stanične membrane dopirući do unutrašnjih organa i potencijalno uzrokovati ozbiljnu štetu telu pošto se vrlo teško izbacuju. Specifični testovi pomogli su u razvoju medijuma za filtriranje koji može uspešno blokirati pristup.

If inhaled, nanoparticles (between 1 and 100 nanometers wide), can pass through cellular membranes reaching internal organs and potentially cause severe harm to the body being very difficult to dispose. Specific tests have helped us to develop a filtering medium able to successfully block the access of such substances. With NANOFILTRATION, BLS can guarantee a new standard of protection against nanoparticles.



ELEKTROSTATIČNI/ ELECTROSTATIC

Manje čestice su predmet daljnje filtracije od strane elektrostatički nabijenog filtrirajućeg materijala. Stoga, što je manja čestica, jača je elektrostatička privlačnost.

Smaller particles are subject to a further filtration by the electrostatically charged filtering material. Therefore, smaller the particulate is, the stronger is the electrostatic attraction.



AKTIVNI UGLJEN/ ACTIVATED CARBONS

Sloj impregniran aktivnim ugljen je moguće dodati na materijal za filtriranje čime se povećava zaštita i udobnost proizvoda u prisutnosti neprijatnih mirisa.

A layer impregnated with activated carbons could be added to the filtering material enhancing the protection and comfort of the product in presence of nuisance odours.

PROIZVODI ZA JEDNOKRATNU UPOTREBU /
RESPIRATORI U OBLIKU ŠKOLJKE

BLS ZERO SERIJA

DISPOSABLE PRODUCTS / CUP SHAPED FILTERING
FACEPIECES

BLS ZERO SERIES

Karakteristike/Features

01 ANATOMSKI/ANATOMIC

Unapred oblikovana školjka respiratora i elastična potpora omogućuju lakše i pouzdano pristajanje, savršeno se prilagođavajući različitim fizionomijama i osiguravajući držanje na licu. Nudi izvanredno vidno polje i kompatibilnost naočarima.

The pre-formed cup and elastic support makes an easier and reliable fit, perfectly adapting to different physiognomies and ensuring an excellent hold. It offers an excellent visual field and a great compatibility with glasses.

02 VARENE ILI PRILAGODLJIVE ELASTIČNE VEZICE/WELDED OR ADJUSTABLE ELASTICS

Elastične vezice su ultrazvučno zavarene kako bi uklonile izložene metalne delove; napravljene su od hipoalergenog materijala bez lateksa, dok one koje su podesive, zahvaljujući inovativnom povratnom sistemu, olakšavaju korisniku pravilno postavljanje maske na lice.

The elastics, ultrasonically welded to eliminate the exposed metal parts, are made of hypoallergenic material without latex, while the adjustable ones, thanks also to the innovative drop-off system, facilitate the correct positioning of the facepiece on the user's face.

03 DOSTUPNE S AKTIVNIM UGLJEM/ AVAILABLE WITH ACTIVATED CARBONS

Aktivni ugalj štiti od kiselina, organskih gasova-para i ozona ispod maksimalno dozvoljene koncentracije (MDK) specifične za svaku materiju.

Activated carbons protect from acid and organic gases-vapours and ozone below the Threshold Limit Value (TLV), specific for every substance.



ZAŠTITA/PROTECTION
Bolja od FFP3/
Better than a FFP3

STANDARD
EN 149:2001+A1:2009



*BLS Zero




**OTPORNOST
KOD DISANJA/
BREATHING
RESISTANCE**
Bolja od FFP1/
Better than a FFP1

UDISANJE/INSPIRATION
30 l/m



UDISANJE/INSPIRATION
95 l/m



IZDISANJE/EXPIRATION
160 l/m



RESPIRATOR FFP3 ZERO SA VENILOM/ RESPIRATOR FFP3 ZERO WITH VALVE

BLS 030

Opis: respirator FFP3 NR D s ventilom u obliku školjke
Karakteristike: anatomski oblikovan respirator Zer0 serije pruža maksimalnu zaštitu i udobnost disanja
Zaptivka: djelomično (gornji dio respiratora) sastav polimer i poliester (PES)
Vežica: vareni termoplastični elastomer (TPE)
Klip za nos: polipropilen (PP)
Ventil: polipropilen i guma
Sloj za filtriranje: polipropilen
Zaštitni sloj: poletilen
Težina: 21 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 10/120

Description: FFP3 NR D respirator with shell-shaped valve
Features: anatomically shaped Zer0 series respirator provides maximum protection and breathing comfort
Gasket: partial (upper part of the respirator) Composition polymer and polyester (PES)
Tie: welded thermoplastic elastomer (TPE)
Nose clip: polypropylene (PP)
Valve: polypropylene and rubber
Filter layer: polypropylene
Protective layer: polyethylene
Weight: 21 g
Standard: EN 149:2001+A1:2009
Original packaging: 10/120



CE EN 149:2001 + A1:2009

RESPIRATOR FFP3 ZERO SA VENILOM S AKTIVNIM UGLJEM/ RESPIRATOR FFP3 ZERO WITH VALVE (WITH CARBON)

BLS 030C

Opis: respirator FFP3 NR D s ventilom u obliku školjke (s aktivnim ugljem)
Karakteristike: anatomski oblikovan respirator Zer0 serije pruža maksimalnu zaštitu i udobnost disanja
Zaptivka: djelomično (gornji dio respiratora) sastav: polimer i poliester (PES)
Vežica: vareni termoplastični elastomer (TPE)
Klip za nos: polipropilen (PP)
Ventil: polipropilen i guma
Sredstvo za filtriranje: polipropilen
Zaštitni sloj: poletilen
Sloj sa aktivnim ugljikom: poliester
Težina: 16 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 10/120

Description: FFP3 NR D respirator with shell-shaped valve (with activated carbon)
Features: anatomically shaped Zer0 series respirator provides maximum protection and breathing comfort
Gasket: partial (upper respirator) Composition polymer and polyester (PES)
Tie: welded thermoplastic elastomer (TPE)
Nose clip: polypropylene (PP)
Valve: polypropylene and rubber
Filter layer: polypropylene
Protective layer: polyethylene
Weight: 16 g
Standard: EN 149:2001+A1:2009
Original packaging: 10/120




CE EN 149:2001 + A1:2009

RESPIRATOR FFP3 ZERO SA VENILOM (PUNA ZAPTIVKA)/ RESPIRATOR FFP3 ZERO WITH VALVE (FULL GASKET)

BLS 031

Opis: respirator FFP3 NR D s ventilom u obliku školjke
Karakteristike: anatomski oblikovan respirator Zer0 serije pruža maksimalnu zaštitu i udobnost disanja
Zaptivka: puno (cijeli respirator)
Sastav: polimer i poliester (PES)
Vežica: vareni termoplastični elastomer (TPE)
Klip za nos: polipropilen (PP)
Ventil: polipropilen i guma
Sredstvo za filtriranje: polipropilen
Zaštitni sloj: poletilen
Težina: 20 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 10/120

Description: FFP3 NR D respirator with shell-shaped valve
Features: anatomically shaped Zer0 series respirator provides maximum protection and breathing comfort
Gasket: partial (upper respirator) Composition polymer and polyester (PES)
Tie: welded thermoplastic elastomer (TPE)
Nose clip: polypropylene (PP)
Valve: polypropylene and rubber
Filter layer: polypropylene
Protective layer: polyethylene
Weight: 20 g
Standard: EN 149:2001+A1:2009
Original packaging: 10/120



CE EN 149:2001 + A1:2009

**RESPIRATOR FFP3 ZERO SA VENTILOM (S AKTIVNIM UGLJEM , PUNA ZAPTIVKA)/
RESPIRATOR FFP3 ZERO WITH VALVE (WITH CARBON, FULL GASKET)**

BLS 031C



Opis: respirator FFP3 R D s ventilom u obliku školjke (s aktivnim ugljem)

Karakteristike: anatomski oblikovan respirator Zer0 serije pruža maksimalnu zaštitu i udobnost disanja

Zaptivka: puno (cijeli respirator)

sastav: polimer i poliester (PES)

Vezica: vareni termoplastični elastomer (TPE)

Kvačica za nos: polipropilen (PP)

Ventil: polipropilen i guma

Sredstvo za filtriranje: polipropilen

Zaštitni sloj: poletilen

Sloj sa aktivnim ugljikom: poliester

Težina: 20 g

Standard: EN 149:2001+A1:2009

Original pakovanje: 10/120

Description: FFP3 NR D respirator with shell-shaped valve (with activated carbon)

Features: anatomically shaped Zer0 series respirator provides maximum protection and breathing comfort

Gasket: partial (upper part of the respirator) Composition polymer and polyester (PES)

Tie: welded thermoplastic elastomer (TPE)

Nose clip: polypropylene (PP)

Valve: polypropylene and rubber

Filter layer: polypropylene

Protective layer: polyethylene


Weight: 20 g

Standard: EN 149:2001+A1:2009

Original packaging: 10/120



CE EN 149:2001 + A1:2009



BLS ZERO FLAT SERIES

- 01 DOSTUPNO U DVE VELIČINE/AVAILABLE IN TWO SIZES**
Ova serija je dostupna u dve veličine, S i M/L, kako bi savršeno pristajala svakom obliku lica. Veličina S je posebno dizajnirana za ženska lica.
This series is available in two different sizes, S and M/L, to perfectly fit all face types. The S size was specifically designed for female faces.
- 02 VISOKO UČINKOVIT EOLO VENTIL/HIGH-EFFICIENCY EOLO VALVE**
Eolo tehnologija je sistem ventila za disanje sa membranom učvršćenom na tri umesto na jednoj tački, a što omogućuje 30 % veći protok vazduha od 06 konvencionalnih ventila, koncentrirajući ga na dve tačke maksimalnog otvaranja.
Eolo Technology is our three-point, instead of one-point, valve diaphragm attachment system which allows 30% of air passing through exhalation more than conventional valves, concentrating it at two points of maximum opening.
- 03 DOSTUPNE S AKTIVNIM UGLJEM/
AVAILABLE WITH ACTIVATED CARBONS**
Aktivni ugalj štiti od kiselina, organskih gasova-para i ozona ispod maksimalno dozvoljene koncentracije (MDK) specifične za svaku materiju.
Activated carbons protect from acid and organic gases-vapours and ozone below the Threshold Limit Value (TLV), specific for every substance.
- 04 OPTIMALNO VIDNO POLJE/OPTIMAL VISUAL FIELD**
Oblik respiratora garantuje veliku površinu filtriranja, ostavljajući vidno polje potpuno slobodnim.
The shape of the filtering facepiece guarantees a large filtering surface area, leaving the field of vision totally free.



RESPIRATOR FFP3 ZERO SKLOPIVI SA VENTILOM/ RESPIRATOR FFP3 ZERO FLAT WITH VALVE

BLS033

Opis: respirator FFP3 s ventilom sklopivi

Karakteristike: FFP3 respirator s ventilom Zer0 serije pruža maksimalnu zaštitu i udobnost disanja, izvrsno vidno polje, dostupan u dvije veličine, kompatibilan sa naočalama

Vezica: tekstilna elastična

Kvačica za nos: polipropilen (PP)

Ventil: EOLO ventil

Zaštitni sloj: polipropilen

Dostupne veličine: S, M/L

Standard: EN 1492001+A1:2009

Originalno pakovanje: 10/120

Description: FFP3 respirator with valve foldable

Characteristics: FFP3 respirator with the Zer0 series valve provides maximum protection and comfort breathing, excellent field of vision, available in two sizes, compatible with glasses

Lace: textile elastic

Nose clip: polypropylene (PP)

Valve: EOLO valve

Protective layer: polypropylene

Available sizes: S, M/L

Standard: EN 1492001+A1:2009

Original packaging: 10/120



RESPIRATOR FFP3 ZERO SKLOPIVI/ RESPIRATOR FFP3 ZERO FLAT

BLS033NV

Opis: respirator FFP3 sklopivi
Karakteristike: FFP3 respirator bez ventila Zer0 serije pruža maksimalnu zaštitu i udobnost disanja, izvrsno vidno polje, dostupan u dvije veličine, kompatibilan sa naočalama
Vežica: tekstilna elastična
Klip za nos: polipropilen (PP)
Sloj za filtriranje: polipropilen
Dostupne veličine: S, M/L
Standard: EN 1492001+A1:2009
Originalno pakovanje: 10/120

Description: FFP3 respirator foldable
Characteristics: FFP3 respirator without Zer0 series valves provide maximum protection and breathing comfort, excellent field of view, available in two size, compatible with glasses
Lace: textile elastic
Nose clip: polypropylene (PP)
Filter layer: polypropylene
Available sizes: S, M/L
Standard: EN 1492001+A1:2009
Original packaging: 10/120



CE EN 149:2001 + A1:2009

PREKLOPNI TRODIMENZIONALNI DIZAJN / FLAT 3-FLAP DESIGN



Karakteristike/Characteristics

05 PREKLOPNI TRODIMENZIONALNI DIZAJN/FLAT 3-FLAP DESIGN

Zahvaljujući trodimenzionalnom preklopnom dizajnu respirator se savršeno prilagođava svim pokretima lica, osiguravajući maksimalnu zaštitu i efikasnost u svakom trenutku. Donji preklopní deo respiratora omogućuje jednostavno otvaranje respiratora bez kontaminacije unutrašnjosti. Izvanredno vidno polje i odlična kompatibilnost sa naočarima.

Thanks to the three-flap design, the device adapts perfectly to all facial movements, ensuring maximum protection and efficiency at all times. The folded lower flap allows easy opening of the facepiece without contaminating the inside. Excellent field of vision and great compatibility with glasses.



06 UNUTRAŠNJA KLIP ZA NOS/INTERNAL NOSE CLIP

Klip za nos, smešten između slojeva filtrirajućih materijala sa unutrašnje strane, optimalno se prilagođava profilu nosa i očiju i tako garantuje dobru vidljivost i maksimalnu kompatibilnost sa naočarima.

The nose clip, placed internally between the layers of filter material, it adapts optimally to the profile of the nose and eyes, guaranteeing good visibility and maximum compatibility with glasses.



07 TEKSTILNE ELASTIČNE VEZICE/TEXTILE ELASTICS

Elastične vezice izrađene su od izdržljivog i visokoeфикаsnog tekstilnog materijala. Podupirajući sloj vezica omogućuje prijanjanje vezica na respirator bez korišćenja izloženih metalnih delova.

The elastic bands are made of enduring and high-performance textile material. The addition of a backing layer allows the elastics to adhere to the filter body without the use of exposed metal parts.

08 VANJSKI ZAŠTITNI SLOJ/EXTERNAL PROTECTIVE LAYER

Spoljni zaštitni sloj osigurava zaštitu filtrirajućeg materijala od prljavštine, prašine i tečnosti čime produžuje efikasnost filtriranja i čini proizvod sigurnijim.

It is an external protective layer that ensures the protection of the filtering material from dirt, dust and liquids extending and preserving filtering efficiency and making the device safer.

09 KRUTA UNUTARNJE JEZGRO/RIGID INNER CORE

Dodatak inovativne unutrašnje jezgre osigurava čvrstoću respiratora i visoku prozračnost, istovremeno održavajući nizak nivo otpora prilikom disanja. The addition of the innovative inner core ensures solidity to the filtering facepiece and high breathability, while maintaining low breathing resistance.



**RESPIRATOR FFP2 500 SKLOPIVI/
RESPIRATOR FFP2 500 FOLDABLE**

BLS502

Opis: respirator FFP2 NR
Karakteristike: sklopivi respirator sa gumenom vezicom, bez ventila
Filter: polipropilen (PP)
Kvačica za nos: polipropilen (PP)
Vežice: guma
Težina: 7 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 20/240

Description: respirator FFP2 NR
Features: folding respirator with rubber band, without valve
Filter: polypropylene (PP)
Nose clip: polypropylene (PP)
Ties: rubber
Weight: 7 g
Standard: EN 149: 2001 + A1:2009
Original packaging: 20/240



CE EN 149:2001 + A1:2009



**RESPIRATOR FFP3 500 SKLOPIVI/
RESPIRATOR FFP3 500 FOLDABLE**


BLS503

Opis: respirator FFP3 NR
Karakteristike: sklopivi respirator sa gumenom vezicom, bez ventila
Filter: polipropilen (PP)
Klip za nos: polipropilen (PP)
Vežice: guma
Težina: 7 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 20/240

Description: respirator FFP3 NR
Features: folding respirator with rubber band, without valve
Filter: polypropylene (PP)
Nose clip: polypropylene (PP)
Ties: rubber
Weight: 7 g
Standard: EN 149: 2001 + A1:2009
Original packaging: 20/240



CE EN 149:2001 + A1:2009



**RESPIRATOR FFP2 CLASSIC S VENTILOM/
FFP2 CLASSIC RESPIRATOR WITH VALVE**

BLS129BW

Opis: respirator FFP2 R D s ventilom
Karakteristike: oblik školjke, elastična vezica pričvršćena u 4 točke, vezica varena za respirator i prilagodljive duljine, prilagodljiva kopča za nos za savršeno prijanjanje uz lice
Vežica: poliester, guma
Klip za nos: polipropilen (PP)
Ventil: polipropilen i guma
Zaptivka: polimer
Sloj za filtriranje: polipropilen
Težina: 14 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 15/180

Description: respirator FFP2 R D with valve
Characteristics: shell shape, elastic tie fastened in 4 points; A strap welded to the respirator and adjustable lengths; Adjustable nose clip for a perfect fit to the face
Tie: polyester, rubber
Nose clip: polypropylene (PP)
Valve: polypropylene and rubber
Gasket: polymer
Filter layer: polypropylene
Weight: 14 g
Standard: EN 149: 2001 + A1:2009
Original packaging: 15/180



CE EN 149:2001 + A1:2009




RESPIRATOR FFP2 CLASSIC S VENTILOM/ RESPIRATOR FFP2 CLASSIC WITH VALVE

BLS226B

Opis: respirator FFP2 NR D s ventilom (sa aktivim ugljenom)
Karakteristike: oblik školjke, elastična vezica pričvršćena u 4 točke; Prilagodljiva kopča za nos za savršeno prijanjanje uz lice
Vežica: termoplastični elastomer (TPE)
Klip za nos: polipropilen (PP)
Ventil: polipropilen i guma
Zaptivka: polimer
Sloj za filtriranje: polipropilen
Težina: 19 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 10/120

Description: respirator FFP2 NR D with shellshaped valve
Characteristics: shell shape, elastic tie fastened in 4 points; Adjustable nose clip for a perfect fit to the face
Tie: thermoplastic elastomer (TPE)
Nose clip: polypropylene (PP)
Valve: polypropylene and rubber
Filter layer: polypropylene
Protective layer: polyethylene
Weight: 19 g
Standard: EN 149:2001+A1:2009
Original packaging: 10/120



CE EN 149:2001 + A1:2009

RESPIRATOR FFP2 S VENTILOM/ RESPIRATOR FFP2 WITH VALVE

BLS102V

Opis: respirator FFP2 s ventilom u obliku školjke
Karakteristike: anatomski oblikovan FFP2 respirator sa ventilom, sa gumenom vezicom
Vežica: guma
Klip za nos: polipropilen (PE)
Ventil: polipropilen i guma
Sloj za filtriranje: polipropilen
Težina: 11 g
Standard: EN 1492001+A1:2009
Originalno pakovanje: 20/180

Description: FFP2 respirator with valve in shell shape
Characteristics: anatomical molded FFP2 respirator with a valve, with a rubber band
Lace: rubber
Nose clip: polypropylene (PE)
Valve: polypropylene and rubber
Filter layer: polypropylene
Weight: 11 g
Standard: EN 1492001+A1:2009
Original packaging: 20/180



CE EN 149:2001 + A1:2009



**RESPIRATOR FFP1 S VENILOM (SKLOPIVI)/
RESPIRATOR FFP1 WITH VALVE (FOLDABLE)**

23105

Opis: respirator FFP1 NR D s ventilom sklopivi
Karakteristike: sklopivi respirator, elastična vezica
Spoljnji i unutarnji sloj: polipropilen
Vežica: pritezanje pomoću sintetičke gume
Klip za nos: polietilen
Težina: 17 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 20/240

Description: respirator FFP1 NR D with folding valve
Features: collapsible respirator, elastic band
Outer and inner layer: polypropylene
Tie: tightening with synthetic rubber
Nose clip: polyethylene
Weight: 17 g
Standard: EN 149:2001 + A1:2009
Original packaging: 20/240 "

coverguard



CE EN 149:2001 + A1:2009



**RESPIRATOR FFP1 S VENILOM/
RESPIRATOR FFP1 Z WITH VALVE**

23106


Opis: respirator FFP1 NR D s ventilom
Karakteristike: oblik školjka, elastična vezica
Spoljnji i unutarnji sloj: polipropilen
Vežica: pritezanje pomoću sintetičke gume
Klip za nos: aluminij
Težina: 12 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 10/120

Description: respirator FFP1 NR D with valve
Features: shell shape, elastic band
Outer and inner layer: polypropylene
Tie: tightening with synthetic rubber
Nose clip: aluminum
Weight: 12 g
Standard: EN 149:2001 + A1:2009
Original packaging: 10/120

coverguard



CE EN 149:2001 + A1:2009



**RESPIRATOR FFP1/
RESPIRATOR FFP1**

23101

Opis: respirator FFP1 NR D
Karakteristike: oblik školjka, elastična vezica
Spoljnji i unutarnji sloj: polipropilen
Vežica: pritezanje pomoću sintetičke gume
Klip za nos: aluminij
Težina: 8 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 20/240

Description: respirator FFP1 NR D
Features: shell shape, elastic band
Outer and inner layer: polypropylene
Tie: tightening with synthetic rubber
Nose clip: aluminum
Weight: 8 g
Standard: EN 149:2001 + A1:2009
Original packaging: 20/240

coverguard



CE EN 149:2001 + A1:2009



**RESPIRATOR FFP2 S VENILOM SKLOPIVI/
RESPIRATOR FFP2 WITH VALVE FOLDABLE**

23205

Opis: respirator FFP2 NR D sklopivi

Karakteristike: sklopivi respirator s ventilom, elastična vezica

Spoljnji i unutarnji sloj: polipropilen

Vezica: pritezanje pomoću sintetičke gume

Klip za nos: polietilen

Težina: 17 g

Standard: EN 149:2001+A1:2009

Originalno pakovanje: 20/240

Description: respirator FFP2 NR D foldable

Features: foldable respirator with valve, elastic band

Outer and inner layer: polypropylene

Tie: tightening with synthetic rubber

Nose clip: polyethylene

Weight: 17 g

Standard: EN 149:2001 + A1:2009;

Original packaging: 20/240

coverguard



CE EN 149:2001 + A1:2009

**RESPIRATOR FFP 2/
RESPIRATOR FFP2**

23201

Opis: respirator FFP2 NR D

Karakteristike: oblik školjka, elastična vezica

Spoljnji i unutarnji sloj: polipropilen

Vezica: pritezanje pomoću sintetičke gume

Klip za nos: aluminij

Težina: 9 g

Standard: EN 149:2001+A1:2009

Originalno pakovanje: 20/240

Description: respirator FFP2 NR D

Features: shell shape, elastic band

Outer and inner layer: polypropylene

Tie: tightening with synthetic rubber

Nose clip: aluminum

Weight: 9 g

Standard: EN 149:2001 + A1:2009

Original packaging: 20/240

coverguard



CE EN 149:2001 + A1:2009

**RESPIRATOR FFP2 S VENILOM/
RESPIRATOR FFP2 WITH VALVE**

23206

Opis: respirator FFP2 NR D s ventilom

Karakteristike: oblik školjka, elastična vezica

Spoljnji i unutarnji sloj: polipropilen

Vezica: pritezanje pomoću sintetičke gume

Klip za nos: aluminij

Težina: 12 g

Standard: EN 149:2001+A1:2009

Originalno pakovanje: 10/120

Description: respirator FFP2 NR D with valve

Features: shell shape, elastic band

Outer and inner layer: polypropylene

Tie: tightening with synthetic rubber


Nose clip: aluminum

Weight: 12 g

Standard: EN 149:2001 + A1:2009

Original packaging: 10/120

coverguard



CE EN 149:2001 + A1:2009



**RESPIRATOR FFP3 S VENTILOM SKLOPIVI/
RESPIRATOR FFP3 WITH VALVE FOLDABLE**

23305

Opis: respirator FFP3 NR D sklopivi

Karakteristike: sklopivi respirator s ventilom, elastična vezica

Spoljni i unutarnji sloj: polipropilen

Vežica: pritezanje pomoću sintetičke gume

Klip za nos: polietilen

Težina: 19 g

Standard: EN 149:2001+A1:2009

Originalno pakovanje: 20/240

Description: respirator FFP3 NR D collapsible

Features: collapsible respirator with valve, elastic band

Outer and inner layer: polypropylene

Tie: tightening with synthetic rubber

Nose clip: polyethylene

Weight: 19 g

Standard: EN 149:2001 + A1:2009

Original packaging: 20/240

coverguard



CE EN 149:2001 + A1:2009



**RESPIRATOR FFP3 S VENTILOM/
RESPIRATOR FFP3 WITH VALVE**

23306

Opis: respirator FFP3 NR D s ventilom

Karakteristike: oblik školjka, elastična vezica

Spoljni i unutarnji sloj: polipropilen

Vežica: pritezanje pomoću sintetičke gume

Klip za nos: aluminij

Težina: 12 g

Standard: EN 149:2001+A1:2009

Originalno pakovanje: 5/60

Description: FFP3 NR D respirator with valve

Features: shell shape, elastic band

Outer and inner layer: polypropylene

Tie: tightening with synthetic rubber

Nose clip: aluminum

Weight: 12 g

Standard: EN 149:2001 + A1:2009

Original packaging: 5/60

coverguard



CE EN 149:2001 + A1:2009



BLS4100next



POLUMASKA OD TERMOPLASTIKE SA DVA FILTERA (A1P2R D)/ THERMOPLASTIC HALF MASK FOR TWO FILTERS

BLS8100NEXT

Opis: višekratna polumaska s dva filtera (A1P2R D)
Zaptivka: termoplastični elastomer (TPE)
Sigurnosno kopčanje: poliester (PES) i guma
Ventil: silikonski
Kučište: polipropilen (PP) + akrilonitril butadien stiren (ABS)
Težina: 324 g
Standard: EN 405: 2001 + A1: 2009
Originalno pakovanje: 1/10
KOMPATIBILNA S FILTRIMA SERIJE 200

Description: reusable half mask with two filters (A1P2R D)
Seal: thermoplastic elastomer (TPE)
Safety fastening: polyester (PES) and tire
Valve: silicone
Housing: polypropylene (PP) + acrylonitrile butadiene styrene (ABS)
Weight: 324 g
Standard: EN 405: 2001 + A1: 2009
Original packaging: 1/10
COMPATIBLE WITH FILTERS SERIES 200



CE EN 405:2001+A1:2009



POLUMASKA OD TERMOPLASTIKE ZA JEDAN FILTER/ THERMOPLASTIC HALF MASK FOR ONE FILTER


BLS1000

Opis: višekratna polumaska za jedan filter
Zaptivka: termoplastični elastomer (TPE)
Držač filtera: ABS
Držač ventila: poliamid (PA)
Sigurnosno kopčanje: elastična vezica
Težina: 126 g
Veličina: univerzalna
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 1/8
KOMPATIBILNA S FILTRIMA SERIJE 200

Description: multiple half mask for one filter
Gasket: thermoplastic elastomer (TPE)
Filter holder: ABS
Valve holder: polyamide (PA)
Safety buckle: elastic strap
Weight: 126 g
Size: universal
Standard: EN 149:2001 + A1:2009
Original packaging: 1/8
COMPATIBLE WITH 200 SERIES FILTERS



CE EN 140:1998



POLUMASKA OD TERMOPLASTIKE ZA DVA FILTERA/ THERMOPLASTIC HALF MASK FOR TWO FILTERS


BLS4000NEXTR

Opis: višekratna polumaska s dva filtera i dvije točke kopčanja
Zaptivka: termoplastični elastomer (TPE)
Kučište: polipropilen (PE)
Sigurnosno kopčanje: poliester (PES) i guma
Ventil: silikonski
Težina: S-M = 96 g, M-L = 102 g
Veličina: S-M / M-L
Standard: EN140:1998
Originalno pakovanje: 1/8
KOMPATIBILNA S FILTRIMA SERIJE 200

Description: reusable half mask with two filters and two fastening points
Gasket: thermoplastic elastomer (TPE)
Housing: polypropylene (PE)
Safety clasp: polyester (PES) and rubber
Valve: silicone
Weight: S-M = 96 g, M-L = 102 g
Size: S-M / M-L
Standard: EN140:1998
Original packaging: 1/8
COMPATIBLE WITH 200 SERIES FILTERS



CE EN 140:1998



POLUMASKA OD SILIKONA ZA DVA FILTERA/ SILICONE HALF MASK FOR TWO FILTERS

BLS4000NEXTS

Opis: višekratna polumaska s dva filtera i dvije točke kopčanja
Zaptivka: silikon
Kučište: polipropilen (PE)
Sigurnosno kopčanje: poliester (PES) i guma
Ventil: silikonski
Težina: S-M = 109 g, M-L = 114 g
Veličina: S-M / M-L
Standard: EN140:1998
Originalno pakovanje: 1/8
KOMPATIBILNA S BAYONET
FILTRIMA SERIJE 200

Description: reusable half mask with two filters and two fastening points
Gasket: silicone
Housing: polypropylene (PE)
Safety clasp: polyester (PES) and rubber
Valve: silicone
Weight: S-M = 109 g, M-L = 114 g
Size: S-M / M-L
Standard: EN140:1998
Original packaging: 1/8
COMPATIBLE WITH BAYONET
FILTERS SERIES 200



CE EN 140:1998



KOMPLET POLUMASKA S FILTERIMA (4000S+301+211)/ HALF MASK SET WITH FILTERS

BLS4100NEXT

Opis: polumaska sa dva filtera A2 i predfilterima P2 NR, komplet za upotrebu odmah
Materijal: nosni dio: od silikona i termoplastičnog elastomera, držači filtera od poliamida, ostali dijelovi polumaske su od polipropilena
Svojstva: ergonomski dijelovi sastoje se od naslona za glavu koji je prilagodljiv za korisnika
Polumaska: obuhvaća frontalni izdisajni ventil i dva bočna udisajna ventila koji su opremljeni sa specijalnom bajonet vezom
Težina: 126 g
Veličina: S-M/ M-L
Norma: EN 140, EN 14387
Originalno pakovanje: 1/8
KOMPATIBILNA S FILTRIMA SERIJE 400

Description: half mask with two filters A2 and pre-filters P2 NR, set for immediate use
Material: nose part: made of silicone and thermoplastic elastomer, filter holders made of polyamide, other parts of the half mask are made of polypropylene
Features: ergonomic parts consist of a user-friendly headrest
Half mask: includes a front exhalation valve and two side inhalation valves equipped with a special bayonet connection
Weight: 126 g
Standard: EN140:1998
Original packaging: 1/8



CE EN 140, EN 14387



POLUMASKA OD SILIKONA ZA JEDAN FILTER/ SILICONE HALF MASK FOR ONE FILTER

BLSSGE46

Opis: višekratna polumaska s jednim filterom
Zaptivka: silikonska guma sa direktno spojenim vezicama od poliesteru i obložene gume
Veličina: univerzalna, ergonomski prilagodljiva za svakog korisnika
Navoj: standardni navoj od poliamida (PA) (EN 148-1)
Ventil: dva izdišna ventila, kompatibilni svi ventili serije 400
Težina: 150 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 1/8
KOMPATIBILNA S FILTRIMA SERIJE 400

Description: multiple half mask with one filter
Seal: silicone rubber with directly connected ties made of polyester and coated rubber
Size: universal, ergonomically adjustable for each user
Thread: standard polyamide thread (PA), (EN 148-1)
Valve: two exhaust valves, all 400 series valves compatible
Weight: 150 g
Standard: EN140:1998
Original packaging: 1/1



CE EN 140:1998



MASKA OD TERMOPLASTIKE ZA DVA FILTERA/ THERMOPLASTIC MASK FOR TWO FILTERS

BLS5600

Opis: puna višekratna maska s dva filtera i bayonet povezivanjem
Zaptivka: termoplastični elastomer (TPE)
Navoj: bayonet povezivanjem
Vizir: panoramski vizir klase 1 (EN 166) od polikarbonata (PC) + vitrifikacije sa zaštitom od ogrebotina i zamagljivanja
Ventil: kompatibilni svi ventili serije 200
Unutrašnjost: unutarnja usno - nosna silikonska guma
Težina: 570 g
Veličina: M
Standard: EN 136
Originalno pakovanje: 1/4 KOMPATIBILNA SA FILTERIMA SERIJE 200

Description: full reusable mask with two filters and bayonet connection
Sealant: thermoplastic elastomer (TPE)
Thread: bayonet by connecting
Visor: panoramic visor class 1 (EN 166) made of polycarbonate (PC) + vitrification with protection against scratches and fogging
Valve: all 200 series valves compatible
Inside: inner lip - nose silicone rubber
Weight: 570 g
Size: M
Standard: EN136:1998
Original packaging: 1/4 COMPATIBLE WITH 200 SERIES FILTERS



CE EN 136:1998



MASKA OD SILIKONA ZA DVA FILTERA/ SILICONE MASK FOR TWO FILTERS


BLS5700

Opis: puna višekratna maska s dva filtera i bayonet povezivanjem
Zaptivka: silikon
Navoj: bayonet povezivanjem
Vizir: panoramski vizir klase 1 (EN 166) od polikarbonata (PC) + vitrifikacije sa zaštitom od ogrebotina i zamagljivanja
Ventil: kompatibilni svi ventili serije 200
Unutrašnjost: unutarnja usno - nosna silikonska guma
Težina: 580 g
Veličine: S, M, L
Standard: EN 136
Originalno pakovanje: 1/4 KOMPATIBILNA SA FILTERIMA SERIJE 200

Description: full reusable mask with two filters and bayonet connection
Gasket: silicone
Thread: bayonet by connecting
Visor: panoramic visor class 1 (EN 166) made of polycarbonate (PC) + vitrification with protection against scratches and fogging
Valve: all 200 series valves compatible
Inside: inner lip - nose silicone rubber
Weight: 580 g
Size: S,M,L
Standard: EN136:1998
Original packaging: 1/4 COMPATIBLE WITH 200 SERIES FILTERS



CE EN 136:1998



MASKA OD TERMOPLASTIKE ZA JEDAN FILTER/ THERMOPLASTIC MASK FOR ONE FILTER

BLS5150

Opis: puna višekratna maska s jednim filterom, fiksirana sa 6 quick release EPDM točaka
Zaptivka: termoplastični elastomer (TPE)
Navoj: standardni navoj od polyamida (PA), (EN 148-1)
Vizir: panoramski vizir klase 1 (EN 166) od polikarbonata (PC) + vitrifikacije sa zaštitom od ogrebotina i zamagljivanja
Ventil: kompatibilni svi ventili serije 400
Unutrašnjost: unutarnja usno - nosna silikonska guma
Težina: 530 g
Veličina: M
Standard: EN 136
Originalno pakovanje: 1/4 KOMPATIBILNA SA FILTERIMA SERIJE 400

Description: full reusable mask with one filter
Sealant: synthetic rubber (EPDM)
Gasket: synthetic rubber (EPDM)
Thread: standard polyamide (PA) thread, (EN 148-1)
Visor: polycarbonate anti-fog safety glass laminated with EVA anti-fragmentation which gives strong resistance to chemicals and cracking
Filter holder: acrylonitrile butadiene styrene (ABS)
Valve: all 400 series valves compatible
Weight: 530 g
Size: S,M, L
Standard: EN136:1998
Original packaging: 1/4 COMPATIBLE WITH 400 SERIES FILTERS



CE EN 136:1998



MASKA OD SILIKONA ZA JEDAN FILTER/ SILICONE MASK FOR ONE FILTER

BLS5400

Opis: puna višekratna maska s jednim filterom, fiksirana sa 6 quick release EPDM točaka

Zaptivka: silikon

Navoj: standardni navoj od polyamida (PA), (EN 148-1)

Vizir: panoramski vizir klase 1 (EN 166) od polikarbonata (PC) + vitrifikacije sa zaštitom od ogrebotina i zamagljivanja

Ventil: kompatibilni svi ventili serije 400

Unutrašnjost: unutarnja usno-nosna silikonska guma

Težina: 540 g

Veličine: S, M, L

Standard: EN 136:1998

Originalno pakovanje: 1/4 KOMPATIBILNA SA FILTERIMA SERIJE 400

Description: full reusable mask with one filter, fixed with 6 quick release EPDM points

Gasket: silicone

Thread: standard polyamide thread (PA), (EN 148-1)

Visor: panoramic visor class 1 (EN 166) made of polycarbonate (PC) + vitrification with protection against scratches and fogging

Valve: all 400 series valves compatible

Inside: inner lip-nose silicone rubber

Weight: 540 g

Size: S,M,L

Standard: EN136:1998;

Original packaging: 1/4 COMPATIBLE WITH SERIES 400 FILTERS



CE EN 136:1998



MASKA OD TERMOPLASTIKE ZA JEDAN FILTER/ THERMOPLASTIC MASK FOR ONE FILTER

BLS 2150

Opis: kompaktna višekratna maska s jednim filterom, klasa 2

Zaptivka: termoplastična guma

Navoj: standardni navoj (EN 148-1)

Vizir: polikarbonat protiv zamagljivanja

Ventil: kompatibilni svi ventili iz serije 400

Standard: EN 136:1998

Originalno pakovanje: 1/4 KOMPATIBILNA SA FILTERIMA SERIJE 400

Description: compact reusable mask with one filter, class 2

Seal: thermoplastic rubber

Thread: standard thread (EN 148-1)

Visor: polycarbonate against blurring


Valve: compatible with all valves from the series 400

Standard: EN 136:1998

Original packaging: 1/4 COMPATIBLE WITH FILTERS SERIES 400



CE EN 136:1998



MASKA OD TERMOPLASTIKE ZA JEDAN FILTER/ THERMOPLASTIC MASK FOR ONE FILTER

BLS3150

Opis: višekratna maska s jednim filterom, klasa 3

Zaptivka: sintetička guma (EPDM)

Navoj: standardni navoj (EN 148-1)

Vizir: polikarbonat, protiv zamagljivanja

Ventil: kompatibilni svi ventili iz serije 400

Težina: 510 g

Standard: EN 136:1998

Originalno pakovanje: 1/4 KOMPATIBILNA SA FILTERIMA SERIJE 400

Description: full reusable mask with one filter

Sealant: synthetic rubber (EPDM)

Gasket: synthetic rubber (EPDM)

Thread: standard polyamide (PA) thread, (EN 148-1)

Visor: polycarbonate anti-fog safety glass laminated with EVA antifragmentation which gives strong resistance to chemicals and cracking

Filter holder: acrylonitrile butadiene styrene (ABS)

Valve: all 400 series valves compatible

Weight: 510 g

Standard: EN136:1998

Original packaging: 1/4 COMPATIBLE WITH 400 SERIES FILTERS



CE EN 136:1998



BLS2150



**ZAŠTITNA FOLIJA ZA MASKU/
PROTECTIVE FOIL FOR MASK**

BLSK16

BLSK19

Opis: Zaštitni film (folija) u acetatu za masku za lice
Primena: kod industrijskog bojenja i u prisutnostiemijskih prskanja, dodatno štiti vizir i produžuje vijek trajanja vizira
Originalno pakovanje: 5/1

- * BLSK16 - folija za masku serije 3000
- * BLSK19 - folija za masku serije 5000

Description: Protective film (foil) in acetate for face mask
Application: in industrial painting and in the presence of chemical sprays, additionally protects the visor and prolongs the life of the visor
Original packaging: 1/1


- * BLSK16 - mask foil series 3000
- * BLSK19 - foil for face mask series 5000



**PREFILTER SERIJE 301 I FILTER SERIJE 201-3/
PREFILTER SERIES 301 AND FILTER SERIES 201-3**

KOMPATIBILNI SA:
* POLUMASKAMA SERIJE 4000 - BLS4000 NEXT S, BLS4000 NEXT R
* MASKAMA SERIJE 5000 - BLS5600, BLS5700, BLS1000

COMPATIBLE WITH:
* HALF MASKS SERIES 4000 - A BLS4000 NEXT S, BLS4000 NEXT R,
* MASKS SERIES 5000 - BLS5600, BLS5700, BLS1000



CE EN 143:2000/A1:2006,
EN 14387:2004 + A1:2008;

ŠIFRA/CODE	NAZIV ARTIKLA/ARTICLE NAME	ZAŠTITA/PROTECTION	BOJA FILTERA/FILTER COLOUR
BLS301	Prefilter P2 R/Prefiltar P2 R/	Prefiltra za prašinu namenjen za filtere serije 200/ Dust prefilter for filter series 200	○
BLS201-3	Filter P3 R	Prašina/ Dust	○

FILTERI SERIJE 200/ FILTERS SERIES 200

KOMPATIBILNI SA:

*POLUMASKAMA SERIJE 4000 - BLS1000, BLS4000NEXTR, BLS4000NEXTS
*MASKAMA SERIJE 5000 - BLS5600, BLS5700

COMPATIBLE WITH:

*HALF-MASK SERIES 4000 - BLS4000R, BLS4000 S, BLS1000, BLS4000NEKTR, BLS4000NEKC
*MASKS SERIES 5000 - BLS5600, BL



CE EN 143:2000/A1:2006,
EN 14387:2004 + A1:2008;

ŠIFRA/CODE	NAZIV ARTIKLA/ARTICLE NAME	ZAŠTITA/PROTECTION	BOJA FILTERA/FILTER COLOUR
BLS202	Filter P3 R	Prašina/Dust	○
BLS211	Filter A2	Organski gasovi i para, klasa 2/Organic gases and vapors, class 2	●
BLS212	Filter AX	Organski gasovi i para sa tačkom ključanja nižom od 65°C/Inorganic gases, acid gases, organic gases and vapors with a boiling point above 65C	●
BLS213	Filter ABE1	Anorganski gasovi, kiseli gasovi, organski gasovi i pare sa tačkom ključanja iznad 65°C/Organic, inorganic and acid gases, vapors, ammonia and derivatives, class 1 and formaldehyde	● ● ●
BLS214	Filter ABEK 1	Organski, anorganski i kiseli gasovi, para, amonijak i derivati, klasa 1 i formaldehid/Organic, inorganic and acid gases, vapors, ammonia and derivatives, class 1 and formaldehyde	● ● ● ●
BLS221	Filter A2P3 R	Organski gasovi i para, klasa 2 i prašina/Organic gases and vapors, class 2 and dust	○ ●
BLS222	Filter ABEK1P3 R	Organski, anorganski i kiseli gasovi i para i amonijak i derivati, klasa 1, prašine i formaldehida/Organic, inorganic and acid gases and vapors and ammonia and derivatives, class 1, dust and formaldehyde	● ● ● ● ○
BLS243	Filter ABEK2	Organski, anorganski i kiseli gasovi, para, amonijak i derivati, klasa 2 i formaldehid/Organic, inorganic and acid gases and vapors and ammonia and derivatives, class 2, dust and formaldehyde	● ● ● ●
BLS254	Filter ABEK2HgP3	Anorganski gasovi, kiseli gasovi, amonijak i derivati, organski gasovi i pare sa tačkom ključanja iznad 65°C, čestice, magle, pare/Organic, inorganic and acid gases and vapors and ammonia and derivatives, class 1, dust and formaldehyde	● ● ● ● ○

* BLS254 je samo za maske za puno lice BLS5600, BLS5700 / BLS254 is only for full face masks BLS5600, BLS5700

FILTERI SERIJE 400/ FILTERS SERIES 400

KOMPATIBILNI SA:

*POLUMASKOM BLSSGE46

*MASKAMA SERIJE 5000 I 3000 - BLS5150, BLS5400, BLS3150, BLS2150

CE EN 143:2000/A1:2006,
EN 14387:2004 + A1:2008;



COMPATIBLE WITH:

*HALF MASK BLSSGE46

*MASKS SERIES 5000 AND 3000 - BLS5150, BLS5400, BLS3150



ŠIFRA/CODE	NAZIV ARTIKLA/ARTICLE NAME	ZAŠTITA/PROTECTION	BOJA FILTERA/FILTER COLOUR
BLS401	Filter P3 R	Prašina/Dust	○
BLS411	Filter A2	Organski gasovi i para, klasa 2/Organic gases and vapors, class 2	●
BLS412	Filter AX	Organski gasovi i para sa tačkom ključanja nižom od 65°C/ Organic gases and vapors with a boiling point below 65°C	●
BLS413	Filter K2	Amonijak i derivati, klasa 2/Ammonia and derivatives, class 2	●
BLS414	Filter ABE2	Organski, anorganski i kiseli gasovi i pare, klasa 2/Organic, inorganic and acid gases and vapors, class 2	●●●
BLS415	Filter ABEK2	Organski, anorganski i kiseli gasovi i para i amonijak i derivati, klasa 2/ Organic, inorganic and acid gases and steam and ammonia and derivatives, class 2	●●●●
BLS421	Filter A2P3 R	Organski gasovi, para, klasa 2 i prašina/Organic gases, steam, class 2 and dust	○●
BLS422	Filter AXP3 NR	Organski gasovi i para sa tačkom ključanja nižom od 65°C i prašina/ Organic gases and vapors with a boiling point below 65°C and dust	○●
BLS423	Filter ABE2P3 R	Organski, anorganski i kiseli gasovi i para, klasa i prašina/ Organic, inorganic and acid gases and vapors, class and dust	●●●○
BLS424	Filter ABEK1P3 R	Organski, anorganski i kiseli gasovi i para, amonijak klasa 1 i toksična prašina/Organic, inorganic and acid gases and vapors, ammonia class 1 and toxic dust	●●●●○
BLS425	Filter ABEK2P3 R	Organski, anorganski i kiseli gasovi i para, amonijak klasa 2 i prašina/ Organic, inorganic and acid gases and vapors, ammonia class 2 and dust	●●●●○
BLS430	Filter ABEK2HgP3 R	Organski, anorganski i kiseli gasovi i para i amonijak i derivati, živa, klasa 2 i prašina/Organic, inorganic and acid gases and vapors and ammonia and derivatives, mercury, class 2 and dust	●●●●○●
BLS441	Filter ABEK2HgNOCOP3 R	Živine pare, anorganski gasovi, kiseli gasovi, amonijak i derivati, organski gasovi i pare sa tačkom ključanja iznad 65°C, čestice, magle, pare, ugljični oksid, nitrozni gasovi/Organic, inorganic, acid gases and vapors, ammonia and derivatives, mercury vapor, sulfur dioxide, nitrous gases, carbon monoxide, and dust	●●●●○●●●
BLS442	Filter Reaktor A2P3 R D	Reaktor - Radioaktivni jod (uključujući radioaktivni jodometan, organski gasovi i pare sa tačkom ključanja iznad 65°C, čestice, magle, pare)/Reactor - Radioactive iodine (including radioactive iodomethane, organic gases and vapors with a boiling point above 65°C, particles, mists, vapors	●●○



JEDNOKRATNI HIGIJENSKI PROIZVODI DISPOSABLE HYGIENE PRODUCTS



LACUNA

coverguard



JEDNOKRATNI HIGIJENSKI PROIZVODI

Lacuna je razvila širok asortiman jednokratnih higijenskih proizvoda za upotrebu u svim granama industrije gde je potrebna kratkoročna i lagana zaštita tela. Naši artikli su pogodni za korišćenje u industriji, poljoprivredno-prehrambenoj industriji, ugostiteljstvu, hemijskoj industriji, farmaciji.


DISPOSABLE HYGIENE PRODUCTS

Lacuna has developed a wide range of disposable hygiene products for use in different industries where short-term and personal body protection is required. Our products are suitable to use in industry, agriculture, food industry, catering, chemical industry, pharmacy.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/LACUNA is not responsible for misprints in the catalogue.

Zadnje važeće cene molimo proverite na LACUNA B2B/Last valid recommended prices check on LACUNA B2B

Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/Full LACUNA range available at www.lacuna.hr




JEDNOKRATNA ODEĆA

VODIČ ZA MATERIJALE

Polietilen (PE)

Sintetički polimer i najčešći plastični materijal. Često se označava skraćenicom „PE“. Na osnovu raspodele molekulske mase i nivoa grananja mogu se dobiti različite vrste polietilena sa različitim svojstvima i namenama:

- Polietilen male gustine (LDPE): ima više grana od HDPE-a, ovo je duktilniji i manje kruti materijal. Ima veliku fleksibilnost i veliku otpornost na udarce.
- Polietilen visoke gustine (HDPE): glavne karakteristike u poređenju sa polietilenom niske gustine su velika krutost i tvrdoća, kao i veća otpornost na toplotu. Ovaj materijal ima vrhunska izolaciona svojstva hemijske stabilnosti. To je vrlo svestran materijal i jedna je od najjeftinijih plastika.



Hlorisani polietilen (CPE)

Hlorisani polietilen proizvodi se preradom polietilena visoke gustine, iskorištavajući svojstva hlorida. CPE je poseban plastični materijal sa dobrim svojstvima starenja i otpornosti.



Polipropilen (PP ili SPP) (spunbond/prodovani polipropilen)


Polipropilen je termoplastična smola koja je rezultat polimerizacije propilena. Lanci u ovom polimeru su potpuno produženi i poredani jedan blizu drugog na istoj osi. Tehnikom produvavanja se dobije netkani materijal sa karakteristikama velike fleksibilnosti, čvrstih vlakana i prozračnosti.



Polipropilen (SMS) - MELT BLOWN (RASTOPLJEN) i SPUNBOND (PRODUVAN) polipropilen

Ovo je posebna netkana tkanina koja se sastoji od tri različita sloja polipropilena (Spunbond + Meltblown + Spunbond/Rastopljen + Produvan + Rastopljen). SMS tkivo ima vrhunska svojstva mehaničke otpornosti, zajedno sa efikasnom sposobnošću prozračnosti i mikrobiološkom otpornošću na prodiranje čestica i prskanja.

U kombinaciji sa aditivima, omogućuje i rasipanje površinskih elektrostatičkih naboja.



Tkani materijali - laminirani, mikroporozni

Polipropilen je termoplastična smola koja je rezultat polimerizacije propilena. Lanci u ovom polimeru potpuno su produženi i poredani jedan blizu drugog na istoj osi. Tehnikom produvavanja se dobije netkani materijal sa karakteristikama velike fleksibilnosti, čvrstih vlakana i prozračnosti.



DUPONT TYVEK

Dupont Tyvek je netkani materijal proizveden ekskluzivno od brenda DuPont. Vrlo je otporan na kidanje, lagan je i mekan. Propušta vazduh i vodenu paru, ali istovremeno odbija tečnosti na bazi vode i aerosola. Pruža odličnu zaštitu od sitnih čestica. Ima antistatička svojstva.



LEGENDA:

Bazne čestice prašine/Dust base particles



Kontaminirana prašina/Contaminated dust



DISPOSABLE CLOTHING

MATERIALS GUIDE

Polyethylene (PE)

Polyethylene is a thermoplastic resin. It is the simplest synthetic polymer and the most common plastic material. It is often abbreviated to "PE". Based on the distribution of molecular weights and levels branching we can obtain different types of polyethylene with different properties and purposes:

- Low density polyethylene (LDPE): it has more branches than HDPE, which is a more ductile and less rigid material. It has a lot of flexibility and is highly shock-resistant.
- High Density Polyethylene (HDPE): Main properties compared to low density polyethylene is high stiffness, hardness and heat-resistance. This material has excellent insulating properties of chemical stability. It is very versatile material and is one of the cheapest plastics.

Chlorinated Polyethylene (CPE)

Chlorinated polyethylene is produced by processing high-density polyethylene, taking advantage of the properties of the chloride. CPE is a special plastic material with good properties and resistance to wearing.

Polypropylene (PP or SPP) (spunbond/blown polypropylene)

Polypropylene is a thermoplastic resin that results from the polymerization of propylene. The chains in this polymer are fully extended and aligned close to each other on the same axis. The blowing technique produces a non-woven material with the characteristics of high flexibility, strong fibers and permeability.

Polypropylene (SMS) - MELT BLOWN and SPUNBOND polypropylene

It is a special non-woven fabric made up of three different layers of polypropylene (Spunbond + Meltblown + Spunbond). SMS tissue has excellent mechanical resistance properties, along with effective permeability and microbiological resistance to particle penetration and sputtering.

In combination with additives, it also enables the discharge of surface electrostatic charges.

Tkani materijali - laminirani, mikroporozni

Polypropylene is a thermoplastic resin that results from the polymerization of propylene. The chains in this polymer are fully extended and aligned close to each other on the same axis. The blowing technique produces a non-woven material with the characteristics of high flexibility, strong fibers and permeability.

DUPONT TYVEK

Dupont Tyvek is a non-woven material produced exclusively by the DuPont brand. It is very resistant to tearing, it is very light and soft. It lets in air and water vapor, while repelling water-based liquids and aerosols. Provides excellent protection against fine particles. It has antistatic properties.

Tečnosti i aerosoli/Liquids and aerosols












Isparavanje vode/Water evaporation





STANDARDI/ STANDARDS

TIPOVI KOMBINEZONA /TYPES OF COVERALLS

 CAT III	Kategorija III	Category III
 EN13034 TYPE 6	Odeća za zaštitu od tečnih kemijskih proizvoda (prskanja)	Protective clothing against liquid chemical products (spraying)
 EN13982-1 TYPE 5	Odeća za zaštitu od krutih kemijskih čestica	Clothing for protection against solid chemical particles
 EN14605 TYPE 4	Odeća za zaštitu od hemikalija sa spojnim elementima otpornim na raspršivanje	Protective clothing against chemicals with spray-resistant compounds
 EN14605 TYPE 3	Odeća za zaštitu od hemikalija sa spojnim elementima otpornim na tečnost	Clothing for protection against chemicals with liquid-resistant compounds
 EN943 TYPE 2	Odeća za zaštitu od hemikalija sa spojnim elementima otpornim na tečnost, krute čestice i plinovite hemikalije	Clothing for protection against chemicals with liquid-resistant elements, solid particles and gaseous chemicals
 EN943 TYPE 1	Kombinezoni otporni na gasove	Gas resistant coverall
 EN1149-5	Odeća za zaštitu sa elektrostatičnim svojstvima	Protective clothing with electrostatic properties
 EN14126	Odeća za zaštitu od infektivnih materija	Clothing for protection against infectious substances
 EN1073-2	Odeća za zaštitu od zagađenja radioaktivnim česticama	Protective clothing against polluting radioactive particles
 EN14116	Odeća za zaštitu od ograničenog plamena	Clothing with limited fire protection

Postoji šest tipova kombinezona koji pružaju zaštitu od kemijskih rizika.

There are six types of coveralls that provide protection against chemical risks



JEDNOKRATNI KOMBINEZON ARLE
DISPOSABLE COVERALLS ARLE

2ARLWH



Opis: jednokratni kombinezon ARLE beli i plavi
Materijal: polipropilen, 30 g/m²
Karakteristike: kapuljača s elastičnim pritezanjem, zatvaranje na patent zatvarač, rukavi i nogavice s elastičnim pritezanjem
Originalno pakovanje: 1/50

Description: ARLE disposable coveralls, white and blue
Material: polypropylene, 30 g/m²
Features: hood with elastic tightening, zipper fastening, elasticated sleeves and ankle tightening
Original packaging: 1/50


LACUNA



 EN ISO 13688

VELIČINA/SIZE	M	L	XL	XXL	XXXL
BELA/WHITE	2ARLWHM	2ARLWHL	2ARLWHXL	2ARLWHXXL	2ARLWHXXXL



TYVEK CLASSIC XPERT KOMBINEZON S KAPULJAČOM TYVEK CLASSIC XPERT OVERALL WITH HOOD

Opis: jednokratni kombinezon TYVEK beli
Sirovinski sastav: TYVEK
Karakteristike: kapuljača s elastičnim pritezanjem
 Zatvaranje na patent zatvarač
 Rukavi i nogavice s elastičnim pritezanjem
Originalno pakovanje: 1/100

40501

40502

40503

40504

40505

40506

Description: disposable overalls TYVEK white
Raw material composition: TYVEK
Features: hood with elastic tightening,
 zipper closure, sleeves and stockings with
 elastic tightening
Original packaging: 1/100



CE



EN 13034:2005
+A1:2009
TYPE 6



EN 13982-1:2004
+A1:2010
TYPE 5



EN 14126:2003



EN 1073-2:2002



EN 1149-5:2008



CAT III

VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
BELA/WHITE	40501	40502	40503	40504	40505	40506

JEDNOKRATNI KOMBINEZON SMS DISPOSABLE OVERALL SMS

Opis: jednokratni kombinezon SMS beli
Materijal: polipropilen SMS, 3 sloja, 65 g/m²
Karakteristike: kapuljača s elastičnim
 pritezanjem, zatvaranje na patent zatvarač,
 rukavi i nogavice s elastičnim pritezanjem
Originalno pakovanje: 1/25

44103

44104

44105

44106

Description: disposable overall SMS white
Material: polypropylene SMS, 3 layers, 65 g/m²
Features: hood with elastic tightening, zip
 fastening, sleeves and legs with elastic tightening
Original packaging: 1/25



CE



EN 13982-
1:2004+A1:2010
TYPE 5



EN 13034:2005
+A1:2009
TYPE 6



CAT III

VELIČINA/SIZE	L	XL	XXL	XXXL
BELA/WHITE	44103	44104	44105	44106

JEDNOKRATNI KOMBINEZON COVERPRO 5M20 DISPOSABLE OVERALLS COVERPRO 5M20

Opis: jednokratni kombinezon 5M20

Materijal: SPP, 55 g/m²

Karakteristike: kapuljača s elastičnim pritezanjem, zatvaranje na patent zatvarač rukavi i nogavice s elastičnim pritezanjem
Originalno pakovanje: 1/25

Description: disposable overalls 5M20

Material: SPP, 55 g/m²

Features: hood with elastic tightening, fastening with zipper, sleeves and legs with elastic tightening

Original packaging: 1/25

44301

44302

44303

44304

44305

44306

 coverguard



CE



VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
BELA/WHITE	44301	44302	44303	44304	44305	44306

JEDNOKRATNI KOMBINEZON COVERPRO 5M30 DISPOSABLE OVERALLS COVERPRO 5M30

Opis: jednokratni kombinezon 5M30

Sirovinski sastav: SMS, 65 g/m²

Karakteristike: kapuljača s elastičnim pritezanjem,

Zatvaranje na patent zatvarač, rukavi i nogavice s elastičnim pritezanjem
Originalno pakovanje: 1/25

Description: disposable overalls 5M30

Material: SPP, 65 g/m²

Features: hood with elastic tightening, zip fastening; sleeves and legs with elastic tightening

Original packaging: 1/25

44321

44322

44323

44324

44325

44326

 coverguard



CE



VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
BELA/WHITE	44321	44322	443023	44324	44325	44326

JEDNOKRATNI KOMBINEZON COVERCHEM 3X60 DISPOSABLE OVERALLS COVERCHEM 3X60

Opis: jednokratni kombinezon 3 X 60

Materijal: polietilen, polipropilen

Karakteristike: kapuljača s elastičnim pritezanjem, zatvaranje na patent zatvarač, rukavi i nogavice s elastičnim pritezanjem

Originalno pakovanje: 1/25

Description: disposable overalls 3 X 60

Material: polyethylene, polypropylene

Features: hood with elastic tightening, zipper, sleeves and legs with elastic tightening

Original packaging: 1/25

44802



44803

44804

44805

44806

 coverguard



VELIČINA/SIZE	M	L	XL	XXL	XXXL
BELA/WHITE	44802	44803	44804	44805	44806

JEDNOKRATNI KOMBINEZON COVERPRO 5S10 DISPOSABLE OVERALLS COVERPRO 5S10

Opis: jednokratni kombinezon 5S10

Materijal: SMS, 50 g/m²

Karakteristike: kapuljača s elastičnim pritezanjem, zatvaranje na patent zatvarač, rukavi i nogavice s elastičnim pritezanjem

Originalno pakovanje: 1/25

Description: disposable overalls 5S10

Material: SMS, 50 g/m²

Features: hood with elastic tightening; zip fastening, sleeves and legs with elastic tightening

Original packaging: 1/25

43101

43102



43103

43104

43105

43106

 coverguard



VELIČINA/SIZE	S	M	L	XL	XXL	XXXL
BELA/WHITE	43101	43102	43103	43104	43105	43106

JEDNOKRATNI RADNI MANTIL ARI DISPOSABLE LAB GOWN ARI

2ARIWH

Opis: jednokratni radni mantil ARI bela
Materijal: polipropilen, 25 g/m²
Karakteristike: klasični ovratnik, bez džepova, zatvaranje na drukere
Originalno pakovanje: 1/50

Description: ARI disposable lab gown white
Material: polypropylene, 25 g/m²
Features: classic collar; no pockets, pressbuttons closing
Original packaging: 1/50



CE EN 13688

VELIČINA/SIZE	M	L	XL	XXL
BELA/WHITE	2ARIWHM	2ARIWHL	2ARIWHXL	2ARIWHXXL

JEDNOKRATNI RADNI MANTIL EZRA DISPOSABLE LAB GOWN EZRA

2EZRWH

Opis: jednokratni radni mantil EZRA bela
Materijal: polipropilen, 25 g/m²
Karakteristike: mao ovratnik, bez džepova, zatvaranje na čičak
Originalno pakovanje: 1/50

Description: EZRA disposable lab gown white
Material: polypropylene, 25 g/m²
Features: russian collar, no pockets, velcro straps closing
Original packaging: 1/50



CE EN 13688

VELIČINA/SIZE	M	L	XL	XXL
BELA/WHITE	2EZRWHM	2EZRWHL	2EZRWHL	2EZRWXXL

JEDNOKRATNI RADNI MANTIL CORA DISPOSABLE LAB GOWN CORA

2CORWH

Opis: jednokratni radni mantil CORA bela
Materijal: polipropilen, 25 g/m²
Karakteristike: klasični ovratnik, dva džepa,
 zatvaranje na drukere
Originalno pakovanje: 1/50

Description: CORA disposable lab gown white
Material: polypropylene, 25 g/m²
Features: classic collar, two pockets,
 pressbuttons closing
Original packaging: 1/50



CE EN 13688


VELIČINA/SIZE	M	L	XL	XXL
BELA/WHITE	2CORWHM	2CORWHL	2CORWHXL	2CORHWHXXL

JEDNOKRATNA KECELJA ZOE DISPOSABLE APRON ZOE

2ZOEWH/2ZOENY

Opis: jednokratna kecelja ZOE
Materijal: polietilen
Karakteristike: univerzalna veličina
Dimenzija: 120 x 70 cm
Boja: 2ZOEWH- BELA, 2ZOENY-plava
Originalno pakovanje: paket sa 100 komada, u
 kutiji 10 paketa

Description: ZOE disposable apron
Material: polyethilene
Features: universal size
Dimensions: 120 x 70 cm
Color: 2ZOEWH- white, 2ZOENY-blue
Original packaging: package with 100 pieces, 10
 packages in a box



JEDNOKRATNI MANTIL ZA POSETIOCE DISPOSABLE TOPCOAT FOR VISITORS

41214

Opis: jednokratna kuta za posetioce bela
Materijal: polietilen, 20 mikrona
Karakteristike: klasični ovratnik, bez džepova, zatvaranje na drukere
Originalno pakovanje: paket sa 100 kuta, u kutiji 4 paketa

Description: disposable topcoat for visitors white
Material: polyethylene, 20 microns
Features: classic collar, without pockets, closing with pressbuttons
Original packaging: package with 100 topcoats, 4 packages in box

coverguard



EN 13688

JEDNOKRATNI KOMPLET ZA POSETIOCE DISPOSABLE VISITORS KIT

41300

Opis: Opis: jednokratni komplet za posetioce
Materijal: polietilen, polipropilen, papir
Komplet za posetioce uključuje:
Jednokratna kuta za posetioce
Jednoslojna papirna maska
Jednokratna kapa
Navlake za cipele
Originalno pakovanje: paket sa 100 kompleta, u kutiji 4 paketa

Description: disposable set for visitors
Material: polyethylene, polypropylene, paper
The visitor kit includes:
Disposable topcoat for visitors
Single layer paper mask
Disposable cap
Shoe covers
Original packaging: package with 100 sets, 4 packages in a box

coverguard

JEDNOKRATNA KAPA
DISPOSABLE CAP

PAPIRNA MASKA
PAPER MASK

KUTA ZA POSETIOCE
TOPCOAT FOR VISITORS

NAVLAKE ZA CIPELE
SHOE COVERS



POLIURETANSKA KECELJA
POLYURETHANE APRON

56200

 coverguard

Opis: poliuretanska kecelja bela
Materijal: poliuretan sa PVC-om
Karakteristike: otporna na ulje
Dimenzija: 120 x 90 cm
Originalno pakovanje: 1/25

Description: polyurethane apron white
Material: polyurethane with PVC
Features: oil resistant
Dimensions: 120 x 90 cm
Original packaging: 1/25



PVC KECELJA VERT/BLANC
PVC APRON VERT/BLANC

5VER75*110
5BLA75*110

5VER90*120
5BLA90*120

Opis: PVC kecelja dimenzija 75 x 110 i 90 x 120 cm
Materijal: poliester sa dvostrukim PVC premazom
Karakteristike: vezica za pritezanje
Originalno pakovanje: 1/50

Description: PVC apron, dimensions 75 x 110 and 90 x 120 cm
Material: PVC double coated polyester
Features: tightening strap
Original packaging: 1/50



DIMENZIJA/ DIMENSIONS	75x110	90x120
BELA/WHITE	5BLA75*110	5BLA90*120
ZELENA/GREEN	5VER75*110	5VER90*120

JEDNOKRATNE MANŽETNE CALI DISPOSABLE OVERSLEEVE CALI

2CALWH/
2CALNY

Opis: jednokratne manžetne CALI

Materijal: polietilen

Karakteristike: univerzalna veličina

Dimenzija: 40 x 20 cm

Boja: 2CALWH-BELA, 2CALNY-plava

Originalno pakovanje: 100 kom u paketu, 20 paketa u kutiji

Description: CALI disposable oversleeve

Material: polyethylene

Features: universal size

Dimension: 40 x 20 cm

Color: 2CALWH- white, 2CALNY-blue

Original packaging: package with 100 pieces, 20 packages in a box



LACUNA



CE EN 13688

JEDNOKRATNE MANŽETNE MYLA DISPOSABLE OVERSLEEVE MYLA

2MYLWH

Opis: jednokratne manžetne MYLA

Materijal: polipropilen

Karakteristike: univerzalna veličina

Dimenzija: 40 x 20 cm

Originalno pakovanje: 100 kom u paketu, 10 paketa u kutiji

Description: MYLA disposable oversleeve

Material: polypropylene

Features: universal size

Dimension: 40 x 20 cm

Original packaging: 100 pieces in a package, 10 packages in a box



LACUNA



JEDNOKRATNE MANŽETNE TYVEK DISPOSABLE CUFFS TYVEK

45340



Opis: jednokratne manžetne TYVEK
Materijal: TYVEK PRO-TECH
Karakteristike: univerzalna veličina
Dimenzija: dužina 40 cm
Originalno pakovanje: 100 pari u kutiji

Description: TYVEK disposable cuffs
Material: TYVEK PRO-TECH
Features: universal size
Measure: length 40 cm
Original packaging: 100 pairs in a box



JEDNOKRATNE MANŽETNE PU DISPOSABLE CUFFS PU

45350



Opis: jednokratne manžetne PU
Materijal: PVC sa premazom od poliuretana
Karakteristike: elastična traka na krajevima,
350 g/m²; otporna na ulje
Dimenzija: dužina 40 cm
Originalno pakovanje: 50 pari u kutiji

Description: disposable cuffs PU
Material: PVC with polyurethane coating
Features: elastic band at the ends,
350 g/m², oil resistant
Measure: length 40 cm
Original packaging: 50 pairs in a box



JEDNOKRATNA KAPA NORA DISPOSABLE CAP NORA

2NORWH
2NORNY

Opis: jednokratna kapa NORA

Materijal: polipropilen

Karakteristike: bouffant model,
univerzalna veličina

Boja: 2NORWH - bela, 2NORNY - plava

Originalno pakovanje: 100 kom u paketu,
10 paketa u kutiji

Description: NORA disposable cap

Material: polypropylene

Features: bouffant model, universal size

Color: 2NORWH - white, 2NORNY - blue

Original packaging: 100 pieces in a
package, 10 packages in a box



LACUNA



JEDNOKRATNA KAPA GRACE DISPOSABLE CAP GRACE

2GRAWH
2GRANY

Opis: jednokratna kapa GRACE

Materijal: polipropilen

Karakteristike: clip cap/harmonika model,
univerzalna veličina

Boja: 2GRAWH - bela, 2GRANY - plava

Originalno pakovanje: 100 kom u paketu, 10
paketa u kutiji

Description: GRACE disposable cap

Material: polypropylene

Features: clip cap model, universal size

Color: 2GRAWH - white, 2GRANY - blue

Original packaging: 100 pieces in a
package, 10 packages in a box



LACUNA



JEDNOKRATNA MASKA XARA TROSLOJNA
DISPOSABLE FACE MASK XARA 3-PLY

2XARA

Opis: jednokratna maska XARA troslojna plava, (2XARAGR - zelena, 2XARABK - crna, 2XARAOR - narančasta i 2XARAWH - bela u dolasku)

Materijal: polipropilen

Karakteristike: univerzalna veličina; elastične vezice

Standard: EN 14683:2019, Medicinski proizvod Klasa 1, TIP IIR

Originalno pakovanje: 50 kom u paketu, 40 paketa u kutiji

Description: disposable mask XARA three-layer blue, (2XARAGR - green, 2XARABK - black, 2XARAOR - orange and 2XARAWH - white in arrival)

Material: polypropylene

Features: universal size; elastic ties

Standard: EN 14683: 2019, Medical device Class 1, TYPE IIR

Original packaging: 50 pcs in package, 40 package in box



KLASA 1 / TIP IIR



EN 14683:2019



JEDNOKRATNA MASKA JUNE
DISPOSABLE MASK JUNE

2JUN

Opis: jednokratna maska JUNE

Sirovinski sastav: papir

Karakteristike: univerzalna veličina; elastične vezice

Originalno pakovanje: 50 kom u paketu, 20 paketa u kutiji

Description: disposable mask JUNE

Composition: paper

Features: universal size; elastic ties

Original packaging: 50 pieces in a package, 20 packages in a box



JEDNOKRATNE NAVLAKE ZA CIPELE KAIA DISPOSABLE SHOE COVERS KAIA

2KAINY

Opis: jednokratne navlake za cipele KAIA
Materijal: polietilen
Karakteristike: univerzalna veličina
Dimenzija: 42 x 15 cm
Originalno pakovanje: 100 kom u paketu, 20 paketa u kutiji

Description: KAIA disposable shoe covers
Material: polyethylene
Features: universal size
Measure: 42 x 15 cm
Original packaging: 100 pieces in a package, 20 packages in a box



JEDNOKRATNE NAVLAKE ZA CIPELE REMY DISPOSABLE SHOE COVERS REMY

2REMNY

Opis: jednokratne navlake za cipele REMY
Materijal: polypropilen
Karakteristike: univerzalna veličina, protivklizne
Dimenzija: 42 x 15 cm
Originalno pakovanje: 100 kom u paketu, 10 paketa u kutiji

Description: REMY disposable shoe covers
Material: polypropylene
Features: universal size, anti-slip
Measure: 42 x 15 cm
Original packaging: 100 pieces in a package, 10 packages in a box



NAVLAKE JEDNOKRATNE ZA ČIZME DISPOSABLE BOOT COVERS

45255

Opis: jednokratne navlake za čizme
Materijal: polietilen
Karakteristike: univerzalna veličina
Originalno pakovanje: 50 kom u paketu, 10 paketa u kutiji

Description: disposable boot covers
Material: polyethylene
Features: universal size
Original packaging: 50 pieces in a package, 10 packages in the box



coverguard



plum

HIGIJENA

Manje i veće nezgode se svaki dan događaju. Uz pomoć širokog asortimana PLUM proizvoda za prvu pomoć jednostavno možete izabrati proizvode koju su vam potrebni na radnom mestu. LACUNA i PLUM nude vam visokokvalitetne proizvode za prvu pomoć kao što su flasteri, sredstva za ispiranje očiju, te sredstva za higijenu ruku i negu kože.

HIGIJENA
HYGIENE


HYGIENE

Minor and major accidents happen every day. With the aid of PLUM's wide range of first aid products can be easily chosen according your needs at work place. LACUNA and PLUM offer you high quality first aid products such as patches, eye washes and hand hygiene and skin care products.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/LACUNA is not responsible for misprints in the catalogue.

Zadnje važeće cene molimo proverite na LACUNA B2B/Last valid recommended prices check on LACUNA B2B

Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/Full LACUNA range available at www.lacuna.hr



Na osnovu višegodišnjeg iskustva firme Plum te njihovih efikasnih i modernijih rešenja za održavanje higijene ruku na svim vrstama radnog mesta, odabrali smo proizvode koji nude izuzetan kvalitet i pouzdanost. Godine 1996. proizvodna paleta je proširena i na efikasna sredstva za ispiranje očiju, koja se koriste kao prva pomoć.

Proizvodni proces je smešten u Danskoj u potpuno novoj, modernoj fabrici koja obezbeđuje svetske standarde u proizvodnji ove grupe proizvoda. Distributivna mreža kompanije Plum u Evropskim okvirima je vrlo dobro razgranata, dok je u regiji Vaš partner firma Lacuna preuzela odgovornost za distribuciju i servis na području Hrvatske, Slovenije, BiH i Srbije.

LACUNA/PLUM partnerstvo pruža rešenja koja dopri nose sigurnoj i zdravoj radnoj atmosferi.

REŠENJA KOJA PRIDONOSE SIGURNOJ I ZDRAVOJ RADNOJ ATMOSFERI

HIGIJENA RUKU

Već skoro 40 godina, kompanija Plum proizvodi visokokvalitetne kreme za negu kože, sredstva za čišćenje ruku, sapune i farmaceutska rešenja. Najvažniji zadatak je izaći u susret potrebi za nežnim i efikasnim sredstvima za čišćenje i negu ruku, kako bi ruke ostale zdrave. Ovu vrstu proizvoda uspešno koriste trgovci kao i zaposleni u industriji.

SREDSTVO ZA ISPIRANJE OČIJU

Danas na tržištu možemo ponuditi najveću paletu sredstava za ispiranje očiju, kao sredstvo prve pomoći u slučaju nezgode. Sredstva firme Plum su efikasna, fleksibilna, higijenska i, što nije nevažno, jednostavna za rukovanje. Prilagođena su različitim radnim prilikama i potrebama. Treba ih imati blizu radnog mesta, naročito tamo gde nastupa rizik za zdravlje očiju jer brzo i efikasno ispiranje može ključno uticati na eventualne posledice.

PLUM PROGRAM ZA NEGU KOŽE

Manualni rad često je naporan za kožu – pranje vodom, sapunom, a naročito sredstvima za čišćenje ruku, takođe može oštetiti kožu. Ako želite sprečiti sušenje kože ili u najgorem slučaju, iritaciju kože – vrlo je važno održavati kožu čistom i zdravom.

Jedan od uslova koji omogućava održavanje čiste, zdrave kože jeste postojanje proizvoda koji su odgovarajući za Vaš posao.

ČIŠĆENJE KOŽE

Sredstvo za čišćenje kože mora biti nežno, ali i efikasno prilagođeno radnoj situaciji.

NEGA KOŽE

Zaštite svoju kožu korišćenjem kreme za regeneraciju pre, za vreme i nakon rada.

Based on Plum's many years of experience and their efficient and modern hand hygiene solutions at all types of workplace we have selected products that offer exceptional quality and reliability. In 1996, we expanded our product range to include effective eye rinses.

The production process in Denmark is completely new, in a modern factory that ensures world standards in the production of this product group. Plum's distribution network in the European context is very well diversified, and in the region our partner's company Lacuna is working in Croatia, Slovenia, Bosnia and Herzegovina and Serbia and has taken responsibility for distribution to you.

The LACUNA / PLUM partnership offers solutions that contribute to a safe and healthy working atmosphere.

SOLUTIONS THAT CONTRIBUTE TO SAFETY AND HEALTH IN WORK ATMOSPHERE

HAND HYGIENE

Plum has been producing high quality skin care creams, hand cleaners, soaps and pharmaceutical solutions for almost 40 years. The most important task is to meet the need for gentle and effective cleansers and hand care to keep your hands healthy. This type of product is successfully used by both traders and industry employees.

RINSE-EYE

We can offer the top on the market today, products for rinsing the eyes as a first aid in case of accidents. PLUM's products are efficient, flexible, hygienic and easy to use. They are adapted to different work opportunities and needs, especially where there is a risk to eye health, and rapid and effective rinsing can have a key effect on the possible consequences.

PLUM SKIN CARE PROGRAM

Hand work is often difficult for the skin - washing with water, soap and, above all, hand cleaners can damage the skin. To prevent dry skin or skin irritation - it is very important to keep the skin clean and healthy.

One of the conditions that allows your skin to stay clean and healthy is the existence of products that suit your job.

SKIN CLEANSING

Skin cleansing should be gentle, but also effectively adapted to the working conditions.

SKIN CARE

Protect your skin with a regenerating cream, before, during and after work

MAXI-PLUM SISTEMI PUNJENJA

ŠTA VAM NUDE PLUM SISTEMI PUNJENJA

SMANJENA POTROŠNJA

Izmerena količina sapuna pri svakom korišćenju čini MaxPlum krajnje ekonomičnim u upotrebi te tako smanjuje potrošnju. Ruke se mogu prati češće sadržajima u pakovanjima kapaciteta 1,4 L, nego sadržajima posuda kapaciteta 10 L. Smanjena potrošnja takođe redukuje rizik blokiranja odvodnih cevi.

HIGIJENSKO, HERMETIČKO PAKOVANJE ZA JEDNOKRATNU UPOTREBU.

Sprječava isušivanje proizvoda i tako produžuje njegovo trajanje. Hermetično pakovanje s integriranim ventilom sprječava penetraciju bakterija. Pakovanje i ventil nadomještaju se kada je nadomješten i sam proizvod.

PUNJENJE I ODRŽAVANJE ŠTEDE VREME

Sistem vreća-u-kutiji jednostavno se zamenjuje. Sadržaj 1,4 L takođe smanjuje učestalost nadomeštanja i stvara manje otpada. Glatke, ravne površine sistema punjenja se lako čiste.

JEDNOSTAVAN, ROBUSTAN SISTEM PUNJENJA

Jednostavne, čiste linije i izbor belog ili crnog pokrova omogućuju harmonično instaliranje sistema za punjenje uz postojeću opremu za pranje. Izdržljivi materijali osiguravaju dug vek trajanja.

EKOLOŠKI PRIHVATLJIVA AMBALAŽA PROIZVODA

Ambalaža je napravljena od ekološki prihvatljivih PU materijala i kartona, koji otpuštaju samo vodu i ugljen dioksid kada se spaljuju.

ZAKLJUČAVANJE PO IZBORU

Sistem za pranje može biti osiguran protiv krađe uz pomoć katanca.

ČISTA, ZDRAVA KOŽA

Jednostavna, prilagodljiva paleta stvara efikasan sistem koji će savršeno odgovarati Vašem radnom mestu.

MAXI-PLUM FILLING SYSTEMS

WHAT PLUM FILLING SYSTEMS OFFER

REDUCED CONSUMPTION

Measured amount of soap with each use, MaxPlum is exceptionally economical for use and thus reduces consumption. You can wash your hands more often with the contents of the 4,2 L package than with the contents of the 10 L containers. Reduced consumption also reduces the risk of clogged drain pipes.

HYGIENIC , HERMETIC DISPOSABLE PACKAGING

Filling systems prevent the product from drying out, thus extending its life time. Hermetic packaging with integrated valve prevents the penetration of bacteria. The packaging and valve are replaced when the product itself is replaced.

REFILLIN GAND MAINTEN ANCE SAVE TIME

The bag-in-a-box is easy to replace. 4.2 L container also reduces the frequency of replacement and generates less waste. Smooth, flat surfaces of the filling system, easy to clean.

SIMPLE, ROBUST FILLING SYSTEM

Simple, clean lines and a choice of white or black cover enable a harmonious installation of the filling system with the existing washing equipment. Durable materials ensure a long product life.

ENVIRONMENTALLY FRIENDLY PRODUCT PACKAGING

The packaging is made of environmentally friendly PU cardboard materials that release only water and carbon dioxide when burned.

PADLOCK AS NEEDED

The washing system can be protected from theft with the help of a key.

CLEAN, HEALTHY SKIN

A simple, flexible palette creates an efficient system that will perfectly suit your workplace.



PASTA ZA RUKE PLULUX 1,4 L/ HAND PASTE PLULUX 1,4 L

0718

plum

MADE IN
EUROPE

Pasta za čišćenje ruku za učinkovito uklanjanje nečistoća npr. Dizelska ulja, čađe, metalne i betonske prašine.

- Koristi se u radionicama i proizvodnim pogonima.
- Sadrži otapala
- Bez boje i mirisa
- Lagano za upotrebu i ispiranje

Kombinira se s artiklom 4215

Hand paste for efficient cleaning and removal of impurities, e.g. diesel oils, soot, metal and concrete powder.

- *Used in workshops and production lines.*
- *Contains solvents*
- *Colorless and odorless*
- *Easy to use and rinse*

Combines with item 4215



STANDARDNI PLUM DISPENSER/ PLUM STANDARD DISPENSER

4215

plum

MADE IN
EUROPE

Artiki: STANDARD Plum dispenser - sistem za punjenje crni

Opis: može se zatvoriti, otporan je na udarce, posebno pogodan za industrijsku upotrebu; Ekološki proizvod, sa jednim punjenjem može se dozirati proizvod dovoljan za otp. 620 pranja ruku; Proizvode za punjenje dostavljamo u MaxiPlum sistemu u bag-in-box pakovanju od 0,7, L ili 1,4 L; Idealno za kupce koji imaju visoka očekivanja što se tiče čišćenja ruku i higijene;

Veličina: 285 x 117 x 122 mm

Item: STANDARD Dispenser - filling system, black

Description: can be closed, it is impact resistant, especially developed for industrial use; Organic product, with one filler enough for app. 620 hand washing

Filling products are supplied in a box with 0,7, L or 1.4 L

Ideal for customers who have high expectations regarding hand cleaning and hygiene;

Size: 285 X 117 X 122 mm



474

QUICKFIX PAKOVANJA ZA PUNJENJE/ QUICKFIX REFILLING

5511

Vodootporna flaster traka, iz kože naročito sklonog, perforiranog i zrakopropusnog nosivog materijala.

Mere: 72 x 25 mm, 45 komada u pakiranju za punjenje.

Waterproof patch for skin care, perforated and air permeable material.

Dimensions: 72 x 25 mm, 45 pieces in refilling package



plum



QUICKFIX PAKOVANJA ZA PUNJENJE/ QUICKFIX REFILLING

5512

Elastična flaster traka od tekstila, prilagodljiva, omogućava disanje kože.

Mere: 72 x 25 mm. 45 komada u pakovanju za punjenje.

Elastic textile patch, flexible, allows the skin to breathe.

Dimensions: 72 x 25 mm, 45 pieces in refilling package



plum



QUICKFIX PAKOVANJA ZA PUNJENJE/ QUICKFIX REFILLING

5513

Detektabilna flaster traka sa ukomponiranim metalnim trakama što omogućuje prepoznavanje putem detektora metala u higijenski osetljivim uslovima (npr. prehrambena industrija), sterilna i otporna, od perforiranog i prozračnog nosivog materijala.

Mere: 72 x 25 mm. 45 komada u pakovanju za punjenje.

Detective patch tape with built-in metal strips that allow metal detector recognition in hygienically sensitive conditions (eg industry such as food), sterile and resistant, of perforated and air permeable material

Dimensions: 72 x 25 mm, 45 pieces in a refill package



plum



QUICKFIX FLASTER - SISTEM ZA PUNJENJE QUICKFIX

QUICKFIX PATCH - QUICKFIX FILLING SYSTEM



QUICKFIX FLASTER - SISTEM ZA PUNJENJE QUICKFIX

Prva pomoć u Vašem pogonu može biti jednostavno, bezbedno i fleksibilno primenjena. Pojedinačno ambalažirane trake flastera se jednostavno izvlače iz svog kućišta; pri tome su već na jednoj strani pripremljene i otvorene, tako da se flaster i jednom rukom može staviti na povređeno mesto! QuickFix premium tipovi flastera na raspolaganju su u pakovanjima za punjenje tako da je ugradnja moguća u svaki pogon. Robusno, ali lepo oblikovano kućište posude za punjenje se jednostavno lepljivom trakom ili materijalom za pričvršćivanje, koji se isporučuje zajedno sa sistemom, montira na zid. Sistem se može ključem zaštititi od krađe. U kućištu sistema za punjenje na raspolaganju su odeljci za odlaganje drugih materijala za prvu pomoć.

Postoji mnogo dobrih razloga za ugradnju sistema QuickFix!

- Visok higijenski standard zahvaljujući higijenski upakovanim flaster trakama
- Jednostavna i lagana primena jednom rukom
- Fleksibilan sistem zahvaljujući mogućnosti punjenja različitim tipovima flaster traka
- Širok spektar upotrebljivosti za gotovo svako radno mesto
- Zaštićeno od krađe – zahvaljujući tome smanjeno je rasipanje i troškovi! Obim isporuke flaster-sistema za punjenje QuickFix – uključuje dva paketa za punjenje, materijal za pričvršćivanje, te ključ za osiguranje od krađe. Dimenzija kućišta: 23,25 cm širina x 13,34 cm visina x 3,3 cm dubina.

QUICKFIX PATCH - QUICKFIX FILLING SYSTEM

First aid in your facility will be simple, safe and flexible. With individual packaging, the patch strips will be easily removed from the case, and on the one size they are already to open, so that the patch can be applied to the injured area with one hand. Types of QuickFix premium patches are available in refilling packs, so installation is possible in any drive. Robust yet beautifully designed cover, the filling containers are simply glued or fastened with material that is supplied with the system, and it can be easily mounted on the wall. The system can be protected from theft with a key. In the housing of the filling system, there are compartments for storing other first aid materials.

There are many good reasons to install QuickFix!

- High hygiene standard, thanks to hygienically packaged tapes
 - Easy application with one hand
 - Flexible system thanks to the possibility of refilling with different types of patches
 - Wide range of usability for almost any workplace
 - Protected against theft - this reduces waste and costs!
- Scope of supply of refilling for QuickFix - includes two refill packages, material for fastening, and a key to protect against theft. Housing dimensions: 23.25 cm width x 13.34 cm height x 3.3 cm depth.*

**QUICKFIX FLASTERI/
QUICKFIX PATCHES**

5501

Jedinica za punjenje s 2 x vodootporna pakovanja za ponovno punjenje.
Veličina pakiranja: 1 kom / 10 kom. u jednom master-kartonu 450 jedinica

*Refilling unit with 2 x waterresistant filling packaging.
Packaging size: 1 piece / 10 pieces in one main box of 450 units*

plum



**QUICKFIX FLASTERI/
QUICKFIX PATCHES**

5502

Jedinica za punjenje s 2 x elastična pakovanja za ponovno punjenje.
Veličina pakiranja: 1 kom / 10 kom. u jednom master-kartonu 450 jedinica

*Refilling unit with 2 x waterresistant filling packaging.
Packaging size: 1 piece / 10 pieces in one main box of 450 units*

plum



**QUICKFIX FLASTERI/
QUICKFIX PATCHES**

5503

Jedinica za punjenje s 2 x detektabilna pakovanja za ponovno punjenje.
Veličina pakiranja: 1 kom / 10 kom u jednom master-kartonu 450 jedinica

*Filling unit with 2 x detectable filling packaging
Pack size: 1 piece / 10 pieces in one main box of 450 units*

plum





**PLUM SREDSTVA
ZA ISPIRANJE OČIJU**
*PLUM SOLUTIONS
FOR EYE RINSE*

PLUM SREDSTVA ZA ISPIRANJE OČIJU U SLUČAJU NEZGODE

PLUM EYE RINSE AID IN THE EVENT OF AN ACCIDENT

PLUM PROGRAM ZA NEGU KOŽE

Ispiranje oka – činjenično stanje

Imate samo dva oka – vodite računa o njima. Vid je jedno od naših najvažnijih čula. Ako dođe do nezgode, nekoliko sekundi je dovoljno da se izgubi vid. Sredstvo za ispiranje očiju koje je uvek na dohvata ruke je odlučujući faktor kada postoji rizik povrede očiju. Ovo se naročito odnosi na povrede uzrokovane kiselinama i alkalijama; nagrizajuće pečenje započinje istog časa kada jedinjenje dođe u dodir sa očima. Vreme je takođe važno kada se radi o povredama uzrokovanim metalnim ostacima ili npr. strugotinama, prašinom i prljavštinom. U takvim situacijama korišćenje sredstava za ispiranje očiju, neposredno nakon povrede može sprečiti lepljenje stranih tela na oko i ozbiljne povrede. Pravilno pozicioniranje sredstava za ispiranje očiju u skladu sa potrebama na radnom mestu može predstavljati odlučujući napor uložen kako bi se sprečile ozbiljne povrede očiju.

Za optimalnu bezbednost tamo gde postoji rizik od povrede očiju, oprema za ispiranje očiju mora biti:

1. Trenutno dostupna
2. Prilagođena brzini primene
3. Efikasna, bez uzrokovanja daljnje povrede

Možemo Vam ponuditi široku paletu rastvora za ispiranje očiju, male i velike jedinice koje se montiraju direktno uz radna mesta, ili mala mobilna pakovanja rastvora koja se mogu staviti u vozilo, kutiju za alat ili kutiju za prvu pomoć, kao i u specijalnu pojasnu torbicu. Uvek će biti moguće naći rešenje koje će Vam omogućiti jednostavan pristup sredstvu za ispiranje očiju. Naš sistem je razvijen da bi omogućio jednostavno ispiranje oka. Dva jednostavna pokreta i bočica je spremna za upotrebu. Ergonomski oblikovana da pokrije oko omogućuje direktno ispiranje i odvodi tečnost iz oka nakon ispiranja.

VAŽNO!

U vezi sa povredama bilo koje vrste, tečnost mora da dopre do oka u nežnom, jednokratnom mlazu. Bocu pritisnite lagano, bez gnječenja. Uvek potražite medicinsku pomoć i nastavite sa ispiranjem za vreme transporta. Nudimo dve vrste tečnosti za ispiranje očiju. Nakon nezgoda koje su uzrokovane jakim kiselinama ili alkalijama, od vitalnog je značaja neutralizovati tečnost u oku što je brže moguće – po mogućnosti u roku 40 sekundi – kako bi se pH vrednost oka normalizovala na 7.4. Ph Neutral je sterilni neutralizujući rastvor za ispiranje očiju baziran na 4,9% fosfatnom rastvoru, koji neutrališe tečnost oka nakon nezgoda uzrokovanih hemikalijama. Dostupna je i dokumentacija o bezbednosti i efikasnosti. Ph Neutral je jednako efikasan i kada se koristi za potrebe (povrede?) uzrokovane kiselinama ili alkalijama na bilo kojem delu tela. Za povredu uzrokovanu stranim telom kao što su npr. metalne ili drvene strugotine, prašina i prljavština, preporučujemo ispiranje sredstvom Plum Eye Wash. Radi se o sterilnom rastvoru soda hlorida (0,9%) koji odgovara prirodnoj tečnosti koja vlaži oko. Na taj način dobijate nežno i blago čišćenje. Svi naši proizvodi za ispiranje očiju nose oznaku CE u skladu sa odredbama o medicinskoj opremi. Takođe, proizvodi su sterilni kako oko ne bi zahvatilo bakterije i klice prilikom ispiranja.

SKIN CARE PROGRAM

Eye rinse - the facts

You only have two eyes - take care of them. Sight is one of the most important senses. If an accident occurs, just a few seconds are crucial to the consequence of possible vision loss. An eye rinse that is always at hand is a deciding factor when there is a risk of eye damage. This is especially true for damage caused by acids and alkalis; corrosive roasting begins as soon as the joint comes in contact with the eyes. Time is also important for post-damage caused by metal scrap or e.g. wood chips, powder and dust. In such situations, the use of eyewash or immediately after the injury can prevent foreign bodies from sticking to the eye and further serious injuries. Proper placement of eye rinses, according to the needs of the workplace, can be a crucial effort to prevent serious eye injuries.

For optimal safety when there is a risk of eye injury, eyewash equipment should be:

1. Immediately available
2. Adapted for quick use
3. Effective without causing further damage

We offer you a wide range of eye rinse solutions, small and large units mounted directly next to workstations, or small mobile packaging solutions that can be installed in a vehicle, tool or first aid kit, as well as a special case. It will always be possible to find a solution that will help you have easy access to eye wash products. Our system is designed to make rinsing your eyes easier. Two simple movements and the bottle is ready to use. Ergonomically designed, the eye cover ensures direct rinsing and drains fluid from the eye after rinsing.

IMPORTANT!

In conjunction with any injuries, the fluid should get into the eye with a single, gentle jet. Press the bottle lightly without squeezing. Always seek medical attention and rinse during transport. We offer two types of eye rinses. After an accident caused by strong acids or alkalis, it is vital to neutralize the fluid in the eye as quickly as possible - preferably within 40 seconds - to normalize the pH of the eye to 7.4. Ph Neutral is a sterile neutralizing eye rinse solution based on 4.9% phosphate solution that neutralizes eye fluid after accidents caused by chemicals. Documentation about safety and efficacy is also available. Ph Neutral is equally effective when used on any part of the body for injuries caused by acids or alkalis. For injuries caused by a foreign body, such as metal waste or wood chips, dust and dirt, we recommend rinsing with Plum Eye Wash. It is a sterile solution of soda chloride (0.9%), a natural liquid that moisturizes the eye. This is a gentle and easy cleanser. All of our eye rinsing products have the CE mark in accordance with medical equipment regulations. The products are also sterile so that eye would not be affected by bacteria and microbes when rinsing.

Povrede koje uključuju prisutnost stranih tijela (prljavština, metalne krhotine i drveno iverje)	Ispirati sredstvom Plum Eye Wash dok se ne ukloni strano tijelo iz oka
Kiseline	Ispirati otprilike 2 minute sredstvom pH Neutral i nastaviti ispiranje sredstvom Plum Eye Wash dok se problem ne reši ili dok ne stigne stručna medicinska pomoć
Alkalije	Ispirati otprilike 2 minute sredstvom pH Neutral te nastaviti ispiranje sredstvom Plum Eye Wash do pružanja stručne medicinske pomoći
Druge povrede koje uključuju hemikalije	Ispirati sredstvom Plum Eye Wash dok se problem ne reši ili dok ne stigne stručna medicinska pomoć

Injuries involving the presence of foreign matter (dirt, metal debris and wood chips)	Rinse with Plum Eye Wash until the foreign body is removed out of eye
Acids	Rinse the product pH Neutral for about 2 minutes and continue rinsing with Plum Eye Wash until the discomfort is over or until professional medical help arrives
Alkalines	Rinse with product pH Neutral for about 2 minutes and continue rinsing with Plum Eye Wash until professional medical help arrives
Other injuries involving chemicals	Rinse with Plum Eye Wash until the discomfort is over or until professional medical help arrives



**SREDSTVA ZA ISPIRANJE OČIJU U HITNIM SLUČAJEVIMA/
EYE RINSE IN EMERGENCY SITUATION**

4604

Sredstvo za ispiranje očiju sa sterilnim rastvorom natrijum-hlorida od 0,9%, u bočici lakoj za rukovanje. Može se upotrebiti zasebno ali i za nadopunjavanje stanica.

BOCA 500 ml

Vreme ispiranja oko 5 minuta

Pakovanje: 12 x 500 ml

Eye rinse with sterile sodium chloride solution of 0.9%, in an easy-to-handle bottle. It can be used separately but also to fill cabinets.

BOTTLE 500 ml

Rinse time: about 5 minutes

Packaging: 12 x 500 ml

plum

MADE IN EUROPE



**SREDSTVA ZA ISPIRANJE OČIJU U HITNIM SLUČAJEVIMA/
EYE RINSE IN EMERGENCY SITUATION**

4752

Sredstvo za ispiranje očiju sadrži 4,9% sterilnog fosfata koji neutralizuje kisele i alkalne hemikalije. Lako za rukovanje, stane i u džep.

BOCA 200 ml pH Neutral

Vreme ispiranja: oko 2 minute

Pakovanje: 10 x 200 ml

Eye rinser contains 4.9% sterile neutralizing phosphate acidic and alkaline chemicals. Easy to use, fits in your pocket.

Bottle 200 ml Ph Neutral

Rinse time: about 2 minutes

Packing: 10 x 200 ml

plum

MADE IN EUROPE



480

KOMPLET ZA HITNO ISPIRANJE OČIJU/ EMERGENCY EYE RINSE KIT IN A BOX

4787

JEDINICA ZA HITNE SLUČAJEVE U KUTIJI

Sadrži 1 x 200 ml pH Neutral sredstva i bocu od 1 x 500 ml, ogledalo i piktogram.

Vreme ispiranja: oko 2 minute za Ph Neutral, oko 5 min za Plum Eye Wash

Pakovanje: 1 kom

KIT FOR EMERGENCY EYE RINSE IN A BOX

Contains 1 x 200 ml pH Neutra agents and 1x500 ml bottle, mirror and pictogram

Rinse time: about 2 minutes for Ph Neutral, about 5 min for Plum Eye Wash

Packing: 1 pc



plum

MADE IN EUROPE



STANICA ZA PRVU POMOĆ U HEMIJSKOJ INDUSTRIJI/ FIRST AID STATION IN THE CHEMICAL INDUSTRY

5171

Sadržaj:

- 1 x 500 ml Plum Duo sredstva za ispiranje očiju i prvu pomoć
- 1 x 200 ml pH Neutral
- 1 x 500 ml pH Neutral Duo
- 5 komada QuickRinse ampula za ispiranje očiju
- 1 komad QuickFix elastičnog flastera

Contents:

- 1x500 ml Plum Duo rinser for rinsing the eyes and first aid
- 1x200 ml pH Neutral
- 1x500 ml pH Neutral Duo
- 5 pieces of QuickRinse ampoules for eye rinse
- 1 piece QuickFix elastic patch



plum

MADE IN EUROPE



481



sterile

Quick Stop

1 para: 12 x 27 cm
2 para: 12 x 27 cm

Quick Stop is a sterile, preservative-free, isotonic solution for the eyes. It is used to relieve eye irritation, redness, and itching. It is also used to flush the eyes after contact with irritants. It is suitable for use in contact lens wearers.

plum

QuickFix

plum

Plum

Sterile

Eye Wash • Solution ophtalmique • Soluções para Lavagem dos olhos • Liquido per il risciacquo degli occhi • Dogaspoling • Solución lava ojos • Glic Donyatar • Roztok k vypláchnutí očí • Płyn do przemywania oczu • Ispláchnutí očí • Copeemo umyvat' glazni

plum

Plum 5+

200 ml

plum

QuickGuide

plum

Quick + Safe

plum

plum

STANICA ZA PRVU POMOĆ U PREHRAMBENOJ INDUSTRIJI/ FIRST AID STATION IN FOOD INDUSTRY

5175

Sadržaj:

- 2 x 500 ml Plum sredstva za ispiranje očiju i prvu pomoć
- 1 x 200 ml pH Neutral
- 20 komada QuickClean maramica za čišćenje povreda
- 18 komada QuickCool gela za opekotine
- 1 komad QuickStop paketa za brzo previjanje rana
- 1 komad 17 x 17 cm i 2 komada 12 x 7,5 cm
- 1 komad QuickFix fl aster sa metalnim vlaknima
- 1 komad QuickFix veliki flaster sa metalnim vlaknima

Contents:

- 2 x 500 ml Rinse aid for eye rinse and first aid Plum
- 1 x 200 ml pH Neutral
- 20 pieces of QuickClean wipes to clean the wounds
- 18 pieces of QuickCool gel for burns
- 1 piece of QuickStop package for fast rinsing of wounds
- 1 piece 17x17 cm and 2 pieces 12 x 7,5 cm
- 1 piece QuickFix patch with metal fibers
- 1 piece of QuickFix large patch with metal fibre



plum

MADE IN EUROPE



STANICA ZA PRVU POMOĆ/ FIRST AID STATION

5174

Sadržaj:

- 2 x 500 ml Plum sredstva za ispiranje očiju i prvu pomoć
- 1 x 200 ml pH Neutral
- 20 komada QuickClean maramica za čišćenje povreda
- 18 komada QuickCool gela za opekotine
- 1 komad QuickStop paketa za brzo previjanje rana
- 1 komad 17 x 17 cm i 2 komada 12 x 7,5 cm
- 5 komada QuickRinse ampula za ispiranje očiju
- 1 komad QuickFix punjača za fleksibilne flastere

Contents:

- 2 x 500 ml solution eyes rinse and first aid PLUM
- 1 x 200 ml pH Neutral
- 20 pieces QuickClean handkerchief to clean wounds
- 18 pieces of QuickCool gel for burns
- 1 piece of QuickStop package for emergency wound cleaning;
- 1 piece 17 x 17 cm and 2 pieces 12 x 7,5 cm
- 5 pieces of QuickRinse ampoule for eyes rinsing
- 1 piece of QuickFix refill for flexible patches



plum

MADE IN EUROPE



OPREMA ZA RAD NA VISINI EQUIPMENT FOR WORK AT HEIGHT



OPREMA ZA RAD NA VISINI

Rad na visini je opasan ako nemate adekvatnu zaštitu. Posledice pada mogu biti fatalne. Za svaki od rizika rada na visini postoji rešenje u obliku KRATOS SAFETY opreme za rad na visini.

LACUNA i KRATOS SAFETY nude vam sertifikovane, inovativne i visoko kvalitetne proizvode sa naglaskom na individualni pristup usmeren na potrebe svakog kupca.

EQUIPMENT FOR WORK AT HEIGHT

Working at height is dangerous if you do not have adequate protection. The consequences of a fall can be fatal. For each of the risks STAY PROTECTED there is a solution in the form of equipment KRATOS

SAFETY for work at height. LACUNA and KRATOS SAFETY offer you certified, innovative and high quality products with a focus on an individual approach focused on the needs of each client.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/LACUNA is not responsible for misprints in the catalogue.

Zadnje važeće cene molimo proverite na LACUNA B2B/Last valid recommended prices check on LACUNA B2B

Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/Full LACUNA range available at www.lacuna.hr







Kompanija KRATOS SAFETY je osnovana 2011. godine i jedna je od najbrže rastućih kompanija za proizvodnju visokokvalitetne zaštitne opreme za rad na visini; sedište kompanije je u Francuskoj, a fabrika za proizvodnju opreme je u Indiji.

Kompanija je organizovana vertikalno; svaki deo opreme proizvodi u svojim sopstvenim fabrikama.

- tkanje svih tekstilnih delova koji su ugrađeni u opremu
- izrada užadi
- izrada svih metalnih i nemetalnih komponenti od koji se pojedini proizvod sastoji
- sklapanje proizvoda
- dvostruko testiranje svakog proizvoda

Vertikalna organizacija kompanije omogućava da se sve faze proizvodnje odvijaju uz strogi nadzor i kontrolu a što je posebno važno, obzirom da se zaštitna oprema za rad na visini ubraja u ličnu zaštitnu opremu kategorije III-smrtni rizici.

Proizvodi KRATOS SAFETY su izrađeni od najkvalitetnijih materijala a stručni timovi neprekidno rade na usavršavanju postojećih proizvoda i na inovacijama koje rezultiraju novim proizvodima lansiranim na tržište svake godine. Asortiman KRATOS SAFETY danas broji preko 500 različitih artikala.

Svi proizvodi su u skladu sa Evropskom regulativom 2016/425 koja propisuje zdravstvene i bezbednosne zahteve kojima lična zaštitna oprema mora udovoljavati i biti sertifikovana po pripadajućim normama.

Unutar propisa, izraz (LZO) označava "bilo koji uređaj ili sredstvo koje lice treba da nosi ili drži (te svih dodataka namenjenih u tu svrhu) kako se bi zaštitilo od jednog ili više rizika koji mogu ugroziti zdravlje ili bezbednost na radnom mestu.

Evropska regulativa 2016/425 određuje kategorizaciju LZO; za svaku kategoriju određuje postupak sertifikovanja i tehničkih pravila koje oprema mora da zadovolji.

* Tip I LZO: manji rizici (namenjeni zaštiti od površinskih povreda). Proizvođač ima CE sertifikat. On izjavljuje da, kada je nova, LZO odgovara zahtevima direktive. Njegova lična odgovornost je uključena. Proizvod se, nakon toga, označava sa CE.

* Tip II LZO: Srednji rizici (namenjeni za zaštitu od mehaničkih, toplotnih i hemijskih rizika). Proizvođač podnosi zahtev za CE inspekciju, praćen tehničkom dokumentacijom LZO na jednu od 80 nadležnih evropskih laboratorija, koja nastavlja sa nizom testova i dodeljuje EC sertifikat za ispitivanje tipa (TEC) ako LZO odgovara zahtevima.

* Tip III LZO: smrtna opasnost (namenjena zaštiti od smrtno opasnosti ili rizika nepovratne zdravstvene štete).

Proizvođač ima izbor za nadzor proizvodnje svog proizvoda između završenog CE sistema osiguranja proizvoda (11A) ili sistema osiguranja kvaliteta sa nadzorom proizvodnje (11B). Pre toga trebao je obaviti isti postupak kao i za LZO TIP II - srednji rizici LZO namenjene zaštiti od pada sa visina pripadaju kategoriji III. CE oznaka odnosi se na sve tri kategorije.

Proizvodi overeni na ovaj način nose oznaku CE, a za kategoriju III sledi broj prijavljenog tela kojim se upravlja kontrolom kvaliteta (??). Za svaki sertifikovani proizvod proizvođač isporučuje korisnička uputstva sa njegovim imenom i adresom, čuvanjem, korišćenjem i uputstva za održavanje, preporučeno vreme upotrebe i značenje oznaka. Sve ove specifikacije su propisane prethodno navedenim "usklađenim" EN standardima.

Company KRATOS SAFETY was founded in 2011 and is one of the fastest growing companies for the production of high quality protective equipment for work at height, based in France and with a factory for the production of equipment in India.

They are a vertically organized company that produces every piece of equipment in their own factories.

- Weaving of all textile parts built into the equipment
- Rope making
- Manufacture of all metallic and non-metallic components of which each product is composed
- Assembling of articles
- Double testing of each product

The vertical organization of the company allows all stages of production to take place under strict control, which is especially important, as protective equipment for work at height belongs to the personal protective equipment of category III with a fatal outcome.

KRATOS SAFETY products are made of the highest quality materials, and professional teams are constantly working to improve existing products and innovations, which means that new products are launched on the market every year.

All products comply with European Regulation 2016/425, which prescribes health and safety requirements, which must meet personal protective equipment standards and be certified in accordance with relevant standards. In the regulations, the term (personal protective equipment) means "any device or means that a person must wear or keep (and any devices intended for this purpose) in order to protect themselves against one or more risks that may endanger health or safety at work.

European Regulation 2016/425 determines the categorization of PPE, for each category it determines the certification procedure and technical rules that must be met by the equipment.

** PPE type I: lower risks (intended to protect against surface damage). The manufacturer is CE certified. It states that the PPE, when new, meets the requirements of the Directive. His personal responsibility is included The product is then CE marked.*

** PPE type II: Medium risks (intended to protect against mechanical, thermal and chemical risks). The manufacturer shall lodge an application for a CE examination, together with the technical documentation of the PPE, with one of the 80 notified European laboratories, which shall continue the series of tests and grant the EC type certificate if the PPE satisfies the requirements.*

** PPE type III: lethal hazard (intended to protect against fatal or irreparable damage to health). The manufacturer has the option of controlling the production of his product during a complete CE product assurance system (11A) or a quality assurance system with production control (11B). Prior to that, the manufacturer had to carry out the same procedure as for TYPE II PPE - medium risks of PPE intended to protect against falls from heights fall into category III. The CE mark refers to all three categories.*

Products certified in this way bear the CE marking, followed by the number of the notified body that carries out the quality control. The manufacturer shall provide instructions for the user s for each certified product their name and address, instructions for storage, use and maintenance, recommended time of use and meaning of labels. All these specifications are prescribed by the aforementioned "harmonized" EN standards.



STANDARDI/STANDARDS

STANDARD/STANDARD	OPIS/DESCRIPTION
EN341	Spasilački uređaji za spuštanje/ <i>Rescue devices</i>
EN353-1	Zaustavljanje pada s vodilicom uključujući krutu sidrenu liniju/ <i>Sliding stop devices including the anchor guide</i>
EN353-2	Zaustavljanje pada s vodilicom uključujući fleksibilnu sidrenu liniju/ <i>Movable device to prevent falling including a flexible anchor line</i>
EN354	Užad/ <i>Ropes</i>
EN355	Apsorberi energije/ <i>Energy absorbers</i>
EN358	Pojasevi za pozicioniranje i zadržavanje radne pozicije te užad za pozicioniranje/ <i>Positioning and holding belts and positioning ropes</i>
EN360	Uređaji za zaustavljanje pada s automatskim uvlačenjem/ <i>Fall Stop Devices with Automatic Retraction</i>
EN361	Uprtači za telo/ <i>Body harnesses</i>
EN362	Spone, konektori/ <i>Clamps, connectors</i>
EN567	Planinarska oprema - Hvataljke za uža/ <i>Mountaineering equipment - Rope grippers</i>
EN795 Classe B	Sidreni uređaji/ <i>Anchor devices</i>
EN795 Classe A-C-D-E	Sidreni uređaji/ <i>Anchor devices</i>
EN813	Bedreni pojas/pojas za sedenje/ <i>Thigh belts-seat belts</i>
EN1496	Uređaji za podizanje kod spašavanja/ <i>Lifting rescue devices</i>
EN1497	Užad za spašavanje/ <i>Lifebuoys</i>
EN1498	Uprtač za spašavanje/ <i>Life harness</i>
EN1891	Kermantl uža s jezgrom, s niskom razinom rastezljivosti/ <i>Kermantl rope with core, low level of stretch</i>
EN12 278	Koloturnici - Sigurnosni zahtevi i metode ispitivanja/ <i>Pulleys - Safety requirements and test methods</i>
EN12 841	Pristupni sustavi - uređaji za podešavanje užeta/ <i>Access systems - rope adjusters</i>
EN 471	Odeća za visoku vidljivost za profesionalnu upotrebu/ <i>High visibility clothing for professional use</i>
EN696	Užad za opšte namene - poliamidna/ <i>General Purpose Ropes - Polyamide</i>
EN1149-1	Zaštitna odeća - Elektrostatska svojstva - Površinska otpornost/ <i>Protective clothing - Electrostatic properties - Surface resistance</i>
EN13463	Neelektrična oprema za upotrebu u potencijalno eksplozivnim atmosferama/ <i>Non-electrical equipment for use in potentially explosive atmospheres</i>
ISO9150	Zaštitna odeća - Sposobnost materijala u kontaktu sa malim prskanjem rastaljenog metala/ <i>Protective clothing - Ability of the material in contact with a small spray of molten metal</i>
ISO15025	Zaštitna odeća - Zaštita od topline i plamena/ <i>Protective clothing - Protection against heat and flame</i>

OPŠTA NAČELA ZA RAD NA VISINAMA/ GENERAL PRINCIPLES FOR WORKING AT HEIGHTS

<p>Lična zaštitna oprema bi se trebala koristiti samo kada kolektivni sistem zaštite ne može biti postavljen na radno mesto ili privremeno za obavljanje posla. Lična zaštita od pada sa visine zahteva tri neodvojive komponente:</p> <ul style="list-style-type: none"> * sistem za držanje tela, * sistem za povezivanje i sprečavanje pada * sidreni sistem. <p>U zavisnosti od konfiguracije nadzemnih radova, može se koristiti nekoliko metoda a time i vrsta opreme za zaštitu i prevenciju od pada:</p>	<p>Personal protective equipment should only be used when the collective protection system cannot be set up in the workplace or temporarily to perform work. Personal protection against falling from a height requires three inseparable components:</p> <ul style="list-style-type: none"> * body holding system, * connection and fall prevention systems, * anchor system. <p>Depending on the configuration of the above-ground works, several methods can be used, and thus the type of equipment for protection and prevention of falls:</p>
<p>PREVENCIJA OD PADA SA PLATFORME: svrha ove radne metode je da se ograniči pristup radniku da dođe do područja gde postoji mogućnost pada sa visine.</p> <p>Osnovna oprema za upotrebu: oprema koja se koristi na platformi je uprtač ili pojas + uže + sidrište</p> <p>Standardi koji se odnose na ovu upotrebu: EN361; EN358; EN354; EN795; EN362</p>	<p>FALL PREVENTION FROM THE PLATFORM: the purpose of this working method is to restrict access to the worker to reach areas where there is a possibility of falling from a height.</p> <p>Basic equipment for use: the equipment used on the platform is a harness or belt + rope + anchor.</p> <p>Standards related to this use: EN361; EN358; EN354; EN795; EN362</p>
<p>RADNO POZICIONIRANJE: Svrha ovog načina rada je da se dozvoli radniku slobodno i sigurno kretanje i držanje na mestu dok su mu ruke slobodne za obavljanje posla (npr. na stubu) U ovoj radnoj situaciji, važno je razlikovati da li postoji rizik od padanja. Ako postoji, osnovna radna stanica koja drži opremu treba da se koristi sa sistemom zaštite protiv pada.</p> <p>Osnovna oprema za upotrebu: Držač za radnu stanicu sa pojansom za remenje ili radnom stanicom + Zaporni držač radne stanice + Sidrište</p> <p>Standardi koji se odnose na ovu upotrebu: EN361; EN358; EN795; EN362</p>	<p>WORK POSITIONING: The purpose of this method is to allow the worker to move freely and safely and to remain in place while their hands are free to perform work (eg on a pole). In this work situation, it is important to distinguish whether there is a risk of falling. If there is a basic workstation that holds the equipment it should be used with a fall protection system.</p> <p>Basic equipment for use: Workplace holder with belt or workstation belt + Workstation holder lock + Anchorage</p> <p>Standards related to this use: EN361; EN358; EN795; EN362</p>
<p>PREVENCIJA KOD PADA: Svrha ovog načina rada je držanje radnika tokom pada i njihovo zadržavanje u najboljim uslovima dok čekaju pomoć. Efikasan sistem zaustavljanja pada bi trebao smanjiti visinu pada što je više moguće, apsorbirati što više energije i smanjiti sile koje deluju na ljudsko telo.</p> <p>Osnovna oprema za upotrebu: Preklapka za sprečavanje ispadanja + Uređaj za sprečavanje padanja + Tačka sidrenja.</p> <p>Standardi koji se odnose na ovu upotrebu: EN361; EN353-1, EN 353-2; EN355; EN360; EN795; EN362;</p>	<p>FALL PREVENTION: The purpose of this method of work is to keep the worker during the fall and keep him in the best conditions while waiting for help. An effective fall arrest system should reduce the height of the fall as much as possible, absorb as much energy as possible and reduce the forces acting on the human body.</p> <p>Basic equipment for use: Fall prevention switch + Fall prevention device + Anchor point.</p> <p>Standards related to this use: EN361; EN353-1, EN 353-2; EN355; EN360; EN795; EN362</p>
<p>RAD U ZATVORENIM PROSTORIMA: Ovaj način rada omogućuje radniku ulazak u rezervoare, kanalizaciju, silose, itd., i mogućnost da se, u bilo kojem trenutku, može podići odozgo. Stoga je neophodno da je druga osoba na raspolaganju za ovu operaciju.</p> <p>Osnovna oprema za upotrebu: uprtač za sprečavanje pada + spojni sistem + sistem podizanja (vitlo, itd.) + sidrište (tronožac, vešala, itd)</p> <p>Standardi koji se odnose na ovu upotrebu: EN361; EN360 + EN1496; EN795; EN362</p>	<p>INDOOR WORK: This method of work allows the worker to enter tanks, sewers, silos, etc., and the ability to be lifted from above at any time. Therefore, it is necessary that another person is available for this operation.</p> <p>Basic equipment for use: harness to prevent falling + coupling system + + lifting system (winch, etc.) + anchorage (tripod, gallows, etc.).</p> <p>Standards related to this use: EN361; EN360 + EN1496; EN795; EN362</p>
<p>PRISTUP UŽETOM: Ova tehnika kretanja na užetu trebala bi se koristiti samo kada se tradicionalni pristupni sistemi i ne mogu instalirati.</p> <p>Osnovna oprema za pristup užetom se treba koristiti sa sistemom prevencije padova.</p> <p>Osnovna oprema za upotrebu: kompletni uprtač za sprečavanje pada + progresioni sistem + sidrište.</p> <p>Standardi koji se odnose na ovu upotrebu: EN361; EN358; EN 813; EN341; EN567; EN12841; EN12278; EN795; EN362</p>	<p>ROPE ACCESS: This rope movement technique should only be used when traditional access systems cannot be installed.</p> <p>Basic rope access equipment should be used with a fall prevention system.</p> <p>Basic equipment for use: complete harness to prevent falls + progressive system + anchor.</p> <p>Standards related to this use: EN361; EN358; EN 813; EN341; EN567; EN12841; EN12278; EN795; EN362</p>
<p>SPAŠAVANJE I EVAKUACIJA Ova tehnika se koristi u hitnim slučajevima i najosetljivija je. Ako je korisnik svestan i ima opremu za samospašavanje, može sam, ili sa pomagačem, izvršiti tu intervenciju. U ovoj je situaciji neophodno da se može doći do žrtve, istu u potpunosti osigurati, podići ili spustiti.</p> <p>Osnovna oprema za upotrebu: Kompletni uprtač za sprečavanje pada + sistem za sprečavanje padova + sistem spašavanja + sidrište.</p> <p>Standardi koji se odnose na ovu upotrebu: EN361; EN1496; EN1498; EN341; EN1865; EN795; EN362</p>	<p>RESCUE AND EVACUATION This technique is used in emergencies and is the most sensitive. If the user is aware and has the equipment for self-rescue, he can perform that intervention himself, or with a helper. In this situation, it is necessary to be able to reach the victim, secure the person completely and raise or lower him.</p> <p>Basic equipment for use: Complete harness for fall prevention + fall prevention system + rescue system + anchor.</p> <p>Standards related to this use: EN361; EN1496; EN1498; EN341; EN1865; EN795; EN362</p>

PODRUČJA UPORABE/FIELDS OF APPLICATION



Rad na dizalici
Crane work



Nagnuta površina/
Inclined surface



Ravna površina
Flat surface



Pozicioniranje na platformi
Platform positioning



Fiksiranje na lotre/
Fixing to ladders



Skele
Scaffolding



Rad na metalnim strukturama
Work on metal structures



Pozicioniranje protiv pada s platforme
Positioning against falling off the platform



Ograničen prostor
Limited space



Dvostruko uže
Double rope



Suspenzija
Suspension



Spajanje na okvir vrata
Connecting to the door frame



Spas - evakuacija
Salvation - evacuation



LEGENDA OZNAKA/LABEL LEGEND



Proizvod je sertikovano za osobe do 140 kg
The product is certified for persons up to 140 kg

Neto težina proizvoda
Net weight of the product

čelik

steel



aluminijum

aluminium




nahrdajući čelik

stainless steel




dijametar uvijenog užeta
diameter of the twisted rope




Širina remena
belt width



dijametar Kermantel užeta (uže s jezgrom)
diameter of Kermantle rope




elastičnost remena
rope elasticity



Ispitano za upotrebu za 2 osobe
Tested for use by 2 people

Ispitano za upotrebu za 4 osobe
Tested for use by 4 people



TAČKE SPAJANJA/CONNECTION POINTS



Sa jednom ili dve tačke:
prsna i ledna

With one or two attachment point: dorsal and thoracic



S jednom ili dve tačke + dvije bočne tačke pozicioniranja

With one or two attachment points + two side points



S jednom ili dve tačke + dve tačke pozicioniranja + suspenzija

With one or two attachment points + two side points + suspension

UPRTAČI/BELTS



Povremena upotreba
Occasional use



Redovita upotreba
Regular use



Česta upotreba
Frequent use



Intenzivna upotreba
Intensive use

SIDRIŠTA/ANCHORAGES



Može se koristiti u vodoravnom smeru (u odnosu na instalaciju)

Can be used in horizontal direction (relative to installation)



Može se koristiti u vertikalnom smeru (u odnosu na instalaciju)

Can be used vertically depending on installation



Može se koristiti u vertikalnom ili vodoravnom smeru (u odnosu na instalaciju)

Can be used vertically or horizontal direction (relative to installation)



Može se koristiti u 3 smeru (u odnosu na instalaciju)

It can be used in 3 directions (depending on installation)

TABELA MERA/TABLE OF MEASURES

Za odabir pojasa ili pojasa s ugrađenim prslukom, bitne mere veličinu bedra i veličina grudi, a ostale mere su date kao indikacija. *Basic measures of thigh size and breast size and other measures are given as an indication for choosing a belt or a belt with a fitted vest.* Za odabir pojasa bitna mera je veličina struka. *For selecting a belt, the essential measure is the waist size.*

Mere / Measures (cm)	S-L	TU	L-XXL
A - ŠIRINA BEDRA / THIGH WIDTH	48-70	55-90	65-95
B - ŠIRINA PRSA / CHEST WIDTH	94-114	98-128	114-134
C - ŠIRINA STRUKA / WAIST WIDTH	60-105	70-115	75-125
D - VISINA / HEIGHT	160-185	160-200	170-200





**UPRTAČ SA DVE TAČKE KOPČANJA MUNE 3/
SAFETY BELT WITH TWO FASTENING POINTS MUNE 3**

FA10 105 00

Opis: uprtač sa dve tačke kopčanja
Veličina: univerzalna
Materijal naramenica: poliester
Materijal kopče: čelik
Težina artikla: 1,19 kg
Maksimalna nosivost: 140 kg
Standard: EN361:2002

Description: harness with two fastening points
Size: universal
Strap material: polyester
Buckle material: steel
Item weight: 1,19 kg
Maximum load capacity: 140 kg
Standard: EN361:2002




EN361:2002	✓
EN358:2000	
EN813:2008	



MUNE



140 kg



D-Ring/ Dé dorsal
Buckles/ Boucles

**UPRTAČ SA DVE TAČKE KOPČANJA KAMI 1/
SAFETY BELT WITH ONE ATTACHMENT POINT KAMI 1**

FA10 102 00

Opis: uprtač sa jednom tačkom kopčanja
Veličina: univerzalna
Materijal naramenica: poliester
Materijal kopče: čelik
Težina artikla: 0,76 kg
Maksimalna nosivost: 140 kg
Standard: EN361:2002

Description: safety belt with one fastening point
Size: universal
Strips material: polyester
Buckle material: steel
Product weight: 0,76 kg
Maximum load: 140 kg
Standard: EN361:2002



EN361:2002	✓
EN358:2000	
EN813:2008	



KAMI



140 kg



D-Ring/ Dé dorsal
Buckles/ Boucles

**UPRTAČ SA DVE TAČKE KOPČANJA KAMI 2/
SAFETY BELT WITH TWO FASTENING POINTS KAMI 2**

FA10 103 00

Opis: uprtač sa dve tačke kopčanja
Veličina: univerzalna
Materijal naramenica: poliester
Materijal kopče: čelik
Težina artikla: 0,84 kg
Maksimalna nosivost: 140 kg
Standard: EN361:2002

Description: safety belt with two fastening points
Size: universal
Strips material: polyester
Buckle material: steel
Product weight: 0,84 kg
Maximum load: 140 kg
Standard: EN361:2002




EN361:2002	✓
EN358:2000	
EN813:2008	



KAMI



140 kg



D-Ring/ Dé dorsal
Buckles/ Boucles

UPRTAČ ZA SKELE MOVE 3/ HARNES FOR SCAFFOLDING MOVE 3

FA10 107 00A

FA10 107 01A

Opis: uprtač MOVE 3 za skele sa dve tačke kopčanja
Veličina: S-L, L-XXL
Materijal naramenica: poliester
Materijal kopče: čelik, prednja kopčka aluminijum
Težina artikla: S-L=1,54 kg, L-XXL=1,58 kg
Maksimalna nosivost: 140 kg
Standard: EN361:2002

Description: harness MOVE 3 for scaffolding with two points fasteners
Size: S-L, L-XXL
Strap material: polyester
Buckle material: steel, front buckle aluminum
Weight: S-L=1,54 kg, L-XXL=1,58 kg
Maximum load capacity: 140 kg
Standard: EN361:2002



EN361:2002	✓
EN358:2000	
EN813:2008	



• Sternal
• Dorsal

ALU
D-Ring / Dés
STEEL
Buckles / Boucles

Size	
S-L FA10 107 00A	L-XXL FA10 107 01A



CE



POJAS ZA RADNO POZICIONIRANJE KAMI 4/ SAFETY WORK POSITIONING BELT KAMI 4

FA10 402 00

Opis: pojas za radno pozicioniranje, 2 bočna prstena za kopčanje
Veličina: univerzalna
Materijal naramenica: poliester
Materijal kopče: čelik
Težina artikla: 0,59 kg
Maksimalna nosivost: 140 kg
Standard: EN358:2000

Description: safety - position belt, 2 side mounting rings
Size: universal
Strips material: polyester
Buckle material: steel
Product weight: 0,59 kg
Maximum load: 140 kg
Standard: EN358:2000



EN361:2002	
EN358:2000	✓
EN813:2008	



• Lateral

STEEL
D-Ring/ Dés
Buckles/ Boucles



KAMI



CE



POJAS ZA RADNO POZICIONIRANJE KAMI 4 S UŽETOM/ SAFETY-POSITION BELT KAMI 4 WITH ROPES

FA10 402 00 + FA4090020

Opis: pojas za radno pozicioniranje, 2 bočna prstena za kopčanje i uže FA40 900 20
Veličina: univerzalna
Materijal naramenica: poliester
Materijal kopča: čelik
Težina artikla: 1,14 kg
Maksimalna nosivost: 140 kg
Standard: EN358:2000

Description: safety - position belt, 2 side mounting rings and rope FA4090020
Size: universal
Strips material: polyester
Buckle material: steel
Product weight: 1,14 kg
Maximum load: 140 kg
Standard: EN358:2000s



FA40 900 20

EN354:2010		Size
EN358:2000	✓	Maxi: 2M
		FA 40 900 20
	14 mm	
		0.76

EN361:2002	
EN358:2000	✓
EN813:2008	



• Lateral

STEEL
D-Ring/ Dés
Buckles/ Boucles



KAMI



CE

493



**UPRTAČ SA DVE TAČKE KOPČANJA I POJASOM KAMI 3/
SAFETY BELT WITH TWO FASTENING POINTS KAMI 3**

FA10 203 00

Opis: uprtač sa dve tačke kopčanja i pojasom
FA10 402 00

Veličina: univerzalna

Materijal naramenica: poliester

Materijal kopče: čelik

Težina artikla: 1,41 kg

Maksimalna nosivost: 140 kg

Standard: EN361:2002, EN358:2000

Description: safety belt with two fastening points and belt FA1040200

Size: universal

Strips material: polyester

Buckle material: steel

Product weight: 1,41 kg

Maximum load: 140 kg

Standard: EN361:2002, EN358:2000



KAMI



140 kg

• Sternal
• Dorsal
• Lateral

STEEL

D-Ring/ Dés
Buckles/ Boucles

EN361:2002	✓
EN358:2000	✓
EN813:2008	



**UPRTAČ SA DVE TAČKE KOPČANJA I POJASOM S UŽETOM KAMI 3/
SEAT BELT WITH TWO ATTACHMENT POINTS, BELT AND ROPES KAMI 3**

FA10 203 00 + FA4090020

Opis: uprtač sa dve tačke kopčanja, pojasom

FA10 402 00 i užetom FA40 900 20

Veličina: univerzalna

Materijal naramenica: poliester

Materijal kopče: čelik

Težina artikla: 2,02 kg

Maksimalna nosivost: 140 kg

Standard: EN361:2002, EN358:2000

Description: safety belt with two fastening points, belt FA1040200 and rope FA4090020

Size: universal

Shoulder strap material: polyester

Buckle material: steel

Product weight: 2,02 kg

Maximum load: 140 kg

Standard: EN361:2002,

EN358:2000



EN354:2010		Size	
EN358:2000	✓	Maxi: 2M	
		FA 40 900 20	
	14 mm		0.75

STEEL



KAMI



140 kg

• Sternal
• Dorsal
• Lateral

STEEL

D-Ring/ Dés
Buckles/ Boucles

EN361:2002	✓
EN358:2000	✓
EN813:2008	



**UPRTAČ SA DVE TAČKE KOPČANJA I POJASOM XIMO 2/
SAFETY BELT WITH TWO FASTENING POINTS XIMO 2**

FA10 204 00A

FA10 204 01A

Opis: uprtač sa dve tačke kopčanja i pojasom FA10 401 00
Veličina: S-L, L-XXL
Materijal naramenice: poliester
Materijal kopče: čelik
Težina artikla: S-L=2,23 kg, L-XXL=2,32 kg
Maksimalna nosivost: 140 kg
Standard: EN361:2002, EN358:2000

Description: safety belt with two fasteners points and belt FA1040100
Size: universal
Strips material: polyester
Buckle material: steel
Product weight: S-L=2,23 kg, L-XXL=2,32 kg
Maximum load: 140 kg
Standard: EN361:2002, EN358:2000



XIMO



EN361:2002	✓
EN358:2000	✓
EN813:2008	✓



**UPRTAČ SA DVE TAČKE KOPČANJA I POJASOM FLY'IN 3/
SEAT BELT WITH TWO FASTENING POINTS AND BELT FLY'IN**

FA10 202 00

FA10 202 01

FA 10 202 02

Opis: uprtač sa dve tačke kopčanja i pojasom
Karakteristike: idealan za sjedenje, ekstra udoban za korisnika, automatske kopče
Veličina: S-M, M-L, L-XXL
Materijal naramenica: poliester
Materijal kopče: čelik, D-prsten: aluminij
Težina artikla: S-M=2,15 kg, M-L=2,21 kg, L-XXL=2,27 kg
Maksimalna nosivost: 140 kg
Standard: EN361:2002, EN358:2000, EN813:2008

Description: safety belt with two fastening points and belt
Features: ideal for a seat, extraordinary user-friendly, automatic buckles
Size: S-L, L-XXL
Strips material: polyester
Buckle material: steel, D-ring: aluminum
Product weight: S-M=2,15 kg, M-L=2,21 kg, L-XXL=2,27 kg
Maximum load: 140 kg
Standard: EN361:2002, EN358:2000, EN813:2008



FLY'IN



EN361:2002	✓
EN358:2000	✓
EN813:2008	✓



**UPRTAČ SA DVE TAČKEKOPČANJA I POJASOM FLY'IN 2/
BELT WITH TWO FASTENING POINTS AND BELT FLY'IN 2**

FA10 201 00

FA10 201 01

FA 10 201 02

Opis: uprtač sa dve tačke kopčanja i pojasom
Karakteristike: idealan za sjedenje, ekstra udoban za korisnika, automatske kopče
Veličina: S-M, M-L, L-XXL
Materijal naramenica: poliester
Materijal kopče: čelik, D-prsten: aluminij
Težina artikla: S-M=2,21 kg, M-L=2,27 kg, L-XXL=2,31 kg
Maksimalna nosivost: 140 kg
Standard: EN361:2002, EN358:2000

Description: safety belt with two fastening points
Features: ideal for a seat, extraordinary user-friendly, automatic buckles
Size: S-L, L-XXL
Strips material: polyester
Buckle material: steel, D-ring: aluminum
Product weight: S-M=2,21 kg, M-L=2,27 kg, L-XXL=2,31 kg
Maximum load: 140 kg
Standard: EN361:2002, EN358:2000



FLY'IN



EN361:2002	✓
EN358:2000	✓
EN813:2008	✓



NAPRAVA ZA ZAUSTAVLJANJE PADA (KOČNICA) I APSORBER ENERGIJE LOFTY-A/ SYSTEM FOR FALL STOPPING (BRAKE) AND ENERGY ABSORBER LOFTY-A

FA20 100 00B

Opis: naprava za zaustavljanje pada (kočnica) i absorber energije
Materijal: čelik, absorber: poliester
poliester i poliamid, spona: čelik
Za upotrebu s užadi od 14 mm
Kontekor: 1 spona FA50 101 17
Tačka pucanja: 15kN
Težina artikla: 1,20 kg
Standard: EN353-2:2002

Description: fall stop system (break) and energy absorber
Material: steel, absorber: polyester and polyamide, bond: steel
For use with 14 mm ropes
Contecor: 1 clamp FA50 101 17
Breaking point: 15 kN
Product weight: 1.20 kg
Standard: EN353-2:2002



STEEL
Rope grab / Coulisseau

KRATOS
SAFETY
FOR LIFE

Lofty-A

EN353-2:2002



UŽE ZA KOČNICU FA20 100 00B/ ROPE BRAKE FA20 100 00B

FA20 100 XX

Opis: uže, prečnik 14-16 mm
Materijal: poliester
Tačka pucanja: 29kN
Standardi: EN353-2:2002

Description: rope, diameter 14 mm
Material: poliester
Breaking Point: 29kN
Standard: EN353-2:2002

ŠIFRA/CODE	DUŽINA/LENGHT	TEŽINA/WEIGHT
FA20 100 10	10 m	1.25 kg
FA20 100 20	20 m	2.50 kg
FA20 100 30	30 m	3.90 kg



EN353-2:2002



KOMPAKTNA NAPRAVA ZA ZAUSTAVLJANJE PADA (KOČNICA) BLOCKER/ COMPACT DEVICE FOR STOPPING A FALL (BRAKE) BLOCKER

FA20 103 00A

Opis: kompaktna naprava za zaustavljanje pada (kočnica)
Materijal: aluminij, spona: čelik
Za upotrebu sa užadi od 11 mm
Konektor: 1 spona FA50 10117
Tačka pucanja: 15 kN
Težina artikla: 0,35 kg
Standardi: EN353-2:2002

Description: compact device for fall arrest (brake)
Material: aluminum, clamp: steel
For use with 11 mm ropes
Connector: 1 clamp FA50 10117
Breaking point: 15 kN
Item weight: 0.35 kg
Standards: EN353-2:2002



KRATOS
SAFETY
FOR LIFE

BLOCKER

ALU

EN353-2:2002



UŽE ZA KOČNICU FA20 103 00A/ ROPE BRAKE FA20 103 00A

Opis: uže, prečnik 11 mm
Materijal: poliester
Točka pucanja: 15kN
Standardi: EN353-2:2002
EN358:2000

Description: rope, diameter 12 mm
Material: poliester
Breakdown point: 15 kN
Standard: EN353-2:2002;
EN358:2000

ŠIFRA/CODE	DUŽINA/LENGHT	TEŽINA/WEIGHT
FA20 103 10	10 m	1.50 kg
FA20 103 20	20 m	2.55 kg
FA20 103 30	30 m	3.60 kg



EN358:2000

EN353-2:2002



**NAPRAVA ZA ZAUSTAVLJANJE PADA I APSORBER ENERGIJE NA UŽETU NIRO/
FALL PROTECTION AND ENERGY ABSORBER ON THE ROPE NIRO**

FA20 102 10

FA20 102 20

Opis: naprava za zaustavljanje pada (kočnica) i apsorber enerije na užetu debljine 12 mm
Dužina: FA20 102 10 – 10 m, FA20 102 20 – 20 m
Materijal uža: poliester
Materijal kopče: čelik
Konektor: 1 spona FA50 101 17
Tačka pucanja: 15 kN
Težina artikla: 10 m - 1,65 kg, 20 m – 2,80 kg
Maksimalna nosivost: 140 kg
Standard: EN353-2:2002

Description: fall arrest device (brake) and energy absorber on a 12 mm thick rope

Length: FA20 102 10 - 10 m, FA20 102 20 - 20 m

Rope material: polyester

Buckle material: steel

Connector: 1 clamp FA50 101 17

Breaking point: 15 kN

Item weight: 10 m - 1.65 kg, 20 m - 2.80 kg

Maximum load capacity: 140 kg

Standard: EN353-2:2002



**TRAKA ZA SIDRIŠTE HORIZONTALNA ZA 2 KORISNIKA ECO LINE/
ANCHOR BAND HORIZONTAL FOR 2 USERS ECO LINE**

FA60 007 00

Opis: horizontalna traka za sidrište širine 30 mm, podesive duljine od 5 do 20 m, testirana za korištenje za 2 korisnika, isporučuje se s neodvojivom vrećicom
Materijal: poliester
Konektori: FA50 101 17 dve čelične spone
Standard: u skladu s Uredbom (EU) 2016/425 Aneks II koristeći EN 795:2012, TS 16415:2013 Tip C


Description: 30 mm wide horizontal mooring strap, adjustable from 5 m to 20 m, tested for use by 2 users, supplied with a non-detachable bag

Material: polyester

Connectors: FA50 101 17 two steel clips

Standard: in accordance with Regulation (EU) 2016/425

Annex II using EN 795:2012, TS 16415:2013 Type C



**NAPRAVA ZA ZAUSTAVLJANJE PADA S UVLAČIVOM TRAKOM OD 2,5 M VORAS/
FALL STOPPING DEVICE WITH 2.5 M RETRACTIVE BELT VORAS**

FA20 300 02

Opis: traka sa sistemom za amortizaciju pada; dužine 2,5 m, širine 50 mm
Materijal: traka poliester absorber poliamid i poliester
Tačka pucanja: 15 kN
Konektori: čelična spona FA50 101 17
Nosivost: preporučeno za korisnike max težine do 140 kg u vertikalnoj upotrebi
Težina artikla: 1,15 kg
Standard: EN360:2002

Description: strap with fall cushioning system; length 2.5 m, width 50 mm
Material: tape polyester absorber polyamide and polyester
Breaking point: 15 kN
Connectors: steel clamp FA50 101 17
Load capacity: recommended for users with a maximum weight of up to 140 kg in vertical use
Item weight: 1.15 kg
Standard: EN360:2002



EN360:2002



**NAPRAVA ZA ZAUSTAVLJANJE PADA SA ČELIČNOM SAJLOM HELIXON 10M/
FALL STOPPING DEVICE WITH RETRACTIVE STEEL CABLE HELIXON 10M**

FA20 402 10B

Opis: naprava za zaustavljanje pada sa polimernim kućištem s čeličnom sajlom 10 m (prečnik sajle 4,5 mm)
Materijal: kućište od polimera, sajla galvanizirani čelik, konektori čelik i aluminijum
Tačka pucanja: 12 kN
Konektori: čelična spona FA50 101 17 i aluminijumska kopča FA 50 203 20
Nosivost: preporučeno za korisnike max težine do 140 kg u vertikalnoj upotrebi
Težina artikla: 4,50 kg
Standard: EN360:2002

Description: fall stop device with polymer housing with steel cable 10 m (cable diameter 4.5 mm)
Material: polymer housing, galvanized steel cable, steel and aluminum connector
Breakdown point: 12 kN
Connector: steel clamp FA50 101 17 and aluminum clip FA 50 203 20
Load capacity: recommended for users weighing up to 140 kg in the vertical use
Product weight: 4.50 kg
Standard: EN360:2002



EN360:2002



**NAPRAVA ZA ZAUSTAVLJANJE PADA SA ČELIČNOM SAJLOM HELIXON-S 7M/
FALL STOPPING DEVICE WITH RETRACTIVE STEEL CABLE HELIXON-S 7M**

FA20 402 07

Opis: naprava za zaustavljanje pada sa polimernim kućištem s čeličnom sajlon 7m (prečnik sajle 4,8 mm)
Materijal: kućište od polimera, sajla galvanizirani čelik, konektori čelik i aluminij um
Tačka pucanja: 12 kN
Konektori: čelična spona FA50 101 17 i aluminijumska kopča FA50 203 20
Nosivost: preporučeno za korisnike max težine do 140 kg u vertikalnoj i horizontalnoj upotrebi
Težina artikla: 4,08 kg
Standard: EN360:2002

Description: fall arrest device with polymer housing and steel cable 7m (cable diameter 4.8 mm)
Material: polymer housing, galvanized steel cable, steel and aluminum connectors
Breaking point: 12 kN
Connectors: steel clamp FA50 101 17 and aluminum clip FA50 203 20
Carrying capacity: recommended for users with a maximum weight of up to 140 kg in vertical and horizontal use
Weight: 4.08 kg
Standard: EN360:2002



EN360:2002



NAPRAVA ZA ZAUSTAVLJANJE PADA S UVLAČIVOM TRAKOM OLYMPE-S2 OD 2 M/ FALL STOPPING DEVICE WITH RETRACTIVE TAPE OLYMPE-S2 2M

FA20 503 02

Opis: naprava za zaustavljanje pada sa polimernim kućištem s uvlačivom trakom dužine 2 m (širina trake 21 mm)
Karakteristike: testirana i za horizontalnu upotrebu za rad u prisustvu oštrih rubova; pogodno za upotrebu u uvjetima "Faktora pada 2"
Materijal: kućište od polimera, traka aramid
Konektori: čelična spona FA50 101 17 i aluminijumska kopča FA50 218 60
Nosivost: preporučeno za korisnike max težine do 140 kg u vertikalnoj upotrebi i 100 kg u horizontalnoj upotrebi
Tačka pucanja: 15 kN
Standard: EN360:2002

Description: fall arrest device with polymer housing with a retractable tape 2 m long (tape width 21 mm)
Characteristics: tested also for horizontal use for work in the presence of sharp edges; suitable for use in "Drop Factor 2" conditions
Material: polymer housing, aramid tape
Connectors: steel clamp FA50 101 17 and aluminum clip FA50 218 60
Carrying capacity: recommended for users with a maximum weight of up to 140 kg in vertical use and 100 kg in horizontal use
Breaking point: 15 kN
Standard: EN360:2002



EN360:2002



NAPRAVA ZA ZAUSTAVLJANJE PADA S UVLAČIVOM TRAKOM OLYMPE-S2 OD 2 M/ SELF-RETURN SYSTEM WITH 2 M OLYMPE-S2 RETRACTIVE TAPE

FA20 502 02

Opis: naprava za zaustavljanje pada sa polimernim kućištem s uvlačivom trakom dužine 2m (širina trake 21 mm)
Karakteristike: testirana i za horizontalnu upotrebu za rad u prisustvu oštrih rubova; pogodno za upotrebu u uvjetima "Faktora pada 2"
Materijal: kućište od polimera, traka aramid
Konektori: čelik i aluminijum
Tačka pucanja: 15 kN
Konektori: čelična spona FA50 101 17 i aluminijumska kopča FA 50 221 17
Nosivost: preporučeno za korisnike max težine do 140 kg u vertikalnoj upotrebi i 100 kg u horizontalnoj upotrebi
Težina artikla: 0,77 kg
Standard: EN360:2002

Description: fall stop device with polimernim housing with retractable strip length 2 m (strip width 20 mm)
Features: tested and for horizontal use to work in the presence of sharp edges; suitable for use in conditions "Fall factor 2"
Material: polymer housing, aramid tape
Connectors: steel and aluminum
Breakdown point: 15 kN
Connector: steel clamp FA50 101 17 and aluminum clip FA 50 203 20
Load capacity: recommended for users weighing up to 140 kg when used vertically and up to 100 kg when used horizontally
Product weight: 0.77 kg
Standard: EN360 2002



EN360:2002



**UŽE 1,5 M (11 MM)/
ROPE 1.5 M (11 MM)**

FA40 500 15

Opis: uže, dužina: 1,5 m, prečnik: 11 mm

Materijal: poliamid

Točka pucanja: 22 kN

Težina artikla: 0,20 kg

Standard: EN354:2002


Description: rope, length 1.5 m, diameter 11 mm

Material: polyamide

Breakdown point: 22kN

Product weight: 0,20 kg

Standard: EN354:2002



EN354:2002



**UŽE ZA RADNO POZICIONIRANJE OD 2 M SA DVE KOPČE/
WORK POSITION ROPE FROM 2M, WITH TWO CLAMPS**

FA40 900 20

Opis: uže s dve kopče, minimalna dužina 1,2 m, maksimalna dužina 2 m, prečnik 14 mm

Materijal: uže poliamid, kopče čelik, konektori: spona FA50 101 17, kopča FA50 202 17

Težina artikla: 0,81 kg

Standard: EN358:2000


Description: rope with two clips, minimum length 1.2 m, maximum length 2 m, diameter 14 mm

Material: polyamide rope, steel clips, clamp: FA5010117

clamp, FA5020217 buckle

Product weight: 0,81 kg

Standard: EN358:2000



EN354:2010

EN358:2000



**UŽE ZA RADNO POZICIONIRANJE OD 2 M SA DVE KOPČE/
WORK POSITION ROPE FROM 2M, WITH TWO CLAMPS**

FA40 902 20

Opis: kernmantle uže s dve kopče, minimalna dužina: 1,2 m, maksimalna dužina: 2 m, prečnik 11 mm

Materijal: uže kernmantle (uže s jezgrom) poliamid, kopče čelik, konektori: spona FA50 101 17, kopča FA50 202 17

Težina artikla: 0,69 kg


Standard: EN358:2000

Description: kernmantle rope with two buckles, minimum length: 1.2 m, maximum length: 2 m, diameter 11 mm

Material: kernmantle rope (core rope) polyamide, steel clasps, connectors: FA5010117 clamp, FA5020217 clasp

Article weight: 0,69 kg

Standard: EN358:2000



EN358:2000



**TRAKA SA SISTEMOM ZA AMORTIZACIJU PADA 1,8 M SA KOPČAMA HOPE/
TAPE WITH FALL ABSORPTION SYSTEM WITH CLIPS 1.8 M HOPE**

FA30 304 18

Opis: traka sa sistemom za amortizaciju pada sa kopčama, dužine 1,8 m, širine 30 mm

Materijal: traka poliester, apsorber poliamid i poliester, kopče čelik

Konektori: 1 spona FA50 101 17 i jedna kopča FA50 207 55


Težina artikla: 0,87 kg
Standard: EN355:2002

Description: strap with fall cushioning system with clips, length 1.8 m, width 30 mm

Material: polyester tape, absorber polyamide and polyester, buckles steel

Connectors: 1 clamp FA50 101 17 i one clip FA50 207 55

Item weight: 0.87 kg
Standard: EN355:2002



EN355:2002



**DVOSTRUKA TRAKA SA SISTEMOM ZA AMORTIZACIJU PADA 1,8 M SA KOPČAMA HOPE/
DOUBLE TAPE WITH SHOCK ABSORBING CLAMPS 1,8M HOPE**

FA30 400 18

Opis: dvostruka traka sa sistemom za amortizaciju pada, dužina: 1,8 m, širina: 30 mm

Materijal: traka poliester, konektor čelik, apsorber: poliamid i poliester; konektori: jedna spona FA50 101 17 i dvije kopče FA50 207 55

Težina artikla : 1,52 kg
Standard: EN355:2002

Description: double strap with depreciation system for shock absorption,

length: 1.8 m, width: 30 mm
Material: polyester tape, steel connector, absorber: polyamide and polyester; connections: one FA5010117 clamp and two clips FA5020755

Product weight: 1.52 kg
Standard: EN355:2002



Size
1.8M FA 30 400 18



EN355:2002



**UŽE SA SISTEMOM ZA AMORTIZACIJU PADA 1,8 M HOPE/
ROPE WITH FALL DAMPING SYSTEM 1,8 M HOPE**

FA30 500 20

Opis: uže sa sistemom za amortizaciju pada
Dužina: 1,8 m, prečnik: 11 mm
Materijal: uže poliamid, apsorber: poliamid i poliester
Težina artikla: 0,46 kg
Standard: EN355:2002

Description: rope with fall damping system

Length: 1.8 m, diameter: 11 mm
Material: polyamide rope, absorber: polyamide and polyester
Article weight: 0.46 kg
Standard: EN355:2002



Size	Size
1.5M FA 30 500 15	1.8M FA 30 500 20



EN355:2002



**UŽE SA SISTEMOM ZA AMORTIZACIJU PADA 2 M S KOPČAMA HOPE/
ROPE WITH DEPRECIATION SYSTEM AND BUCKLES 2M HOPE**

FA30 503 20

Opis: uže sa sistemom za amortizaciju pada
Dužina: 2 m (skupa sa kopčama), prečnik: 11 mm
Materijal: uže poliamid, absorber poliamid i poliester, kopče čelik, Konektori kopča FA50 207 55 i FA50 202 17
Težina artikla: 1,15 kg
Standard: EN355:2002

Description: rope with fall depreciation system;
Length: 2 m (including buckles), diameter: 11 mm;
Material: polyamide rope, absorbent polyamide and polyester, steel buckles, couplings FA5020755 and FA5020217;
Product weight: 1,15 kg;
Standard: EN355:2002



HOPE



EN355:2002 ✓



**DVOSTRUKO UŽE SA SISTEMOM ZA AMORTIZACIJU PADA 1,5 M S KOPČAMA HOPE/
DOUBLE ROPE WITH FALL DEPRECIATION SYSTEM 1.5 M WITH BUCKLES HOPE**

FA30 600 15

Opis: dvostruko uže sa sistemom za amortizaciju pada;
Dužina: 1,5 m (skupa sa kopčama), prečnik: 11 mm
Materijal: uže poliamid, absorber poliamid i poliester, kopče čelik; konektori 2 kopče FA50 207 55 i spona FA50 101 17
Težina artikla: 1,82 kg
Standard: EN355:2002

Description: double rope with system depreciation of falls;
Length: 1,5 m (incl buckles), diameter: 11 mm
Material: polyamide rope, absorbent polyamide and polyester, steel buckles; connectors 2 buckles FA5020755 and clamp FA5010117
Product weight: 1,82 kg
Standard: EN355:2002



HOPE



EN355:2002 ✓



**SPONA ČELIČNA (OTVOR 18 MM)/
STEEL CLAMP (OPENING 18 MM)**

FA50 101 17

Opis: spona čelična, otvaranje 18 mm, zatvaranje na navoj
Materijal: čelik
Točka pucanja: 25 kN
Težina artikla: 0,16 kg
Standard: EN362:2004 klasa B

Description: steel clamp, opening 18 mm, threaded closing
Material: steel
Breakdown point: 25 kN
Product weight: 0,16 kg
Standard: EN362: class B; 2004



EN362:2004	
Class A	
Class B	✓
Class Q	
Class T	



**SPONA ČELIČNA (OTVOR 18 MM) KEYLOCK/
STEEL CLAMP (OPENING 18 MM) KEYLOCK**

FA50 101 17B

Opis: spona čelična s funkcijom KEYLOCK, otvaranje 18 mm, zatvaranje na navoj
Materijal: čelik
Točka pucanja: 23kN
Težina artikla: 0,17 kg
Standard: EN362:2004 razred B

Description: steel clamp with KEYLOCK function opening 18 mm, threaded closing
Material: steel
Breakdown point: 23kN
Product weight: 0.17 kg
Standard: EN362:2004 class B



EN362:2004	
Class A	
Class B	✓
Class Q	
Class T	



**KOPČA ČELIČNA (OTVARANJE 50,8 MM)/
STEEL BUCKLE (OPENING 50.8 MM)**

FA50 207 55

Opis: kopča čelična, otvaranje 50,8mm
Materijal: čelik
Točka pucanja: 23kN
Težina artikla: 0,51 kg
Standard: EN362:2004 klasa T

Description: steel buckle, opening 50,8 mm
Material: steel
Breakdown point: 23kN
Product weight: 0.51 kg
Standard: EN362:2004 class T



EN362:2004	
Class A	
Class B	
Class Q	
Class T	✓



**KOPČA ALUMINIJUMSKA (OTVARANJE 50,8 MM)/
ALUMINUM BUCKLE (OPENING 50.8 MM)**

FA50 218 60

Opis: kopča aluminijumska, otvaranje 60 mm
Materijal: aluminijumska legura
Točka pucanja: 22 kN
Težina artikla: 0,44 kg
Standard: EN362:2004 klasa A i T

Description: aluminum buckle, opening 60 mm
Material: aluminum alloy
Breakdown point: 22 kN
Product weight: 0,44 kg
Standard: EN362:2004 class A and T



EN362:2004	
Class A	
Class B	
Class Q	
Class T	✓



**SPONA ČELIČNA (OTVOR 23 MM)/
STEEL CLAMP (OPENING 23 MM)**

FA50 301 23

Opis: spona čelična, otvaranje 22 mm, trostruki sistem zatvaranja
Materijal: čelik
Točka pucanja: 40kN
Težina artikla: 0,23 kg
Standard: EN362:2004 klasa B

Description: steel clamp, opening 22 mm, system of triple closure
Material: steel
Breakdown point: 40kN
Product weight: 0.23 kg
Standard: EN362:2004 class B



EN362:2004	
Class A	
Class B	✓
Class Q	
Class T	



TRONOŽAC (7FT)/ TRIPOD (7FT)

FA60 001 00

Opis: Tronožac za spuštanje i dizanje osoba i predmeta u uskim prostorima

Materijal: legura aluminijuma
Nosivost: 500 kg
Težina artikla: 13 kg
Standard: EN795:2012 tip B

Description: tripod for lofting persons and objects in narrow spaces

Material: aluminum alloy
Load capacity: 500 kg
Product weight: 13 kg
Standard: EN795:2012 type B



H↓	Size	
	7 Ft. FA 60 001 00	10 Ft. FA 60 002 00
	1.15-->2.15m	1.9-->2.9m
∅	1.5m	1.8m



EN795:2012	
Type A	
Type B	✓
Type C	
Type D	
Type E	



VITLO ZA TRONOŽAC (20 M) ARGO/ TRIPOD WINCH (20 M) ARGO

FA60 003 00

Opis: vitlo za tronožac dužine 20 m za spuštanje i dizanje osoba i predmeta u uskim prostorima

Materijal: legura čelika
Težina artikla: 7,54 kg
Nosivost: 135 kg
Standard: EN1496:2006 (klasa A) 2006-42-CE, EN13157:2004

Description: tripod winch 20 m for lowering and lifting persons and objects in narrow spaces

Material: steel alloy
Product weight: 7,54 kg
Load capacity: 135 kg
Standard: EN1496:2006 (class A) 2006-42-CE, EN13157:2004



EN1496:2006	
Class A	✓
Class B	



NAPRAVA ZA ZAUSTAVLJANJE PADA SA ČELIČNOM SAJLOM 20 M I VITLOM/ FALL STOPPING DEVICE WITH 20 M STEEL CABLE AND WINCH

FA20 401 20

Opis: naprava za zaustavljanje pada sa čeličnom sajlo dužine 20 m i integriranim vitlom za spašavanje; Koristi se u kombinaciji sa artiklima FA60 001 03 i FA60 001 00

Materijal: kućište od polimera, sajla legura čelika, spona čelik, konektori: spona FA50 101 17 i kopča FA50 203 20
Težina artikla: 9,20 kg
Nosivost: preporučeno za korisnike max težine do 140 kg u vertikalnoj uporabi
Standard: EN360:2002 EN1496:2006 (klasa B)

Description: fall stop device with steel 20 m long cable and built-in rescue winch; Used in combination with FA60 001 03 in FA60 001 00 products

Material: polymer housing, steel alloy cable, clamps steel, connectors: clamp FA5010117 and buckle FA5020320
Product weight: 9,20 kg
Load capacity: recommended for users weighing up to 140 kg for vertical use
Standard: EN360:2002, EN1496:2006 (Class B)



EN1496:2006	
Class A	✓
Class B	



KOMPLET ZA MONTIRANJE NAPRAVE FA2040120 NA TRONOŽAC/ KIT FOR MOUNTING THE FA2040120 DEVICE ON A TRIPOD

FA60 001 03

Opis: komplet za montiranje naprave FA20 401 20 na tronožac
Materijal: aluminij, čelik, ploča čelik, spona čelik; Komplet sadrži: ploču koja se montira na tronožac, remenicu FA70 016 01, sponu FA50 101 17

Description: tripod mounting kit FA20 401 20
Material: aluminum, steel, sheet steel, clamping steel; The set contains: a plate that is mounted on a tripod, pulley FA7001601, clamp FA5010117



EN1496:2006	
Class A	✓
Class B	



SIDRIŠTE IN LOCK-2/ ANCHORAGE IN LOCK-2

FA60 019 00

Opis: sidrište dizajnirano za brzu montažu na vodoravno čelično površinu pomoću pritisnog dugmeta sa funkcijom otvaranja / zatvaranja; za ugradnju je potrebna rupa od 22 do 23 mm
Materijal: čelik i nehrđajući čelik
Točka pucanja : 12 kN
Težina artikla: 0,55 kg
Standard: EN 795:2012 Tip B



Description: anchor designed for quick mounting on a horizontal steel surface using a push button with an open/close function; a 22 to 23 mm hole is required for installation
Material: steel and stainless steel
Breaking point: 12 kN
Item weight: 0,55 kg
Standard: EN 795:2012 Type B



IN LOCK-2



TRAKA ZA SIDRIŠTE/ ANCHOR STRAP

FA60 005 08

Opis: traka za sidrište dužine 0,8m, širina: 20 mm
Materijal: poliester
Težina artikla: 0,09 kg
Standardi: EN795:2012 Type B



Description: length anchor strap 0,8m, width: 20 mm
Material: polyester
Weight: 0,09 kg
Standards: EN795:2012 Type B



TRAKA ZA SIDRIŠTE/ ANCHOR STRAP

FA60 005 15

Opis: traka za sidrište dužine 1,5m, širina: 20 mm
Materijal: poliester
Težina artikla: 0,16 kg
Standardi: EN795:2012 Type B



Description: length anchor strap 1,5 m, width: 20 mm
Material: polyester
Weight: 0,16 kg
Standards: EN795:2012 Type B



TRAKA ZA UBLAŽAVANJE PRITISKA U SLUČAJU PADA/ FALL RELIEF BELT

FA 10 901 00

Opis: traka za ublažavanje pritiska u slučaju pada, kompaktno pakovanje i lagano spajanje na uprtač
Materijal trake: poliester
Konektori: čelična zakačka
Težina artikla: 8 g

Description: fall relief strap, compact packaging and easy belt connection
Belt material: polyester
Connectors: steel hook
Product weight: 8 g



KOMPLET ZA OGRANIČAVANJE PRISTUPA/ ACCESS RESTRICTION KIT

FA80 001 00

Opis: komplet za ograničavanje pristupa
FA 80 001 00 komplet sastoji se od:
- FA10 102 00 sigurnosnog uprtača
- FA40 500 15 uže za radno pozicioniranje 1,5 m
- 2 x FA 50 101 17 dvije čelične kopče
Dolazi u vreći 45 x 36 cm
Težina artikla: 1,50 kg
Standard: EN361:2002/EN354:2002/EN362:2004 Class B

Description: access restriction kit

FA 80 001 00 kit consists of:

- seat belt FA10 102 00
- rope FA40 500 15 for working positioning 1.5 m
- 2 x FA 50 101 17 two steel buckles

Comes in a jute bag 45 x 36 cm

Product weight: 1,50 kg

Standard: EN361:2002 / EN354:2002 / EN362:2004 Class B



1- FA 10 102 00	EN 361
2- FA 40 500 15	EN 354
3- FA 50 101 17 (x2)	EN 362
4- FA 90 131 16	—



KOMPLET ZA SPREČAVANJE PADA/ FALL PREVENTION KIT

FA80 002 00

Opis: komplet za sprečavanje pada
FA 80 002 00 komplet sastoji se od:
- FA10 103 00 sigurnosnog uprtača
- FA30 304 18 traka sa sistemom za amortizaciju pada 1,8 m s kopčama
Dolazi u vreći 45 x 36 cm
Težina artikla: 2,15 kg
Norme: EN361:2002, EN355:2002

Description: fall prevention kit;

FA 80 002 00 kit consists of:

- seat belt FA10 103 00
- FA30 304 18 straps with 1,8 m fall depreciation system with buckles


Comes in a jute bag 45 x 36 cm

Product weight: 2,15 kg

Standards: EN361:2002, EN354:2002, EN355:2002



1- FA 10 103 00	EN 361
2- FA 30 304 18	EN 355
3- FA 90 131 16	—



KOMPLET ZA SPREČAVANJE PADA/ FALL PREVENTION KIT

FA80 005 00

Opis: komplet za sprečavanje pada
FA80 005 00 komplet sastoji se od:
- FA10 105 00 sigurnosnog uprtača
- FA30 600 15 dvostruke trake za amortizaciju pada 1,8 m sa kopčama
Dolazi pakiran u torbi FA90 115 00
Težina artikla: 3,07 kg
Standard: EN361:2002, EN355:2002

Description: fall prevention kit

FA80 005 00 set consists of:

- FA10 105 00 safety harness
- FA30 600 15 double straps for shock absorption 1.8 m with clips

Comes packed in a bag FA90 115 00

Item weight: 3,07 kg

Standard: EN361:2002, EN355:2002



NAGLAVNA SVJETILJKA RAINBOW 1/ HEAD LAMP RAINBOW 1

HL10 001 00

Opis: jedinstvena naglavna lampa izvanrednog dizajna i značajki (vrlo širok svetlosni snop (do 230° kut snopa), senzorski prekidač, SOS modul)

Snaga svetla: 350 lumena

Udaljenost snopa: 80 m

Vodootporan: IP64

Vrsta baterije: Li-Po (isporučena)

Min/max trajanje: 2h30 / 8h

Vreme punjenja: 2h30

Težina: 75 g

Sukladnost: Direktiva 2014/30/EU, 2001/95/EU, 2011/65/EU, 2012/19/EU

Description: unique head lamp with outstanding design and features (very wide light beam (up to 230° beam angle), sensor switch, SOS module)

Light power: 350 lumens

Beam distance: 80 m

Waterproof: IP64

Battery type: Li-Po (supplied)

Min/max duration: 2h30 / 8h

Charging time: 2h30

Weight: 75 g

Compliance: Directive 2014/30/EU, 2001/95/EU, 2011/65/EU, 2012/19/EU



350 Lumens



75g Weight



80M Range



IP54 Rating



Li-Po Battery (3.7V / 1200 mAh)



SOS Mode



Sensor Switch



1M Shock Resistant



USB Type-C

USB Type-C Charger (supplied)

ZAŠTITNA KACIGA FOX ZA RAD NA VISINAMA/ PROTECTIVE HELMET FOX FOR WORK AT HEIGHTS

HP10 200 00B

Opis: zaštitna kaciga za rad na visinama FOX crna

Karakteristike: specijalno namenjena za rad na visini, planinarenje, spašavanje, ventilirana za veću udobnost, mogućnost dodavanja: vizira, antifona, svetiljke (dodaci nisu uključeni)

Veličina: univerzalna 52 do 61 cm

Materijal: remen poliester, kopča poliamid, oklop polipropilen

Težina artikla: 0,42 kg

Standard: EN 12492:2012

Description: Protective helmet FOX for work at height black

Features: specially designed for work at height, hiking, rescue, ventilated for greater comfort, possibility of adding: visor, muffler, lamps (accessories not included)

Size: universal from 52 to 61 cm

Material: polyester belt, polyamide buckle, polypropylene armor

Product weight: 0,42 kg

Standard: EN 12492:2012



CE 12492:2012

507



OPREMA ZA VARIOCE

Lacuna i Coverguard brend opreme za varioce sadrži visoko kvalitetnu opremu za zavarivanje i nudi sve što je potrebno za ličnu zaštitu varilaca.

OPREMA ZA VARIOCE WELDING EQUIPMENT

WELDING EQUIPMENT

The Lacuna and Coverguard brand of welding equipment features high quality welding equipment and offers everything needed for personal protection of welders.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/LACUNA is not responsible for misprints in the catalogue.
Zadnje važeće cene molimo proverite na LACUNA B2B/Last valid recommended prices check on LACUNA B2B
Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/Full LACUNA range available at www.lacuna.hr



CERES

5CER

Opis: varilačka zaštitna kecelja CERES
Dimenzija: 90 x 60 cm
Materijal: goveda špalt koža
Standard: EN ISO 11611:2015, razred/klasa 1 A1+A2
Originalno pakovanje: 1 komad vrećica, 25 komada kutij

Description: welding protective apron CERES
Dimensions: 90 x 60 cm
Material: cowhide
Standard: EN ISO 11611:2015, class 1 A1 + A2
Original packaging: 1 pair of bags, 25 boxes



CE EN ISO 11611:2015

EOL

5EOL

Opis: varilački štitičnik za noge EOL
Dužina: 30 cm
Sirovinski sastav: goveda špalt koža
Standard: EN ISO 11611:2015, razred/klasa 1 A1+A2
Originalno pakovanje: 1 par vrećica, 25 pari kutija

Description: welding foot guard EOL
Length: 30 cm
Raw material composition: cowhide
Standard: EN ISO 11611:2015, class / class 1 A1 + A2
Original packaging: 1 pair of bags, 25 pairs of boxes



CE EN ISO 11611:2015

HELA

5HEL

Opis: varilačka zaštitna manžetna HELA
užina: 40 cm
Sirovinski sastav: goveda špalt koža
Standard: EN ISO 11611:2015, razred/klasa 1 A1+A2
Pakovanje: 1 par vrećica, 25 pari kutija

Description: welding protective sleeve HELA
Length: 40 cm
Raw material composition: cowhide
Standard: EN ISO 11611:2015, class 1 A1 + A2
Packing: 1 pair of bags, 25 pairs of boxes



CE EN ISO 11611:2015

MERCURIO 2

6MER200

Opis: varilačka maska MERCURIO 2, 2 detektora svetla, prilagodljivo zatamnjenje od 9 do 13, automatska prilagodba filtera od prozirnog do potrebnog zatamnjenja (9 do 13)

Veličina stakla: 100 x 41 mm, brzina prilagodljivosti solarne ćelije 0,4ms, prilagodljivo vreme čišćenja od 0,1 to 1,0 ms, udobna prilagodljiva traka za glavu, kompatibilno za upotrebu zajedno s dioptrijskim naočarima, respiratorima, solarno napajanje i napajanje na bateriju

Standard: EN166:2001, EN175:1997, EN379:2003+A1:2009

Originalno pakovanje: 1/17

Description: welding mask MERCURIO 2, 2 light detectors, adjustable dimming from 9 to 13, automatic filter adjustment from transparent to required dimming (9 to 13)

Glass size: 100 x 41 mm, solar cell adaptability speed 0.4ms, adjustable cleaning time from 0.1 to 1.0 ms, comfortable adjustable headband, compatible for use together with prescription glasses, respirators, solar power and battery power

Standard: EN166:2001, EN175:1997, EN379:2003+A1:2009

Original packaging: 1/17

coverguard

MADE IN EUROPE



EN166, EN175, EN379



MERCURIO 4

6MER400

Opis: varilačka maska MERCURIO 4, 4 detektora svetla, prilagodljivo zatamnjenje od 9 do 13, automatska prilagodba filtera od prozirnog do potrebnog zatamnjenja (9 do 13)

Veličina stakla: 100 x 45 mm, brzina prilagodljivosti solarne ćelije 0,4 ms, prilagodljivo vreme čišćenja od 0,1 to 1,0 ms, udobna prilagodljiva traka za glavu, kompatibilno za upotrebu zajedno s dioptrijskim naočarima, respiratorima, solarno napajanje i napajanje na bateriju

Standard: EN166:2001, EN175:1997, EN379:2003+A1:2009

Originalno pakovanje: 1/17

Description: welding mask MERCURIO 4, 4 light detectors, adjustable dimming from 9 to 13, automatic filter adjustment from transparent to required dimming (9 to 13)

Glass size: 100 x 45mm, solar cell adaptability speed 0.4 ms, adjustable cleaning time from 0.1 to 1.0 ms, comfortable adjustable headband, compatible for use together with prescription glasses, respirators, solar power and battery power

Standard: EN166:2001, EN175:1997, EN379:2003+A1:2009

Original packaging: 1/17

coverguard

MADE IN EUROPE



EN166, EN175, EN379



VARILAČKA MASKA/WELDING MASK

420

Opis: varilačka maska 420, 2 detektora svetla, prilagodljivo zatamnjenje od 9 do 13, automatska prilagodba filtera od prozirnog do potrebnog zatamnjenja (9 do 13)

Materijal: poliamid
Veličina školjke: 325 x 235 mm
Težina: 528 g

Veličina stakla: 100 x 41 mm, brzina prilagodljivosti solarne ćelije 0,4msb prilagodljivo vreme čišćenja od 0,1 to 1,0 ms, udobna prilagodljiva traka za glavu, kompatibilno za upotrebu zajedno s dioptrijskim naočarima, respiratorima, solarno napajanje i napajanje na bateriju

Standard: EN175, EN379
Originalno pakovanje: 1/17

Description: welding mask 420, 2 light detectors, adjustable dimming from 9 to 13, automatic filter adjustment from transparent to required dimming (9 to 13)

Material: polyamide
Shell size: 325 x 235 mm
Weight: 528 g

Glass size: 100 x 41 mm, solar cell adaptability speed 0.4msb adjustable cleaning time from 0.1 to 1.0 ms, comfortable adjustable headband, compatible for use together with prescription glasses, respirators, solar and battery powered

Standard: EN175, EN379
Original packaging: 1/17

Description: welding mask 420, 2 detectors



CE EN166, EN175, EN379

VARILAČKA MASKA/WELDING MASK

421

Opis: varilačka maska 421, 4 detektora svetla, automatska prilagodba filtera od prozirnog do potrebnog zatamnjenja (9 do 13)

Materijal: poliamid
Veličina školjke: 325 x 235 mm
Težina: 528 g

Veličina stakla: 100 x 45 mm, brzina prilagodljivosti solarne ćelije 0,4ms, prilagodljivo vreme čišćenja od 0,1 to 1,0 ms, udobna prilagodljiva traka za glavu, kompatibilno za upotrebu zajedno s dioptrijskim naočarima, respiratorima, solarno napajanje i napajanje na bateriju

Norme: EN175, EN379
Originalno pakovanje: 1/17

Description: welding mask 420, 4 light detectors, adjustable dimming from 9 to 13, automatic filter adjustment from transparent to required dimming (9 to 13)

Material: polyamide
Shell size: 325 x 235 mm
Weight: 528 g

Glass size: 100 x 41 mm, solar cell adaptability speed 0.4msb adjustable cleaning time from 0.1 to 1.0 ms, comfortable adjustable headband, compatible for use together with prescription glasses, respirators, solar and battery powered

Standard: EN175, EN379
Original packaging: 1/17

Description: welding mask 420, 4 detectors



CE EN166, EN175, EN379

VARILAČKA MASKA/WELDING MASK

501

Opis: varilačka maska ručna
Materijal: polivinilklorid
Karakteristike: izrađena od tvrdog PVC-a sa unutarnjih držačem
Dimenzija stakla: 90 x 110 mm
Težina: 300 g
Standard: EN166:2001, EN175:1997
Originalno pakovanje: 1/50

Description: manual welding mask
Material: polyvinyl chloride
Features: made of hard PVC with internal holder
Glass dimensions: 90 x 110 mm
Weight: 300 g
Standard: EN166:2001, EN175:1997
Original packaging: 1/50



LACUNA



CE EN166, EN175

VARILAČKA MASKA NAGLAVNA/WELDING MASK HEAD

S800

Opis: varilačka maska naglavna
Materijal: polivinilklorid
Karakteristike: izrađena od tvrdog PVC-a, isporučuje se s pritezim zupčastim podesivim remenom
Dimenzija stakla: 90 x 110 mm
Težina: 360 g
Standard: EN166:2001, EN175:1997
Originalno pakovanje: 1/20

Description: welding mask head
Material: polyvinyl chloride
Features: made of hard PVC, comes with a clamp toothed adjustable belt
Glass dimensions: 90 x 110 mm
Weight: 360 g
Standard: EN166:2001, EN175:1997
Original packaging: 1/20



LACUNA



CE EN166, EN175

STAKLA/GLASS

11156
11178

Opis: zamensko staklo za varilačke maske 501 i S800
Materijal: staklo
Dimenzija stakla: 90 x 110 mm
Standard: 11156, 11178
Originalno pakovanje: 1/100

Description: replacement glass for welding masks 501 and S800
Material: glass
Glass dimensions: 90 x 110 mm
Standard: 11156, 11178
Original packaging: 1/100



LACUNA



CE EN166, EN169

DIN	PROZIRNA/ TRANSPARENT	DIN9	DIN10	DIN11	DIN12	DIN13
DIMENZIJAZ 110x90/ DIMENSION 110x90	11156	11178.9	11178.10	11178.11	11178.12	11178.13
STANDARD/STANDARD	CE EN 166	CE EN 169	CE EN 169	CE EN 169	CE EN 169	CE EN 169



DUOLUX A

60800

Opis: zaštitne naočari za zavarivače
Okvir: ABS
Karakteristike: bočno prozračivanje, elastično pričvršćenje gumicom
Težina: 80 g
Leće: 50 mm diameter sočiva, Protane 5
Boja leće: tamna
Standard: EN166:2001, EN169:2003
Original pakovanje: 25/200

Description: goggles for welders
Frame: ABS
Characteristics: lateral ventilation, elastic fastening with rubber band
Weight: 80 g
Lenses: 50 mm lens diameter, Protane 5
Lens color: dark
Standard: EN166:2001, EN169:2003
Original packaging: 25/200

coverguard

MADE IN EUROPE



CE EN166, EN169;



DUOLUX P

60801

Opis: zaštitne naočari za zavarivače
Okvir: plastika
Karakteristike: bočno prozračivanje, elastično pričvršćenje gumicom
Težina: 80 g
Leće: 50 mm diameter sočiva, Protane 5
Boja leće: tamna
Standard: EN166:2001, EN169:2003
Original pakovanje: 25/200

Description: goggles for welders
Frame: ABS
Characteristics: lateral ventilation, elastic fastening with rubber band
Weight: 80 g
Lens: 50 mm lens diameter, Protane 5
Lens color: dark
Standard: EN166:2001, EN169:2003
Original packaging: 25/200

coverguard

MADE IN EUROPE



CE EN166, EN169;





LACUNA

MULTISAFE
ZAŠTITNA ODEĆA
MULTISAFE
CLOTHING

str. 106 - 123/page 106 - 123



LACUNA

VARILAČKE
RUKAVICE
WELDING
GLOVE

str. 339 - 342/page 339 - 342



LACUNA

VARILAČKE
CIPELE
WELDING
SHOE

str. 287/page 287





LACUNA

DODATNA OPREMA

Lacuna dodatna oprema je proizvedena prema najvišim standardima i kvalitetu i prilagođena je vašim potrebama bilo da je to skladištenje u zatvorenom ili otvorenom prostoru. Police, regali i ormari imaju široku primenu kod skladištenja različitih artikala "manjih" masa i volumena. Dimenzijama i dodatnom opremom prilagodljivi su svakom obliku skladišnog prostora.

DODATNA OPREMA ACCESSORIES


ACCESSORIES

Lacuna accessories are manufactured to the highest standards and quality adapted to your needs, no matter whether it is indoor or outdoor. Shelves, closets and cabinets are often used to store a variety of objects of „smaller“ mass and volume. With dimensions and accessories adaptable to any form of space for warehouse.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/LACUNA is not responsible for misprints in the catalogue.

Zadnje važeće cene molimo proverite na LACUNA B2B/Last valid recommended prices check on LACUNA B2B

Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/Full LACUNA range available at www.lacuna.hr




SIGALIZACIJSKA TRAKA HI-VIZ SIGNAL TAPE

70010

Materijal: polietilen
Boja: crveno/bela
Dužina: 100m
Širina: 50 mm
Original pakovanje:
70010 - 1/36

Material: polyethylene
Color: red/white
Length: 100 m
Width: 50 mm
Original packaging:
70010 - 1/36



NAZIV ARTIKLA/ITEM NAME	ŠIFRA/ CODE
SIGNALNA VRPČA/SIGNAL TAPE	100 M
	70010

SIGALIZACIJSKI PLASTIČNI LANAC SIGNAL CHAIN

70305

Materijal: plastika
Boja: crveno/bela
Otpornost na temperaturu: -10°C +75°C
vodootporan, otpornost na sol
Prečnik lanca: 5,5 mm
Dimenzija prstena: 24 x 40 mm
Pakovanje: 25 m
Original pakovanje: 1/4

Material: plastic
Color: red/white
Temperature resistance: -10°C +75°C waterproof, salt resistant
Chain diameter: 5,5 mm
Ring size: 24 x 40mm
Packing: 25 m
Original packaging: 1/4



NAZIV ARTIKLA/ITEM NAME	ŠIFRA/ CODE
SIGNALIZACIJSKI LANAC/SIGNALNA VERIGA	25 m
	70305

SIGNALNI ČUNJ PLASTIČNI HI-VIZ SKITTLE

70301-70300

Materijal: plastika (polietilen)
Boja: crveno/bela
Original pakovanje: 1/20
70301 - 1/20
70300 - 1/10

Material: plastic (polyethylene)
Color: red / white
Original packaging: 1/20
70301 - 1/20
70300 - 1/10



NAZIV ARTIKLA/ITEM NAME	ŠIFRA/ CODE
HI-VIZ ČUNJ/HI-VIZ SKITTLE	30 CM 50 CM
	70301 70300

KOMPLET SIGNALNI PLASTIČNI ŠTAP 90CM SA POSTOLJEM
COMPLETE PLASTIC SIGNAL ROD 90CM WITH STAND

70302KOMP

SIGNALIZIRAJUĆI PLASTIČNI ŠTAP

Materijal: plastika
Dimenzija: visina 90 cm
Boja: crveno/BELA

Material: plastic
Size: 90 cm
Color: red/white

KAPICA ZA PLASTIČNI ŠTAP

Materijal: plastika
Boja: crvena
Visina: 8 cm

CAP FOR SIGNAL STICK

Material: plastic
Color: red
Height: 8 cm

POSTOLJE ZA SIGNALIZIRAJUĆI ŠTAP

Materijal: plastika
Boja: crna
Dimenzije: 27,5 x 27,5 x h 8,5cm

SIGNAL STICK STAND

Material: plastic
Color: black
Dimensionst: 27,5 x 27,5 x 8,5 cm



LACUNA



NAZIV ARTIKLA/ITEM NAME	ŠIFRA/CODE
SIGNALIZIRAJUĆI PLASTIČNI ŠTAP/SIGNAL PLASTIC STIC	
KAPICA ZA PLASTIČNI ŠTAP CAP/CAP FOR SIGNAL STICK	70302KOMP
POSTOLJE ZA SIGNALIZIRAJUĆI ŠTAP/SIGNAL STICK STAND	

ORMARIĆ PRVE POMOĆI PUNI
FIRST AID CABINET (FULL)

11000

11100 ZAMENSKO PUNJENJE
ZA ORMARIĆ PRVE POMOĆI/
11100 REFILL
FOR THE FIRST AID CABINET

Opis: sadržaj dostatan za 2 osobe
Dimenzija: 370 x 220 x 140mm
Težina: 2,10 kg
Originalno pakovanje: 1/1,
Standard: 93/42/CEE

Description: the content is enough for 2 people
Dimensions: 370 x 220 x 140 mm
Weight: 2,10 kg
Originalno pakovanje: 1/1
Standard: 93/42/CEE



LACUNA



CERADA EKO POLIETILEN ECO POLYETHYLENE TARPAULIN

7CERWT

Opis: EKO cerada od polietilena
Svojstva: vodootporna, lako periva, otporna na plijesan, metalni prstenovi
Uporaba: idealno za pokrivanje automobila, prikolica, poljoprivrednih alata i ostalog
Gramatura: 70 g/m²;
Boja: plavo- zelena

Description: ECO tarpaulin made of polyethylene
Feature: waterproof, easy to wash, mold resistant, metal rings
Use: ideal for car coverage, trailers, agricultural tools and more
Weight: 70 g/m²
Color: blue-green



VELIČINE/SIZE	ŠIFRA/CODE
CERADA EKO POLIETILEN 1,5X6 m	7CER16WT
CERADA EKO POLIETILEN 2X3 m	7CER23WT
CERADA EKO POLIETILEN 3X4 m	7CER34WT
CERADA EKO POLIETILEN 3X5 m	7CER35WT
CERADA EKO POLIETILEN 4X5 m	7CER45WT
CERADA EKO POLIETILEN 4X6 m	7CER46WT
CERADA EKO POLIETILEN 5X8 m	7CER58WT
CERADA EKO POLIETILEN 8X12 m	7CER812WT



CERADA HARD POLIETILEN HARD POLYETHYLENE TARPAULINE

7CERHWT

Opis: HARD cerada od polietilena
Svojstva: vodootporna, lako periva, otporna na plijesan, metalni prstenovi
Uporaba: idealno za pokrivanje automobila, prikolica, poljoprivrednih alata i ostalog
Gramatura: 110 g/m²
Boja: zeleno-plava

Description: HARD tarpaulin made of polyethylene
Feature: waterproof, easy to wash, mold resistant, metal rings
Use: ideal for car coverage, trailers, agricultural tools and more
Weight: 110 g/m²
Color: green-blue



VELIČINE/SIZE	ŠIFRA/CODE
CERADA HARD POLIETILEN 1,8X6 m	7CERH16WT
CERADA HARD POLIETILEN 2 X 3 m	7CERH23WT
CERADA HARD POLIETILEN 2,5 X 8 m	7CERH28WT
CERADA HARD POLIETILEN 3 X 4 m	7CERH34WT
CERADA HARD POLIETILEN 3 X 5 m	7CERH35WT
CERADA HARD POLIETILEN 4 X 4 m	7CERH44WT
CERADA HARD POLIETILEN 4 X 5 m	7CERH45WT
CERADA HARD POLIETILEN 4 X 6 m	7CERH46WT
CERADA HARD POLIETILEN 4 X 8 m	7CERH48WT
CERADA HARD POLIETILEN 5 X 6 m	7CERH56WT
CERADA HARD POLIETILEN 5 X 8 m	7CERH58WT
CERADA HARD POLIETILEN 6 X 10 m	7CERH610WT
CERADA HARD POLIETILEN 6 X 8 m	7CERH68WT
CERADA HARD POLIETILEN 8 X 10 m	7CERH810WT
CERADA HARD POLIETILEN 8 X 12 m	7CERH812WT



SKLADIŠNA POLICA 180X90X40 CM, 175 KG
STORAGE SHELF 180X90X40CM, 175 KG

RNDU-KCA 40/5/175

Materijal: metalni okvir
Dimenzija: 180 x 90 x 40 cm
Nosivost police: 175 kg
Broj police: 5 kom debljine 8 mm

Material: metal frame
Dimensions: 180 x 90 x 40 cm
Shelf load: 175 kg
Number of shelves: 5 pieces
8 mm thick



SKLADIŠNA POLICA METALNA 150X75X30 CM, 50 KG
STORAGE SHELF METAL 150X75X30 CM, 50 KG

RP6

Materijal: metalni okvir i police
Dimenzija: 150 x 75 x 30 cm
Nosivost police: 50 kg
Broj police: 4
Jednostavno slaganje bez vijaka

Material: metal frame and shelves
Dimensions: 150 x 75 x 30 cm
Shelf load: 50 kg
Number of shelves: 4
Easy installation without screws



ORMAR METALNI GARDEROBNI 180X30X50 CM 1/1
METAL WARDROBE 180X30X50 CM 1/1

SS1-2009

Opis: Metalni garderobni ormar SS1 za unutarnje prostore

Osnovna konstrukcija: police, vrata, oblikovani čelični lim 0,6 mm

Šipka za odjeću: čelična žica 6 mm

Bravica s ključem

Površinska obrada: lak za metal

Vanjska dimenzija: 1800x300x500 mm

Unutarnja dimenzija odjeljka: 1690 x 245 x 465 mm

Nosivost police: gornja: 10 kg, donja: 20 kg

Težina artikla: 24 kg

Description: Metal wardrobe SS1 for interior

Basic construction: shelves, doors, molded steel sheet 0,6 mm

Clothing bar: steel wire 6 mm

Key lock

Surface finish: metal varnish

External dimensions: 1800 x 300 x 500 mm

Internal dimensions of section:

1690 x 245 x 465 mm

Shelf load: upper: 10 kg, bottom: 20 kg

Item weight: 24 kg



LACUNA



ORMAR METALNI GARDEROBNI 180X60X50 CM 2/1
METAL WARDROBE 180X60X50 CM 2/1

SS2-2009

Opis: metalni garderobni ormar SS2 za unutarnju upotrebu

Osnovna konstrukcija: police, vrata, oblikovani čelični lim 0,6 mm

Vješalice: čelična žica 6 mm

Bravica s ključem

Površinska obrada: lak za metal

Vanjska dimenzija: 1800x600x500 mm

Unutarnja dimenzija odjeljka: 1690 x 245 x 465 mm

Nosivost police: gornja: 10 kg

donja: 20 kg

Težina artikla: 44 kg

Description: metal wardrobe SS2 for internal use

Basic construction: shelves, doors, molded steel sheet 0,6 mm

Hangers: steel wire 6 mm

Key lock

Surface treatment: metal varnish

External dimensions: 1800 x 600 x 500 mm

Internal cross-sectional dimensions: 1690 x 245 x 465 mm

Load shelves: upper: 10 kg

bottom: 20 kg

Product weight: 44 kg



LACUNA



ORMAR METALNI GARDEROBNI SET METAL WARDROBE SET

SETA3301A3311

Opis: metalni garderobni ormar SETA3301A3311 za unutarnju upotrebu

Osnovna konstrukcija: police, vrata, oblikovani čelični lim 1 mm

Vješalice: čelična žica 6 mm

Bravica s ključem

Površinska obrada: lak za metal

Vanjska dimenzija: 1800 x 600 x 500 mm

Unutarnja dimenzija odjeljka: 840 x 232 x 460 mm

Nosivost police: gornja: 10 kg, donja: 20 kg

Težina artikla: 44 kg

Description: metal wardrobe SETA3301A3311 for internal uses

Basic construction: shelves, doors, molded steel sheet 1 mm

Hangers: steel wire 6 mm

Key lock

Surface finish: metal varnish

External dimensions:

1800x600x500 mm

Internal dimension of section: 840 x 232 x 460 mm

Shelf load: upper: 10 kg, bottom: 20 kg

Product weight: 44 kg



LACUNA



MADE IN EUROPE



LACUNA PREMIUM CONCEPT STORE

LACUNA PREMIUM CONCEPT STORE

Kako bi naši poslovni partneri u svojim prodajnim prostorima mogli da, na profesionalan način, predstavljaju LACUNA radnu odeću, zaštitnu obuću, rukavice i ostalu ličnu zaštitnu opremu, LACUNA je razvila moderan način izlaganja kroz Lacuna Premium Concept store.

Varijante Lacuna Premium Concept store-a su:

- Monoshop _ kompletna kvadratura prodajnog prostora je prilagođena za izlaganje i prodaju LACUNA brendova
- Shop-in-shop ili corner LACUNA; kroz selektovane izložbene elemente prilagođene prostoru, na definiranju kvadraturi, LACUNA brend se izlaže sa drugim kompatibilnim brendovima Lacuna Premium concept store što omogućava takođe našim Premium Sales partnerima -distributerima da, u savremenom stilu i najmodernijem dizajnu, urede svoj prostor za prezentaciju (showroom).

Lacuna Premium concept store pruža veliki izbor elemenata koji odgovaraju velikom broju različitih kategorija proizvoda, kao što su radna odeća, obuća i dodaci. Novi koncept uređenja i izlaganja je lako podesiv, modularan a što olakšava brzo prilagođavanje svim prostorima i potrebama.

Lacuna Premium concept store izrađen je od vrhunskih materijala, u kombinaciji drveta i metala u toplim bojama koje čine prijatnu atmosferu u prostoru u kojem se nalazi.

Osim Lacuna Premium Concept store-a, Lacuna će za svoje partnere i dalje pružati Standard koncept izlaganja koji je namenjen širem krugu naših distributera.

In order for our business partners to be able to present LACUNA workwear, protective footwear, gloves and other personal protective equipment in a professional manner in their sales premises, LACUNA has developed a modern way of presentation through the Lacuna Premium Concept store.

The variants of the Lacuna Premium Concept store are:

- *Monoshop _ the entire square footage of the sales space is adapted for the display and sale of LACUNA brands*
- *Shop-in-shop or corner LACUNA; through selected exhibition elements adapted to the space, on a defined square footage, the LACUNA brand*

is exhibited with other compatible brands. The Lacuna Premium concept store also enables our Premium Sales partners, distributors, to arrange their presentation space (showroom) in a contemporary style and the most modern design.

Lacuna Premium concept store offers a large selection of elements that suit a large number of different product categories, such as work clothes, shoes and accessories. It's a new concept of decoration and display, easily adjustable, modular, which facilitates quick adaptation to all spaces and needs.

Lacuna Premium concept store is made of premium materials, a combination of wood and metal in warm colors that create a pleasant atmosphere in the space where it is located.

In addition to the Lacuna Premium Concept store, Lacuna will continue to provide for its partners a Standard exhibition concept intended for a wider circle of our distributors.





PREMIUM STORE CONCEPT



LACUNA

LACUNA
STAY PROTECTED

LACUNA
STAY PROTECTED

LACUNA
STAY PROTECTED





LACUNA



PREMIUM

STORE CONCEPT

Samostojeći elementi/Freestanding elements

LEA

9LEA_PS

Opis: samostojeća polica za obuću za izlaganje u prostoru

Boja: tamno siva/ boja hrasta

Dimenzije: 45 x 45 x 170 cm

Description: free-standing shoe rack for exposure in space

Color: dark gray/ oak

Dimensions: 45 x 45 x 170 cm



ISRA

9ISRA_PS

Opis: samostojeća polica za obuću za izlaganje u prostoru

Boja: tamno siva/ boja hrasta

Dimenzije: 120 x 45 x 165 cm


Description: free-standing shoe rack for exposure in space

Color: dark gray/ oak

Dimensions: 120 x 45 x 165 cm

***Kuke za panele se moraju posebno naručiti**

***Hooks for panels should be ordered separately**



BEN

9BEN_PS

Opis: zidni panel / samostojeći stalak za rukavice za izlaganje u prostoru

Boja: tamno siva/ boja hrasta

Dimenzije: 120 x 45 x 165 cm


Description: wall panel / freestanding glove rack for exposure in space

Color: dark gray/ oak

Dimensions: 120 x 45 x 165 cm

***Kuke za panele se moraju posebno naručiti**

***Hooks for panels should be ordered separately**



LUMI

9LUMI_PS

Opis: samostojeći stalak za naočare

Boja: tamno siva/ boja hrasta

Dimenzije: 125 x 25 x 62 cm

Description: free-standing stand for glasses

Color: dark gray/ oak

Dimensions: 125 x 25 x 62 cm



OTIS

9OTIS_PS

Opis: samostojeći rotacijski stalak za rukavice za izlaganje u prostoru

Boja: tamno siva/ boja hrasta

Description: freestanding rotary glove rack for exposure in space

Color: dark gray/ oak



PREMIUM

STORE CONCEPT

Zidni paneli/Wall panels

*Moguće je personalizovati sve zidne panele prema potrebama Vašeg prostora; obratite se Vašem specijalisti prodaje za više informacija.

**All wall panels can be personalized according to the needs of your space, contact your local specialist for more information.*

MODULARNI ZIDNI PANEL MODULAR WALL PANEL

9EVA_PS

9NOA_PS

9ELIF_PS

Opis: zidni panel s mogućnošću personaliziranog postavljanja polica, kukica i ostalih dodataka te individualnim dimenzijama

Boja: tamno siva/ boja hrasta

Dimenzije: 100 x 55 x 230 cm (moguće personalizacije prema Vašim potrebama)

Description: wall panel with the possibility of personalized placement of shelves, hooks and other accessories and individual dimensions

Color: dark gray/ oak




Dimensions: 100 x 55 x 230 cm (possible personalization according to your needs)

***Kuke za panele se moraju posebno naručiti**
***Hooks for panels should be ordered separately**

EVA

ELIF

NOA



**Primjeri izlaganje opreme na modularnim zidnim panelima/
Examples of displaying equipment on modular wall panels**



Zidni paneli/Wall panels

MODULARNI ELEMENTI/MODULAR ELEMENTS

**KUKICA ZA PREMIUM STORE NAMJEŠTAJ
HOOK FOR PREMIUM STORE FURNITURE**

**9KUKICA_PS30
9KUKICA_PS15**

Opis: kukica za Premium Store namješetak, višenamjenska
Boja: tamno siva
Dimenzije: 15 cm ili 30 cm

Description: hook for Premium Store furniture, multipurpose
Color: dark gray
Dimensions: 15 cm or 30 cm



**POLICA
SHELF**

9POLICA_PS

Opis: polica za zidne panele
Boja: tamno siva/ boja hrasta
Dimenzije: 95 x 45 cm

Description: shelf for wall panels
Color: dark gray/ oak
Dimensions: 95 x 45 cm



**POLICA SA OPRUGOM
SHELF WITH SUSPENSION**

**9POLICA_
OVJES_PS**

Opis: polica sa ovjesom za zidne panele
Boja: tamno siva/ boja hrasta
Dimenzije: 95 x 45 cm

Description: shelf with suspension for wall panels
Color: dark gray/ oak
Dimensions: 95 x 45 cm



OSTALI DODATNI ELEMENTI ZA IZLAGANJE (PO NARUDŽBI)/ OTHER ADDITIONAL DISPLAY ELEMENTS (FOR ORDER)

DONAT

9DONAT_PS

Opis: samostojeći stalak za obuću
Boja: tamno siva/ boja hrasta
Dimenzije: 100 x 55 x 230 cm

Description: free-standing shoe rack
Color: dark gray/ oak
Dimensions: 100 x 55 x 230 cm

*Kuke za panele se moraju posebno naručiti
*Hooks for panels should be ordered separately



NOEL

9NOEL_PS

Opis: samostojeći stalak za obuću
Boja: tamno siva/ boja hrasta
Dimenzije: 150 x 80 x 130 cm

Description: free-standing shoe rack
Color: dark gray/ oak
Dimensions: 150 x 80 x 130 cm



ALISA

9ALISA_PS

Opis: samostojeći rotacijski stalak za kape
Boja: tamno siva/ boja hrasta
Dimenzije: 60 x 60 x 205 cm

Description: free-standing rotary hat rack
Color: dark gray/ oak
Dimensions: 60 x 60 x 205 cm



KABINA/CHANGING CABIN

9KABINA_PS

Opis: kabina za presvlačenje
Boja: tamno siva/ boja hrasta
Dimenzije: 100 x 100 x 230 cm

Description: changing cabin
Color: dark gray/ oak
Dimensions: 100 x 100 x 230 cm



KUTIJA ZA LUTKE/DOLL CUBE

9CUBE1_PS

Opis: cube za lutke
Boja: tamno siva/ boja hrasta
Dimenzije: 60 x 60 x 60 cm

Description: doll cubes
Color: dark gray/ oak
Dimensions: 60 x 60 x 60 cm



KUTIJA ZA LUTKE SA SPREMIŠTEM/ DOLL CUBE WITH STORAGE

9CUBE2_PS

Opis: cube za lutke sa spremištem
Boja: tamno siva/ boja hrasta
Dimenzije: 171 x 75 x 60 cm

Description: doll cube with storage
Color: dark gray/ oak
Dimensions: 171 x 75 x 60 cm



PREMIUM

STORE CONCEPT

Zastava/Flag

ZASTAVA CRNA / BELA
FLAG BLACK / WHITE

9ZASTAVA_WH
9ZASTAVA_BK

Opis: zastava sa Lacuna logom
Boja: bela / crna

Description: flag with Lacuna logo
Color: white / black



POSTOLJE ZA ZASTAVU
FLAG STAND

9ZASTAVA_POSTOLJE

Opis: postolje za stalak u kombinaciji drvo/metal
Boja: tamno siva/ boja hrasta

Description: stand for a stand in a wood/metal
combination
Color: dark gray/ oak



LUTKA ŽENSKA
DOLL FEMALE

9DOLY

Visina: 183 cm
Prsa: 85 cm
Struk: 65 cm
Bokovi: 90 cm

Hight: 183 cm
Chests: 85 cm
Waist: 65 cm
Hips: 90 cm



LUTKA MUŠKA
DOLL MALE

9CARL

Visina: 193 cm
Prsa: 106 cm
Struk: 83 cm
Bokovi: 108 cm

Hight: 193 cm
Chests: 106 cm
Waist: 83 cm
Hips: 108 cm



LUTKA MUŠKA
DOLL MALE

9PIER

Visina: 187 cm
Prsa: 105 cm
Struk: 103 cm
Bokovi: 93 cm

Hight: 187 cm
Chests: 105 cm
Waist: 103 cm
Hips: 93 cm



STANDARD/PROMO SHOE STAND

STORE CONCEPT

PROMO STALAK ZA CIPELE

PROMO SHOE STAND

MLCIP03

Opis: drveni stalak za cipele
Dimenzije: 45 x 45 x 170 cm
Pogodno za izlaganje 10 cipela

Description: wooden shoe rack
Dimensions: 45 x 45 x 170 cm
Suitable for displaying 10 shoes



PROMOTIVNA POLICA ZA RUKAVICE

PROMOTIONAL GLOVES SHELF

MLCIR7

Opis: metalni stalak za rukavice
Boja: crna
Dimenzija: 185 x 60 x 50 cm
Uz stalak dodatno potrebno kombinirati artikl
KUKICA004
Dužina: 28 cm

Description: metal glove stand
Color: black
Dimension: 185 x 60 x 50 cm
In addition to the stand, it is additionally necessary
to combine the item
KUKICA004
Length: 28 cm



POLICA ZA ROBU GOODS SHELF

MLPOL01

Opis: metalna polica za robu

Boja: crna

Dimenzija: zidni stup H=2200 mm, D=500 mm

Police 500/440 mm

Leđa 1x puna, preostalo perforirana

Prednja maska za reklamni banner

Uz policu dodatno potrebno kombinirati artikl

KUKICA001

Dužina: 20 cm

Description: metal shelf for goods

Color: black

Dimension: Wall pillar H = 2200 mm,

D = 500 mm

Shelves 500/440 mm

Back 1x full, remaining perforated

Front banner for advertising banner

In addition to the shelf, it is

necessary to combine the item KUKICA001;

Length: 20 cm;



STALAK ZA TEKSTIL TEXTILE STAND

MLTEK

Opis: metalno postolje na kotačima
dvostrano nosač vješalica dužine 120 cm,
međusobno udaljen 45 cm

na dnu i na vrhu mjesto za reklamni natpis

Boja: crno žuta

Visina stalka: 165 cm (sa reklamom 185 cm)

Description: metal stand on wheels;

double-sided hanger holder 120 cm long, 45 cm

apart; at the bottom and at the top a place for an

advertising inscription

Color: black-yellow

Stand height: 165 cm, (with advertising 185 cm)



ROTOR ZA RUKAVICE GLOVES ROTOR

MLCIR8

Opis: rotor stalak za rukavice
Boja: crna

Description: rotor glove stand
Color: black



ROLER ZA RUKAVICE ROLLER FOR GLOVES

MLTORPT

Opis: roler za rukavice, kapacitet od 24 para s 2 kopče i ručkama
Boja: crna
Dimenzije: 60 x 115 cm
Napomena: roler dolazi bez rukavic

Description: glove roller, capacity of 24 pairs with 2 boning clips and handles

Color: black

Dimensions: 60 x 115 cm

Note: the roller comes without gloves



POLICE ZA NAOČALE - MALA
GLASSES SHELVES - SMALL

MLNAO/1

Opis: polica za naočale metalna

Boja: siva

Karakteristike: za izlaganje 6 komada naočala

Description: glasses shelf metal

Color: gray

Features: for exhibiting 6 pieces of glasses



PVC TRAKA ZA RUKAVICE
PVC STRAP FOR GLOVES

TRAKRUK-01

Opis: PVC traka za 12 para rukavica

Boja: prozirna

Dimenzije: 69 x 5 cm

Description: PVC strip for 12 pairs of gloves

Color: transparent

Dimensions: 69 x 5 cm



VJEŠALICA SA ŠIPKOM
HANGER WITH BAR

MLVJE01

Opis: vešalica za tekstil

Boja: crna

Description: textile hanger

Color: black



PROMOCIJSKA OPREMA NAŠIH PREMIUM PARTNERA

PROMOTIONAL EQUIPMENT FROM OUR PREMIUM PARTNERS

STALAK ZA PULT ATG ATG DESK STAND

A3199

Opis: promotivni stalak za rukavice ATG
Kartonski stalak sa tri odjeljka
Dimenzije: 29 x 38 cm
Visina: najviši dio 45 cm, najniži 10 cm
Materijal: tvrdi karton

Description: promotional glove stand ATG
Cardboard stand with three compartments
Dimensions: 29 x 38 cm
Height: highest 45 cm, lowest 10 cm
Material: hard cardboard



STALAK ATG METALNI ATG METAL STAND

MLSTALATG

Opis: stalak ATG metalni
Boja: bela
Dimenzije: 40 x 57 x 170 cm
Karakteristike: 12 kukica za izlaganje rukavica na kartonima

Description: ATG metal stand
Color: white
Dimensions: 40 x 57 x 170 cm
Features: 12 hooks for displaying gloves on cardboard



BASE PROTECTION STALAK BASE PROTECTION STAND

BASE/
BKA00-11

Opis: stalak za BASE cipele
Promo stalak za pet cipela
Dimenzije: širina postolja 40 cm, visina stalka 135 cm

Description: stand for BASE shoes
Promo rack for five shoes
Dimensions: base width 40 cm, stand height 135 cm



PROMO STALAK MERCATOR MEDICAL GO GRIP PROMO STAND MERCATOR MEDICAL GO GRIP

MLMERGO-
GRIP
























Opis: promotivni stalak za rukavice GoGrip
(Mercator Medical)
Materijal: karton
Dimenzije: 55 cm x 39 cm x 155 cm

Description: promotional GoGrip glove rack
(Mercator Medical)
Material: cardboard
Dimensions: 55 cm x 39 cm x 155 cm





PODRUČJA PRIMENE FIELDS OF APPLICATION		KATEGORIJE ZAŠTITE (RUKAVICE) PROTECTION CATEGORIES (GLOVES)		KATEGORIJE ZAŠTITE (CIPELE) PROTECTION CATEGORIES (SHOES)	
GRAĐEVINA BUILDING		ZAŠTITA OD TEČNOSTI LIQUID PROTECTION		ZAŠTITNA KAPICA PROTECTIVE CAP	
METALO INDUSTRIJA I BRODOGRADNJA I METAL INDUSTRY AND SHIPBUILDING		ZAŠTITA OD HEMIKALIJA CHEMICAL PROTECTION		BEZ ZAŠTITE WITHOUT PROTECTION	
ENERGETIKA, NAFTA I HEMIJSKA INDUSTRIJA ENERGY, OIL AND CHEMICAL INDUSTRY		ZAŠTITA OD MEHANIČKIH RIZIKA MECHANICAL PROTECTION RISK		ANTISTATIČKA SVOJSTVA ANTISTATIC PROPERTIES	
POLJOPRIVREDA I RIBARSTVO AGRICULTURE AND FISHERIES		ZAŠTITA OD POSEKOTINA CUTTING PROTECTION		NEPROBOJNA TABANICA IMPERMEABLE INSOLE	
PREHRAMBENA INDUSTRIJA FOOD INDUSTRY		ZAŠTITA OD TOPLOTE HEAT PROTECTION		APSORBCIJA ENERGIJE NA PODRUČJU PETE ENERGY ABSORPTION ON AREA OF THE HEEL	
PROIZVODNO PRERAĐIVAČKA INDUSTRIJA PRODUCTION PROCESSING INDUSTRY		ZAŠTITA OD HLADNOĆE COLD PROTECTION		PROTIV KLIZANJA ANTI-SLIP	
LOGISTIKA I AUTO INDUSTRIJA LOGISTICS AND AUTO INDUSTRY		ZA JEDNOKRATNU UPOTREBU DISPOSABLE		ĐON OTPORAN NA ULJE OIL RESISTANT MOLD	
ODRŽAVANJE & ZAŠTITARKE SLUŽBE & KOMUNALNE USLUGE MAINTENANCE & PROTECTION SERVICES & UTILITIES		ZA PRECIZNE POSLOVE FOR PRECISION WORKS		OTPORNOST NA VODU WATER RESISTANCE	
MEDICINA I FARMACIJA MEDICINE AND PHARMACY				PROZRAČNOST GORNJIŠTA UPPER TRANSPARENCY	
TURIZAM & HOTELIJERSTVO & HORECA TOURISM & HOSPITALITY & HORECA				ZATVORENO PODRUČJE PETE CLOSED AREA OF THE HEEL	
PROMOCIJA, POSLOVNI POKLONI, DOGAĐAJI I SPORT PROMOTION, BUSINESS GIFTS, EVENTS AND SPORTS				BEZ METALNIH DELOVA METAL FREE	
IZRADA TEKSTILNIH PROIZVODA MANUFACTURE OF TEXTILES PRODUCTS				VODOODBOJNO I VODOOTPORNO GORNJIŠTE WATERPROOF AND WATERPROOF UPPER	
				OTPORNOST POTPLATA NA DODIRNU TOPLOTU (MAX 300°C do 60 sek.) SOLID RESISTANCE TO TOUCH HEAT (MAX 300°C to 60 sec.)	
				IZOLACIJA PROTIV TOPLOTE INSULATION AGAINST HEAT	
				IZOLACIJA PROTIV HLADNOĆE INSULATION AGAINST COLD	
				SRA+SRB	
				OTPORNOST NA KLIZANJE NA KERAMIČKOJ PODLOZI SA DETERĐENTIMA ANTI-SLIP ON CERAMIC SUBSTRATE WITH DETERGENTS	
				OTPORNOST NA KLIZANJE NA ČELIČNOJ PODLOZI S GLICERINOM ANTI-SLIP ON STEEL GLYCERINE SUBSTRATES	
				ELEKTROSTATIČKO PRAŽNENJE ELECTROSTATIC	

OSTALE INFORMACIJE/OTHER INFORMATION		TEHNIČKE KARAKTERISTIKE MATERIJALA/ TECHNICAL CHARACTERISTICS OF THE MATERIAL	
MALOPRODAJNI ARTIKL <i>RETAIL ITEM</i>		LEPLJENI ŠAVOVI <i>GLUED SEAMS</i>	
PROIZVEDENO U EUROPI <i>MANUFACTURED IN EUROPE</i>		PREMAZ <i>LAYER</i>	
MUŠKI MODEL <i>MALE MODEL</i>		VODOOTPORNO <i>WATERPROOF</i>	
ŽENSKI MODEL <i>FEMALE MODEL</i>		ZAŠTITA OD UVA I UVB ZRAČENJA <i>UVA AND UVB RADIATION PROTECTION</i>	
UNISEX MODEL <i>UNISEX MODEL</i>		POGODNO ZA INDUSTRIJSKO PRANJE <i>SUITABLE FOR INDUSTRIAL WASHING</i>	
		ZAŠTITA OD HLADNOĆE <i>COLD PROTECTION</i>	
		PROZRAČNOST <i>TRANSPARENCY</i>	
		MEKOĆA <i>SOFTNESS</i>	
		BRZO SUŠENJE <i>QUICK DRYING</i>	
		LAGANI MATERIJALI <i>LIGHTWEIGHT MATERIALS</i>	
		EFEKT HLADENJA <i>COOLING EFFECT</i>	
		POLARNI FLIS <i>POLAR FLEECE</i>	
		FINOĆA <i>FINENESS</i>	
		IZUZETNO UGODNO NOŠENJE <i>EXTREMELY COMFORTABLE WEARING</i>	
		ODLIČNO PRISTAJANJE <i>GREAT FITTING</i>	
		EKO PRIJATELJSKI I SAMOODRŽIVO <i>ECO FRIENDLY AND SUSTAINABLE</i>	
		POSTOJANI KVALITET - DUGOTRAJNO NOŠENJE <i>CONSTANT QUALITY - LONG-TERM WEAR</i>	
		OTPORNO NA UČESTALO PRANJE <i>RESISTANT TO FREQUENT WASHING</i>	

SADRŽAJ/INDEX

ZAŠTITNA I RADNA ODEĆA/

PROTECTIVE AND WORK CLOTHING

Pacific flex jakna petrol plava	8PACIJP	28
Pacific flex jakna siva	8PACIJS	28
Pacific flex jakna crvena	8PACIJC	29
Pacific flex jakna tamno plava	8PACIJN	29
Pacific flex jakna braon	8PACIJB	29
Pacific flex pantalone petrol plave	8PACIPP	28
Pacific flex pantalone sive	8PACIPS	28
Pacific flex pantalone crvene	8PACIPC	29
Pacific flex pantalone tamno plave	8PACIPN	29
Pacific flex pantalone braon	8PACIPB	29
Pacific flex farmer pantalone petrol plave	8PACIBP	31
Pacific flex farmer pantalone sive	8PACIBS	31
Pacific flex farmer pantalone crvene	8PACIBC	31
Pacific flex farmer pantalone tamno plave	8PACIBN	31
Pacific flex farmer pantalone braon	8PACIBB	31
Bergen flex jakna siva	8BERGJS	33
Bergen flex jakna crna	8BERGJC	33
Bergen flex pantalone sive	8BERGPS	34
Bergen flex pantalone crne	8BERGPC	34
Bergen flex farmer pantalone sive	8BERGBS	34
Bergen flex farmer pantalone crne	8BERGBC	34
Move flex jakna siva	8MOVEJH	37
Move flex jakna plava	8MOVEJP	37
Move flex pantalone sive	8MOVEPH	39
Move flex pantalone plave	8MOVEPP	39
Move flex kratke pantalone sive	8MOVEKH	39
Move flex kratke pantalone plave	8MOVEKP	39
North Tech jakna sivo-zelena	8NORTJS	40
North Tech jakna plava	8NORTJP	40
North Tech jakna sivo-plava	8NORTJH	40
North Tech pantalone sivo-zelene	8NORTPS	41
North Tech pantalone plave	8NORTPP	41
North Tech pantalone sivo-plave	8NORTPH	41
North Tech farmer pantalone sivo-zelene	8NORTBS	41
North Tech farmer pantalone plave	8NORTBP	41
North Tech farmer pantalone sivo-plave	8NORTBH	41
North Tech prsluk sivo-zeleni	8NORTGS	43

North Tech prsluk plavi	8NORTGP	43
North Tech prsluk sivo-plavi	8NORTGH	43
North Tech kratke pantalone sivo-zelene	8NORTKS	43
North Tech kratke pantalone plave	8NORTKP	43
North Tech kratke pantalone sivo-plave	8NORTKH	43
North Tech zimski prsluk sivo-plavi	8NORTWH	45
North Tech flis vesta sivo-crna	5NORTDG	45
Greenland jakna siva	8GREEJS	47
Greenland jakna plava	8GREEJP	47
Greenland jakna svijetlo siva	8GREEJH	47
Greenland jakna kraljevsko plava	8GREEJR	47
Greenland pantalone sive	8GREEPS	48
Greenland pantalone plave	8GREEPP	48
Greenland pantalone svijetlo sive	8GREEPH	48
Greenland pantalone kraljevsko plave	8GREEPR	48
Greenland farmer pantalone sive	8GREEBS	49
Greenland farmer pantalone plave	8GREEBP	49
Greenland farmer pantalone svijetlo sive	8GREEBH	49
Greenland farmer pantalone kraljevsko plave	8GREEBR	49
Radna jakna SPEKTAR crvena	8SPEKJC	53
Radna jakna SPEKTAR plava	8SPEKJB	54
Radna jakna SPEKTAR bela	8SPEKJW	54
Radna jakna SPEKTAR royal plava	8SPEKJR	54
Radna jakna SPEKTAR siva	8SPEKJG	55
Radna jakna SPEKTAR crna	8SPEKJN	55
Radna jakna SPEKTAR braon	8SPEKJS	55
Radne haće SPEKTAR crvene	8SPEKPC	53
Radne haće SPEKTAR plave	8SPEKPB	54
Radne haće SPEKTAR bele	8SPEKPW	54
Radne haće SPEKTAR royal plave	8SPEKPR	54
Radne haće SPEKTAR sive	8SPEKPG	55
Radne haće SPEKTAR crne	8SPEKPN	55
Radne haće SPEKTAR braon	8SPEKPS	55
Radne farmer haće SPEKTAR crvene	8SPEKBC	53
Radne farmer haće SPEKTAR plave	8SPEKBB	54
Radne farmer haće SPEKTAR bijele	8SPEKBW	54
Radne farmer haće SPEKTAR royal plave	8SPEKBR	54
Radne farmer haće SPEKTAR sive	8SPEKBG	55
Radne farmer haće SPEKTAR crne	8SPEKBN	55
Radne farmer haće SPEKTAR braon	8SPEKBS	55
Radna jakna NAVY II plava	5NAVO50	56
Radne pantalone NAVY II plave	5NAP050	56
Radne farmer pantalone NAVY II plave	5NAB050	56

Radni kombinezon NAVY II plavi	5NAC050	57
Kratke pantalone NAVY II tamno plave	5NAK050	57
Bermude NAVY II tamno plave	5NAS050	57
Radni prsluk NAVY II tamno plavi	5NAG050	57
Radna jakna PADDOCK II siva	5PAV150	58
Radne pantalone PADDOCK II sive	5PAP150	58
Radne farmer pantalone PADDOCK II sive	5PAB150	58
Radni kombinezon PADDOCK II sivi	5PAC150	59
Kratke pantalone PADDOCK II sive	5PAK050	59
Bermude PADDOCK II sive	5PAS050	59
Radni prsluk PADDOCK II sivi	5PAG050	59
Radne pantalone CARGO FLEX sive	8CARFPS	61
Radne pantalone CARGO FLEX plave	8CARFPP	61
Radne pantalone CARGO FLEX crne	8CARFPN	61
Jeans radne pantalone CHONCO	5CHP420	62
Džep na skidanje	8DZEP	63
Remen	8REMEC	63
Remen	8REMEE	63
Radna jakna ATLANTIC plava	8ATLAJP	64
Radna jakna ATLANTIC siva	8ATLAJS	64
Radne pantalone ATLANTIC plave	8ATLAPP	65
Radne pantalone ATLANTIC sive	8ATLAPS	65
Radne farmer pantalone ATLANTIC plave	8ATLABP	65
Radne farmer pantalone ATLANTIC sive	8ATLABS	65
Radna jakna CLASSIC SMART plava	8CLSMJP	66
Radna jakna CLASSIC SMART siva	8CLSMJS	66
Radna pantalone CLASSIC SMART plave	8CLSMPP	67
Radna pantalone CLASSIC SMART sive	8CLSMPS	67
Radna farmer pantalone CLASSIC SMART plave	8CLSMBP	67
Radna farmer pantalone CLASSIC SMART sive	8CLSMBS	67
CORPORATE WEAR/CORPORATE WEAR		
Muška bluza ADRIATIC BELA chef	8ADRIMCB	73
Muška bluza ADRIATIC crna chef	8ADRIMCC	73
Kuharska bluza muška ADRIATIC BELA	8ADRIMBB	75
Kuharska bluza muška ADRIATIC crna	8ADRIMBC	75
Ženska bluza ADRIATIC BELA chef	8ADRIŽCB	77
Ženska bluza ADRIATIC crna chef	8ADRIŽCC	77
Kuharska bluza ženska ADRIATIC BELA	8ADRIŽBB	79
Kuharska bluza ženska ADRIATIC crna	8ADRIŽBC	79
Muške pantalone ADRIATIC bijele	8ADRIMHB	81
Muške pantalone ADRIATIC crne	8ADRIMHC	81

Muške pantalone ADRIATIC PRUGASTE	8ADRIMHP	81
Ženske pantalone ADRIATIC bijele	8ADRIŽHB	82
Ženske pantalone ADRIATIC crne	8ADRIŽHC	82
Ženske pantalone ADRIATIC prugaste	8ADRIŽHP	82
Kapa ADRIATIC BELA	8ADRIKKB	85
Kapa ADRIATIC crna	8ADRIKKC	85
Kecelja kratka BELA ADRIATIC	8ADRIPKB	86
Kecelja kratka crna ADRIATIC	8ADRIPKC	86
Kecelja duga crna ADRIATIC half line	8ADRIPHC	88
Kecelja duga crna ADRIATIC full line	8ADRIPFC	89
Kecelja duga BELA ADRIATIC half line	8ADRIPHB	89
Kecelja duga BELA ADRIATIC full line	8ADRIPFB	89
Muške pantalone GASTRO PRO LINE	8GASTMHP	91
Ženske pantalone GASTRO PRO LINE	8GASTŽHP	91
Muške pantalone GASTRO classic	8GASTMHB	91
Muške pantalone GASTRO classic	8GASTMHBCO	91
Ženske pantalone GASTRO classic	8GASTŽHB	92
Ženske pantalone GASTRO classic	8GASTŽHBCO	92
Kapa GASTRO muška classic	8GASTMKB	92
Kapa GASTRO muška classic	8GASTMKBCO	92
Kuta GASTRO ženska classic	8GASTŽKB	93
Kuta GASTRO ženska classic	8GASTŽKBCO	93
Bluza GASTRO muška classic	8GASTMBB	93
Bluza GASTRO muška classic	8GASTMBBCO	93
Bluza muška PRO LINE	8GASTMPB	93
Bluza muška PRO LINE	8GASTMPBCO	93
Kapa GASTROMREŽICA	8GASTKGB	95
Kapa GASTROMREŽICA	8GASTKGBCO	95
Kapa GASTRO classic	8GASTMKB	95
Kapa GASTRO classic	8GASTMKBCO	95
Kapa kuharska PRO LINE visoka	8GASTKKB	95
Kapa kuharska PRO LINE visoka	8GASTKKBCO	95
Kecelja GASTRO sa otvorom za vrat	8GASTPOB	97
Kecelja GASTRO sa otvorom za vrat	8GASTPOBCO	97
Kecelja BELA dugačka	8GASTPDB	97
Kecelja BELA dugačka	8GASTPDBCO	97
Kecelja GASTRO kratka	8GASTPKB	97
Kecelja GASTRO kratka	8GASTPKBCO	97
ODEĆA ZA SPECIJALNE VREMENSKE UVJETE/SPECIAL WEATHER CLOTHING CONDITIONS		
Odelo poliamid KISHA zeleno	5KISSG	100
Odelo poliamid KISHA plavo	5KISSB	100
Odelo poliamid KISHA žuto	5KISSY	100
Odelo PU REGEN plavo	5REGB	100
Odelo PVC RAINY žuto	5RAISY	101

Odelo PVC RAINY zeleno	5RAISG	101
Ogrtač PVC RAINY žuti	5RAICY	101
Ogrtač PVC RAINY zeleni	5RAICG	101
Ogrtač poliamid KISHA plavi	5KISCB	103
Ogrtač RAINET plavi	5RAC120	103
Radna parka BEAVER	57630	104
Radne farmer pantalone BEAVER	57650	104
Radni kombinezon BEAVER	57620	105
Kapa krzno-crna	57151	105
Kapa krzno-zelena	57150	105
MULTISAFE ZAŠTITNA ODEĆA/ MULTISAFE PROTECTIVE CLOTHING		
Zaštitna radna jakna LAWU navy	MN/LAB	110
Zaštitne radne farmer pantalone LAWU navy	MN/LAP	111
Zaštitne radne pantalone LAWU navy	MN/LAT	111
Zaštitna radna jakna EREBUS navy	MN/ERBN	112
Zaštitna radna jakna EREBUS river	MN/ERBR	112
Zaštitne radne farmer pantalone EREBUS navy	MN/ERP	113
Zaštitne radne farmer pantalone EREBUS river	MN/ERPR	113
Zaštitne radne pantalone EREBUS navy	MN/ERTN	113
Zaštitne radne pantalone EREBUS river	MN/ERTR	113
Zaštitna radna jakna MERU navy	MN/MEBN	114
Zaštitna radna jakna MERU papaya	MN/MEBP	114
Zaštitne radne farmer pantalone MERU navy	MN/MEPN	115
Zaštitne radne farmer pantalone MERU papaya	MN/MEPP	115
Zaštitne radne pantalone MERU navy	MN/METN	115
Zaštitne radne pantalone MERU papaya	MN/METP	115
Zaštitna radna jakna MERU 2 Hi-viz	MN/ME2BY	117
Zaštitne radne farmer pantalone MERU 2 Hi-viz	MN/ME2PY	118
Zaštitne radne pantalone MERU 2 Hi-viz	MN/ME2TY	118
Zaštitna jakna ETNA ink blue	MN/ETBIB	121
Zaštitna jakna ETNA kobalt blue	MN/ETBKB	121
Zaštitne farmer pantalone ETNA ink blue	MN/ETPIB	122
Zaštitne farmer pantalone ETNA kobalt blue	MN/ETPKB	122
Zaštitne pantalone ETNA ink blue	MN/ETTIB	122
Zaštitne pantalone ETNA kobalt blue	MN/ETTKB	122
Zaštitna jakna ETNA 2 navy	MN/ET2BN	124
Zaštitne farmer pantalone ETNA 2 navy	MN/ET2PN	125
Zaštitne pantalone ETNA 2 navy	MN/ET2TN	125
Antistatic kuta TARANIS	5TRB010	127

Antistatic pantalone TARANIS	5TRP010	127
ZAŠTITNA ODEĆA ZA RAD S MOTORNOM PILOM/CHAINSAW PROTECTIVE APPAREL		
Radna jakna LOGGER siva	8LOGGJG	131
Protuzvezne zaštitne pantalone LOGGER sive	MN/LOGGTG	131
Radna jakna HEWER siva	8HEWEJG	133
Protuzvezne zaštitne pantalone HEWER sive	MN/HEWETG	133
ODEĆA VISOKE VIDLJIVOSTI/HIGH VISIBILITY CLOTHING		
4u1 signalizirajuća zaštitna Hi-viz parka KANATA narančasto-plava	7KANO	142
4u1 signalizirajuća zaštitna Hi-viz parka KANATA žuto-plava	7KANY	142
Signalizirajuća zaštitna Hi-viz jakna KETA narančasto-plava	7KETO	143
Signalizirajuća zaštitna Hi-viz jakna KETA žuto-plava	7KETY	143
Signalizirajuća zaštitna Hi-viz parka ROADWAY žuta	7ROAY	144
Signalizirajuća zaštitna Hi-viz parka ROADWAY narančasto/plava	7ROAO	144
2U1 signalizirajuća zaštitna Hi-viz jakna HI-WAY EXTRA narančasta	7HWXO	145
2U1 signalizirajuća zaštitna Hi-viz jakna HI-WAY EXTRA žuta	7HWXY	145
Signalizirajuća zaštitna Hi-Viz parka SOKOBIE žuta	5SOK160	146
Signalizirajuća zaštitna Hi-Viz parka SOKOBIE narančasta	5SOK170	146
Signalizirajuća zaštitna Hi-Viz parka KAZAN žuta	5KAP160	146
Signalizirajuća zaštitna Hi-Viz parka KAZAN narančasta	5KAP170	146
2U1 signalizirajuća zaštitna Hi-viz jakna KAZAN žuta	5KAJ160	147
2U1 signalizirajuća zaštitna Hi-viz jakna KAZAN narančasta	5KAJ170	147
Signalizirajuća softshell Hi-Viz jakna KAZAN žuta	5KAS160	147
Signalizirajuća softshell Hi-Viz jakna KAZAN narančasta	5KAS170	147
Signalizirajuća zaštitna Hi-Viz jakna SPEKTAR	7SPEKJY	148
Signalizirajuće zaštitne Hi-Viz pantalone SPEKTAR	7SPEKPY	148
Signalizirajuće zaštitne Farmer Hi-Viz pantalone SPEKTAR	7SPEKBY	149
Signalizirajuća softshell Hi-Viz jakna HIBANA žuta	5HBJ160	150
Signalizirajuća softshell Hi-Viz jakna HIBANA narančasta	5HBJ170	150

Signalizirajuće zaštitne Hi-Viz pantalone HIBANA žute	5HBA160	150	Softshell prsluk BARTON plavi	5BARTNY	171
Signalizirajuće zaštitne Hi-Viz pantalone HIBANA narančaste	5HBA170	150	Softshell prsluk BARTON sivi	5BARTGM	171
Signalizirajuće zaštitne farmer Hi-Viz pantalone HIBANA žute	5HBB160	151	Softshell prsluk QUEBEC crni	SS6438BK	171
Signalizirajuće zaštitne farmer Hi-Viz pantalone HIBANA narančaste	5HBB170	151	Softshell prsluk QUEBEC plavi	SS6438NY	171
Signalizirajuće Hi-viz kišno odelo HYDRA narančasto-plavo	7HYDO	152	Softshell prsluk QUEBEC crveni	SS6438RD	171
Signalizirajuće Hi-viz kišno odelo HYDRA žuto-plavo	7HYDY	152	Jakna BONETE muška crna	5BONJ	173
Signalizirajuće Hi-viz kišno odelo HI-WAY žuto/plavo	7HWRY	153	Jakna BONETE ženska crna	5BONJW	173
Signalizirajući zaštitni Hi-viz prsluk žuti	70500	154	Prsluk BONETE muški crni	5BONMW	173
Signalizirajući zaštitni Hi-viz prsluk KANES narančasti	7KANEO	156	Prsluk BONETE ženski crni	5BONWW	173
Signalizirajući zaštitni Hi-viz prsluk KANES žuti	7KANEY	156	Jakna ROLY NORWAY muška crna	RA5090BK	175
Signalizirajući zaštitni Hi-viz prsluk KANES MESH narančasti	7KANMOU	156	Jakna ROLY NORWAY muška plava	RA5090NY	175
Signalizirajući zaštitni Hi-viz prsluk KANES MESH žuti	7KANMYU	156	Jakna ROLY NORWAY ženska crna	RA5091BK	175
Signalizirajući zaštitni Hi-viz prsluk HODER narančasti	5HOD170	157	Jakna ROLY NORWAY ženska plava	RA5091NY	175
Signalizirajući zaštitni Hi-viz prsluk HODER žuti	5HOD160	157	Prsluk ROLY OSLO muški crni	RA5092BK	175
Hi-viz šilt kapa	57307	157	Prsluk ROLY OSLO muški plavi	RA5092NY	175
OUTDOOR I PROMOTIVNI ARTIKLI/ OUTDOOR AND PROMOTIONAL PRODUCTS			Prsluk ROLY OSLO ženski crni	RA5093BK	175
Softshell jakna SPEKTAR crna	5SPEKBK	161	Prsluk ROLY OSLO ženski plavi	RA5093NY	175
Softshell jakna SPEKTAR plava	5SPEKNY	161	Jakna YAKI	5YAK010	176
Softshell jakna WILLIAM crna	5WILLBK	163	Prsluk TATAKI	5TAT010	176
Softshell jakna WILLIAM crvena	5WILLRD	163	Jakna SUMI	5SUM010	177
Softshell jakna WILLIAM plava	5WILLNY	163	3u1 jakna PRIME	5PRIM	179
Softshell jakna ROLAND crna	5ROLBK	165	Jakna NORWAY plava	5NORWB	181
Softshell jakna ROLAND crvena	5ROLRD	165	Jakna EUROPA crna	PK5077BK	181
Softshell jakna ROLAND ženska crna	5ROLWBK	165	Prsluk RONDO crni	5RONWTC	183
Softshell jakna ROLAND ženska crvena	5ROLWRD	165	Prsluk RONDO plavi	5RONWTP	183
Softshell jakna DANTE crno-crvena	5DANBK	167	Prsluk RONDO sivi	5RONWTS	183
Softshell jakna SPEKTAR WINTER ženska crna	5SPEKWWBK	169	Prsluk RONDO zeleni	5RONWTZ	183
Softshell jakna SPEKTAR WINTER ženska crvena	5SPEKWWRD	169	Prsluk PORTE crni	5PORTBK	183
Softshell jakna SPEKTAR WINTER ženska plava	5SPEKWVNY	169	Prsluk PORTE crveni	5PORTRD	183
Softshell jakna SPEKTAR WINTER crna	5SPEKWBK	169	Prsluk PORTE plavi	5PORTNY	183
Softshell jakna SPEKTAR WINTER crvena	5SPEKWRD	169	Prsluk PORTE royal plavi	5PORTRB	183
Softshell jakna SPEKTAR WINTER plava	5SPEKWNY	169	Prsluk PORTE sivi	5PORTGM	183
Softshell prsluk BARTON crni	5BARTBK	171	Prsluk VODAN plavi	5VODWTP	186
			Prsluk VODAN sivi	5VODWTS	186
			3u1 jakna TURA crna	5TURWTC	186
			3u1 jakna TURA plava	5TURWTP	186
			Jakna WORKER crvena	5WORR	187
			Jakna WORKER plava	5WORB	187
			Jakna WORKER siva	5WORG	187
			Prsluk WORKER plavi	5WORWB	187
			Prsluk WORKER sivi	5WORWG	187
			Ripstop jakna GOMA	5GOM450	188
			Ripstop parka YUZU siva	5YUZ450	188
			Ripstop parka YUZU crna	5YUZ310	188
			Ripstop prsluk AZUKI	5AZU450	189
			Jakna MIKAN siva	5MIK350	190

Jakna MIKAN tamno plava	5MIK120	190	Muška T-shirt majica kratki rukav BELA	TSRA150WH	209
Jakna KIJI	5KIJO10	190	Muška T-shirt majica kratki rukav plava, crvena, crna, zelena ,royal, narančasta, siva, žuta	TSRA150_BOJA	209
3u1 jakna WANI	5WAN010	191	Muška T-shirt majica kratki rukav BELA	MC150WH	209
Jakna PANDA	5PDA010	192	Muška T-shirt majica kratki rukav plava, crvena, crna, zelena ,royal, narančasta, siva, žuta	MC150_BOJA	209
Jakna SECURITE	5SEC010	193	Ženska T-shirt majica kratki rukav BELA	TSRLCMFWH	211
Flis vesta DYNAMIC muška siva	5DYJMGM	196	Ženska T-shirt majica kratki rukav plava, crvena, zelena ,royal, narančasta, siva, žuta	TSRLCMF_BOJA	211
Flis vesta DYNAMIC muška plava	5DYJMNY	196	Muška T-shirt majica dugi rukav BELA	TSRA150LSWH	213
Flis vesta DYNAMIC ženska siva	5DYJWGM	196	Muška T-shirt majica dugi rukav plava, crvena, crna, royal, siva	TSRA150LS_BOJA	213
Flis vesta DYNAMIC ženska plava	5DYJWNY	196	Ženska T-shirt majica dugi rukav BELA	TSRLCMFLSWH	213
Flis vesta BORA antracit/crna	5BORG	197	Ženska T-shirt majica dugi rukav plava, crvena, crna, siva	TSRLCMFL_BOJA	213
Flis vesta BORA sivo/crna	5BORM	197	Muška polo majica kratki rukav BELA	PORA210WH	215
Vesta WARMY crvena	5WARRD	198	Muška polo majica kratki rukav plava, crvena, crna, zelena ,royal, narančasta, siva, žuta	PORA210_BOJA	215
Vesta WARMY plava	5WARNY	198	Muška polo majica kratki rukav BELA	MPS180WH	215
Muška flis vesta POLAR crna	FLRA300BK	199	Muška polo majica kratki rukav plava, crvena, crna, zelena ,royal, narančasta, siva, žuta	MPS180_BOJA	215
Muška flis vesta POLAR crvena	FLRA300RD	199	Ženska polo majica kratki rukav BELA	POPL200WH	215
Muška flis vesta POLAR plava	FLRA300NY	199	Ženska polo majica kratki rukav plava, crvena, crna, siva, narančasta, zelena, žuta	POPL200_BOJA	215
Muška flis vesta POLAR royal plava	FLRA300RB	199	Muška polo majica dugi rukav BELA	PORA210LSWH	217
Muška flis vesta POLAR siva	FLRA300GM	199	Muška polo majica dugi rukav plava, crvena, crna, royal, siva,	PORA210LS_BOJA	217
Ženska flis vesta POLAR crna	FLRL300BK	199	Ženska polo majica dugi rukav BELA	POPL200LSWH	217
Ženska flis vesta POLAR crvena	FLRL300RD	199	Ženska polo majica dugi rukav plava, crvena, crna	POPL200LS_BOJA	217
Ženska flis vesta POLAR plava	FLRL300NY	199	Majica s kapuljačom i zatvaračem, unisex, crna, crvena, plava, siva, royal	SWUAHOOD	218
Ženska flis vesta POLAR royal plava	FLRL300RB	199	Muška majica dugih rukava ANNAPURNA, crna, plava, siva	SU1104	219
Ženska flis vesta POLAR siva	FLRL300GM	199	Ženska majica dugih rukava ANNAPURNA, crna, plava, siva	SU1111	219
Muška flis vesta LUCIANE crvena	SM1195RD	200	Kapa šilt URANUS	GO7041	220
Muška flis vesta LUCIANE plava	SM1195NY	200	Kapa šilt ORLANDO	KA011	221
Ženska flis vesta LUCIANE crvena	SM1196RD	200	Kapa šilt FIRST	KA034	221
Ženska flis vesta LUCIANE plava	SM1196NY	200	BROKULA CAREWEAR		
Flis vesta BINAS crna	5BINWTC	203	Muška majica kratki rukav BROKULA VIS BELA, crna, crvena, plava, siva	BRKL/MM160	227
Flis vesta BINAS plava	5BINWTS	203	Ženska majica kratki rukav BROKULA KRKA BELA, crna, crvena, plava, siva	BRKL/ŽM160	227
Flis vesta BINAS siva	5BINWTP	203	Muška majica kratki rukav SAILOR	BRKL/SM	229
Flis prsluk BINAS crni	5BINWTWC	203	Ženska majica kratki rukav SAILOR	BRKL/SW	229
Flis prsluk BINAS plavi	5BINWTWP	203			
Flis prsluk BINAS sivi	5BINWTWS	203			
Kapa crna GETOUT V	5GET/V	205			
Kapa GETOUT II siva	5GET/II	205			
Kapa GETOUT III siva	5GET/III	205			
Kapa siva GETOUT IV	5GET/IV	205			
Kapa zimska s utopljenjem SAILOR - crna	5KZWTC	207			
Kapa zimska s utopljenjem SAILOR - plava	5KZWTP	207			
Kapa zimska s utopljenjem siva SAILOR - siva	5KZWTS	207			
Kapa NORTH I crna	5NORTBK	207			
Kapa NORTH I tamno plava	5NORTNY	207			
PROMOTIVNI ARTIKLI/ PROMOTIONAL ITEMS					

Ručnici Tencel, KORNATI, beli, bež, sv.plavi, tamno plavi, sv.sivi, tamno sivi, royal, žuti	BRKL	231
BROKULA CAREWEAR UV		
BROKULA SALPA UV šešir za odrasle bež, ONE SIZE	BRKLUV435/ ONE SIZE	235
BROKULA SALPA UV šešir za odrasle beli, ONE SIZE	BRKLUV436/ ONE SIZE	235
BROKULA SALPA UV šešir za odrasle plavi, ONE SIZE	BRKLUV413/ ONE SIZE	235
BROKULA SALMO UV kapa za odrasle bež, ONE SIZE	BRKLUV424/ ONE SIZE	235
BROKULA SALMO UV kapa za odrasle BELA, ONE SIZE	BRKLUV425/ ONE SIZE	235
BROKULA SPARUS UV šešir za odrasle, bež, ONE SIZE	BRKLUV414/ ONE SIZE	237
BROKULA SARDA UV kapa sa plaštom na skidanje, bež, ONE SIZE	BRKLUV433/ ONE SIZE	237
BROKULA SOLEA UV šilt kapa za odrasle BELA, ONE SIZE	BRKLUV434/ ONE SIZE	237
ZAŠTITNE I RADNE CIPELE/ PROTECTIVE AND WORK SHOES		
MULTIPROFESIONAL LINE		
Zaštitna cipela visoka LEON S3	9LEOSH	251
Zaštitna cipela niska LEON S3	9LEOSL	251
Zaštitna cipela niska LEON S1P	9LEOSSL	252
Radna cipela niska LEON O2	9LEOSOL	252
Zaštitna cipela GARBIN S3 niska	9GARBSL	254
Zaštitna cipela niska LERIDA S1P	9LERSL	256
Zaštitna cipela niska NORTE S1P	9NORTSL	257
Radna cipela niska NORTE O1	9NORTOL	257
Zaštitna cipela visoka GIRONA S3	9GIROSH	259
Zaštitna cipela niska GIRONA S3	9GIROSL	259
Zaštitna cipela niska DYNAMIC S1P, plava	9DYNNL	260
Zaštitna cipela niska DYNAMIC S1P, aqua	9DYNAL	260
Zaštitna cipela niska MILERITE S1P crna	9MIL110	261
Zaštitna cipela visoka CLAW RESIST S3	9RESH10	263
Zaštitna cipela niska CLAW RESIST S3	9RESL10	263
Zaštitna cipela niska OTAVITE S1P	9OTA090	264
Zaštitna cipela niska RUBI S3	9RUBSL	264
Cipela zaštitna niska DIONE S3L	B0982A	265
Cipela zaštitna visoka DIONE S3L	B0983A	265
Zaštitna cipela niska i-Robox plava S3	B1210	266
Zaštitna cipela visoka i-Robox plava S3	B1211	266
Zaštitna cipela niska i-Cyber fluo zelena	B1212A	267
Zaštitna cipela niska i-Cyber fluo plava S1P	B1212B	267
Cipela radna niska K-TWIST O1	B1009A	268

Zaštitna cipela niska PADDLE S1P	B0657	268
Zaštitna cipela visoka CHESTER TOP S3	B0177	269
Zaštitna cipela niska CHESTER S3	B0178	269
Zaštitna cipela niska BOWLING	B0676	270
Zaštitna cipela niska TENNIS S3	B0676B	270
Zaštitna cipela niska MARATHON S3	B0677	271
ENDURANCE LINE		
Zaštitna cipela visoka LORCA S3	9LORCSH	273
Zaštitna cipela niska LORCA S3	9LORCSL	273
Zaštitna cipela visoka BERG S3	9BERGSH	275
Zaštitna cipela niska BERG S3	9BERGSL	275
Zaštitna cipela visoka BURA S3	9BURASH	276
Zaštitna cipela niska BURA S3	9BURASL	276
Radna cipela visoka BURA O2	9BURAOH	276
Radna cipela niska BURA O2	9BURAOL	276
Zaštitna cipela TOPAZ S3 visoka	9TOPH	278
Zaštitna cipela TOPAZ S3 niska	9TOPL	278
Zaštitna cipela OPAL visoka	9OPAH	279
Zaštitna cipela OPAL niska	9OPAL	279
Zaštitna cipela PEARL S3 visoka	9PEAH	280
Zaštitna cipela PEARL S3 niska	9PEAL	280
Cipela zaštitna visoka BE JOY TOP S3	B0875	281
Cipela zaštitna niska BE JOY S3	B0874	281
Zaštitna cipela visoka QANDILITE II S3 HRO	9QUAND10	283
Cipela zaštitna visoka SPARKLE S3 HRO	B0880	283
STANDARD LINE		
Zaštitna cipela visoka VIGO S3	9VIGSH	285
Zaštitna cipela niska VIGO S3	9VIGSL	285
Zaštitna cipela visoka BRIONI S3	9BRIOSH	286
Zaštitna cipela niska BRIONI S3	9BRIOSL	286
Zaštitna cipela visoka BRIONI S1P	9BRISH	286
Zaštitna cipela niska BRIONI S1P	9BRISL	286
Radna cipela visoka BRIONI O1	9BRIOH	287
Radna cipela niska BRIONI O1	9BRIOI	287
Zaštitna cipela visoka BRIONI WELD S3	9BRIOWELSH	287
Zaštitna cipela visoka AGATE II S3	9AGH010	288
Zaštitna cipela niska AGATE II S3	9AGL010	288
Zaštitna cipela visoka MAESTRAL S3	9MAESSH	288
Zaštitna cipela niska MAESTRAL S2	9MAES2SL	289
Radna cipela visoka MAESTRAL O2	9MAESOH	289
Radna cipela niska MAESTRAL O2	9MAESOL	289
STRONG S3 Zaštitna cipela visoka	9STROSHS3	290
STRONG S3 Zaštitna cipela niska	9STROSL3	290
Zaštitna cipela visoka STORM S3	9STORHS3	290

STRONG O2 Radna cipela visoka	9STROOHO2	291
STRONG O2 Radna cipela niska	9STROOLO2	291
Zaštitna cipela niska ETOILE S3	B0166	291
Zaštitne cipele FREEDITE S3, visoka	9FREH	292
Zaštitne cipele FREEDITE S3, niska	9FREL	292
Zaštitna cipela niska BOVA S1P	9BOV180	293
Zaštitna cipela niska PEAK S1P plava	9PEANSL	295
Zaštitna cipela niska PEAK S1P narančasta	9PEAOSL	295
Radna cipela niska PEAK O1 tamno plava	9PEANOL	295
Cipela zaštitna niska COLOSSEUM S1P	B0163	296
Cipela zaštitna visoka GREENWICH S3 SRC	B0169	296
Cipela zaštitna niska QUASAR S1P	B0953	297
Zaštitna cipela niska TOLEDO S1P	B0168B	297
Radna cipela niska OFFICE PRO	9OFFOL	298
HYGIENE		
Zaštitna cipela visoka ONTARIO S3	9ONTARSH	301
Zaštitna cipela niska ONTARIO S3	9ONTARSL	301
Zaštitna cipela visoka LUCERNA S2	9LUCERSH	302
Zaštitna cipela niska LUCERNA S2	9LUCERSL	302
Radna cipela visoka LUCERNA O2	9LUCEROH	303
Radna cipela niska LUCERNA O2	9LUCEROL	303
Radna cipela visoka LUGANO O2	9LUGANOH	304
Radna cipela niska LUGANO O2	9LUGANOL	304
Cipela zaštitna niska CLORO S2	B0507	305
Natikača kožna XENO	B0551	305
RELAX natikača kožna	9RELLOB	306
GINOCCHIO BG Čizma BELA visoka	9GINOWH	306
Čizma BELA DUNLOP Hygrade	9HYGR	307
Zaštitna čizma DUNLOP Hygrade Safety	9HYSA	307
LEISURE LINE		
Tenisica waterproof niska MOSOR plavo/crna	9MOSR	309
Softshell cipela PHYLON , crna visoka	9PHYLH	309
Softshell cipela PHYLON , crna niska	9PHYLL	309
Tenisica OLIMP, siva	9OLIMG	310
Tenisica NIMBA, plava	9NIMB	311
Tenisica CASTOR, crna	9CASR	311
Cipela TREKING siva	9TREK	312
Cipela TREKING siva	9TREKG	312
Cipela SPEED siva	9SPEED	313
Cipela SPEED crna	9SPEEDC	313
GUMENE I PVC ČIZME/ RUBBER AND PVC BOOTS		

Zaštitna čizma visoka VUKO SAFETY S5 crna	91VUKOBK	315
Zaštitna čizma visoka VUKO SAFETY S5 žuta	91VUKOYL	315
GINOCCHIO VN Čizma zelena visoka	91GINOGR	315
GINOCCHIO VN Čizma crna visoka	91GINOBK	315
TRONCHETTO VN Čizma zelena kratka	91TRONGR	316
TRONCHETTO VN Čizma crna kratka	91TRONBK	316
Zimska čizma zelena SWAMPY 140P	91SWAMPY	316
Gumena čizma RIMI s filcom	9RIMIFILC	318
Gumena čizma RIMI	9RIMI	319
GALOSH Gležnjača zelena	91GALOGR	319
ČARAPE/ SOCKS		
Čarape BALI sivo/crne	5BALGR	320
Čarape PICO plave	5PICBL	321
Čarape CAPRI sive	5CAPGR	321
ZAŠTITNE RUKAVICE/PROTECTIVE GLOVES		
ATG		
ATG rukavica MaxiFlex Ultimate AD-APT	42-874	330
ATG rukavica MaxiFlex Ultimate AD-APT	42-874BL	330
ATG rukavica MaxiFlex Endurance AD-APT	42-844	330
ATG rukavica MaxiFlex Endurance AD-APT	42-844BL	330
ATG rukavica MaxiFlex Endurance premaz preko dlana AD-APT	42-848	330
ATG rukavica MaxiFlex Endurance premaz preko dlana AD-APT	42-848BL	330
ATG rukavica MaxiFlex Elite	34-274	330
ATG rukavica MaxiFlex Elite	34-274BL	330
ATG rukavica MaxiFlex Elite ESD siva	34-774B	331
ATG rukavica MaxiFlex Comfort	34-924	331
ATG rukavica MaxiFlex Active svjetloplava	34-824	331
ATG rukavica MaxiFlex Cut 3 premaz preko dlana	34-8743	331
ATG rukavica MaxiFlex Cut 3 premaz preko dlana	34-8743BL	331
ATG rukavica MaxiFlex Cut 3 s granulama	34-8443	332
ATG rukavica MaxiCut	34-450	332
ATG rukavice MaxiCut Oil premaz preko dlana	44-504	332
ATG rukavica MaxiCut Oil premaz preko dlana	34-304	332
ATG rukavica MaxiCut Oil premaz preko dlana	34-304BL	332
ATG rukavica Maxicut Oil 3/4 premaza	34-305	333

ATG rukavice MaxiCut Oil premaz preko dlana	44-304	333
ATG rukavice MaxiCut Oil 3/4 premaza	44-305	333
ATG rukavice MaxiCut Ultra	44-3745	333
ATG rukavica MaxiFlex Cut AD-APT	42-8743	334
ATG rukavica MaxiCut Ultra AD-APT	52-3745	334
ATG rukavice MaxiCut Ultra s granulama	44-3445	335
Rukavica MAXICUT 5 LINER	58-917	335
ATG navlaka MaxiCut Ultra 40 cm	89-5740	335
ATG rukavica Maxidry premaz preko dlana	56-424	335
ATG rukavica MaxiDry 3/4 premaza	56-425	336
ATG rukavica MaxiDry 3/4 premaza	56-425BL	336
ATG rukavica MaxiDry ZERO	56-451	336
ATG rukavica MaxiDry duga čvrsta rukavica 26 cm	56-426	336
ATG rukavica MaxiDry Plus duga čvrsta rukavica 30cm	56-530	336
ATG MaxiChem Latex duga plava rukavica 35 cm	76-730	337
ATG MaxiChem Cut latex duga plava rukavica 35 cm	76-733	337
ATG MaxiChem duga zelena rukavica 35 cm	76-830	337
ATG MaxiChem Cut duga zelena rukavica 35 cm	76-833	337
ATG rukavica MaxiTherm premaz preko dlana	30-201	338
ATG rukavica MaxiTherm premaz preko dlana	30-201BL	338
ATG rukavica NBR-Lite potpuni premaz žuta	24-986	338
ATG rukavica MaxiFoam sivo-crna	34-900	338
ATG rukavica MaxiDex s potpunim premazom	19-007BL	338
KOŽNE RUKAVICE/LEATHER GLOVES		
Varilačka rukavica ATUM	6ATUM	340
Varilačka rukavica HORUS	6HORU	340
Varilačka rukavica FLASH (kevlar)	6FLASH	340
Varilačka rukavica FLASH (kevlar)	6FLASHWT	340
Varilačka rukavica ATENA	6ATENA	340
Varilačka rukavica ATENA	6ATENAWT	340
Varilačka rukavica ATON	6ATON	341
Varilačka rukavica HONOS	6HONO	341
Duga kožna rukavica KRON	6KRON	341
Duga kožna rukavica KRON	6KRONWT	341
Duga kožna rukavica PALADA	6PALA	341
Varilačka rukavica EUROWELD 100	1WEL100	342
Varilačka rukavica EUROWELD 140	1WEL140	342

Varilačka rukavica EUROWELD 200	1WEL200	342
Varilačka rukavica EUROWELD plava	1WEL360	342
Kožna rukavica LUND	6LUND	343
Kožna rukavica LUND	6LUNDWT	343
Kožna rukavica ASOP	6ASOP	343
Kožna rukavica ASOP	6ASOPWT	343
Kožna rukavica ATLAS	6ATLA	343
Kožna rukavica ATLAS	6ATLAWT	343
Mornar rukavica CROM	6CROM	343
Mornar rukavica LIGO	6LIGO	344
Mornar rukavica LIGO	6LIGOWT	344
Mornar rukavica kožna, siva	150	344
Mornar rukavica	152H	344
Kožna rukavica TORO	6TORO	344
Kožna rukavica TORO	6TOROWT	344
Kožna rukavica FASO	6FASO	345
Kožna rukavica FASO	6FASOWT	345
Kožna rukavica TOGO	6TOGO	345
Kožna rukavica TOGO	6TOGOWT	345
Kožna rukavica LAGOA	6LAGOA	345
Kožna rukavica LAGOA	6LAGOAWT	345
Kožna rukavica DOHA	6DOHA	345
Kožna rukavica DOHA	6DOHAWT	345
Kožna rukavica HORA	6HORA	347
Kožna rukavica HORA	6HORAWT	347
Kožna rukavica LIRA	6LIRA	347
Kožna rukavica LIRA	6LIRAWT	347
Kožna rukavica RUNA	6RUNA	347
Kožna rukavica RUNA	6RUNAWT	347
Rukavica EUROLITE MX200	1MEDX00	347
RUKAVICE ZA ZAŠTITU OD HEMIKALIJA I TEČNOSTI/CHEMICAL PROTECTION GLOVES AND LIQUIDS		
Rukavica nitrilna FORTIS	6FORTIS	349
Rukavica NEOCHEM	6NEOCHEM	349
KONA Rukavica za domaćinstvo	6KONA	349
PVC Rukavica PARK 27 cm	6PARK27	349
PVC Rukavica PARK 27 cm	6PARK27WT	349
PVC Rukavica PARK 35 cm	6PARK35	350
PVC Rukavica PARK 35 cm	6PARK35 WT	350
PVC Rukavica PARK 45 cm	6PARK45	350
PVC Rukavica PARK 45 cm	6PARK45WT	350
Rukavica neopren EUROCHEM NE530 crno/plava	1CHNE30	350
Rukavica nitrilna EUROCHEM NI550 zelena	1CHNI50	350
Latex rukavica 30 cm, plava	5210	352

Rukavica nitrilna zelena	5520	352
Rukavica nitrilna 33 cm	5530	352
Latex rukavica 30 cm, plava	5220	352
Rukavica neopren 31 cm, crna	5310	353
PVC rukavica 40 cm, zelena	3740	353
PVC rukavica 40 cm, zelen	3636	353
PVC rukavica 40 cm, crvena	3640	353
RUKAVICE ZA PRECIZNE POSLOVE & OPĆU UPOTREBU/GLOVES FOR PRECISION WORK & GENERAL USE		
DODO Rukavica s lateks premazom	6DODOWT	355
Rukavica s lateks premazom BLAKE	6BLAKE	355
Rukavica s lateks premazom BLAKE	6BLAKEWT	355
LUNA Rukavica s lateks premazom	6LUNAWT	355
Rukavica s lateks premazom VARDE	6VARDEWT	355
Rukavica s lateks premazom NEVA žuta	6NEVAWT	356
Rukavica s lateks premazom NEVA crvena	6NEVARDWT	356
Rukavica s lateks premazom NEVA plava	6NEVALBWT	356
Rukavica EUROCUT STRONG L440	1CHLD00	356
Rukavica EUROLITE L900	1LACW00	358
Rukavica poliester crvena sa crnim premazom	1LACR	358
Rukavica poliester crvena sa crnim premazom	1LACRWT	358
Rukavica poliester plava sa plavim premazom	1LASB	358
Rukavica poliester plava sa plavim premazom	1LASBWT	358
ROCA Rukavica s nitrilnim premazom	6ROCAWT	358
Rukavica s nitrilnim premazom NITRA	6NITRA	359
Rukavica s nitrilnim premazom NITRA	6NITRAWT	359
Rukavica s nitrilnim premazom BARO	6BAROWT	359
Rukavica s nitrilnim premazom MITAS	6MITASYLWT	359
Rukavica s nitrilnim premazom TISA crvena	6TISARDWT	359
Rukavica s nitrilnim premazom HAGA crvena	6HAGARDWT	360
Rukavica EUROLITE 15N500	1NISG	360
Rukavica EUROLITE 15N600D	1NIDP00	360
Rukavica EUROLITE 15N606D	1NIDG	360
Rukavica EUROCUT N303	1CUCC00	361
Rukavica EUROCUT P313	1CUPC00	361
Rukavice s PU premazom PINTO BELA	6PINTOWH	362
Rukavice s PU premazom PINTO BELA	6PINTOWHWT	362
Rukavice s PU premazom PINTO siva	6PINTOGM	362
Rukavice s PU premazom PINTO siva	6PINTOGMWT	362
Rukavice s PU premazom PINTO crna	6PINTOBK	362

Rukavice s PU premazom PINTO crna	6PINTOBKWT	362
Rukavice s PU premazom PINTO žuta	6PINTOYLWT	362
Rukavice s PU premazom PINTO zelena	6PINTOGRWT	363
Rukavica s PU premazom ARNO plava	6ARNONYWT	363
FLORA Vrtna rukavica plava	6FLORAPWT	363
FLORA Vrtna rukavica roza	6FLORARWT	363
Rukavica LENTE BELA	6LENTE	364
Rukavica MINTA BELA	6MINT	364
Pamučna rukavica sa sitnim granulama	4170	364
Vrtna rukavica TANA siva	6TANAWT	364
Rukavica TIRA BELA s granulama	6TIRA	365
Rukavica TIRA BELA s granulama	6TIRAWT	365
Pletena rukavica s crvenim pvc granulama	4350	365
Pletena rukavica s plavim pvc granulama	4355	365
Pamučna rukavica, pletivo	4300	365
Pamučna rukavica, pletivo	4305	365
Pamučna rukavica, deblje pletivo	4330	365
Pamučna rukavica, deblje pletivo	4335	365
RUKAVICE ZA TEŠKE I GRUBE POSLOVE/GLOVES FOR HEAVY AND ROUGH JOBS		
CODO Rukavica s lateks premazom	6CODO	367
CODO Rukavica s lateks premazom	6CODOWT	367
TREND Rukavica sa lateks premazom	6TREND	367
TREND Rukavica sa lateks premazom	6TRENDWT	367
Rukavica s lateks premazom HAKON	6HAKON	367
Rukavica s lateks premazom HAKON	6HAKONWT	367
Rukavica građevinska BEST	6BEST	367
Rukavica građevinska BEST	6BESTWT	367
DIFFER Rukavica s lateks premazom narančasta	6DIFFORWT	368
DIFFER Rukavica s lateks premazom plava	6DIFFNYWT	368
DIFFER Rukavica s lateks premazom žuta	6DIFFYLWT	368
DIFFER Rukavica s lateks premazom siva	6DIFFGMWT	368
Rukavica sa lateks premazom EUROSTRONG	3840	369
Rukavica sa lateks premazom EUROSTRONG	3840WT	369
CORDA Rukavica s nitrilnim premazom	6CORDA	369
CORDA Rukavica s nitrilnim premazom	6CORDAWT	369
SINOP Rukavica s nitrilnim premazom žuta	6SINOP	369
SINOP Rukavica s nitrilnim premazom žuta	6SINOPWT	369

SINOP Rukavica s nitrilnim premazom plava	6SINOPNY	369
SINOP Rukavica s nitrilnim premazom plava	6SINOPNYWT	369
TEHNIČKE RUKAVICE PROTUREZNE & RUKAVICE ZA SPECIJALNE RIZIKE/ TECHNICAL GLOVES ANTI-CUT & SPECIAL RISK GLOVES		
Rukavica sa PU premazom siva	1CRAG	371
Zimska rukavica EUROWINTER L20	1LAFO	371
Zimska rukavica EUROWINTER L22	1LAWO	371
Rukavica EUROWINTER crna	6610	371
Zimska rukavica EURO ICE 2	1WIPPO	372
Rukavica EUROCUT IMPACT žuta	1CHIC60	372
Antivibracijska rukavica ARKAD	6ARKA	372
Antivibracijska rukavica ARKAD	6ARKAWT	372
Antivibracijska rukavica EUROSTRONG VIBE	1VIBL00	372
Kevlar rukavica 27cm	4655	374
Kevlar rukavica 35 cm	4657	374
Rukavica pekarska-duga	4715	374
Rukavica elektroizolacijska GLE36-00_KLASA 00	8027	374
Rukavica elektroizolacijska GLE36-00_KLASA 00	8024	374
Rukavica elektroizolacijska GLE36-0_KLASA 0	8057	374
Rukavica elektroizolacijska GLE36-1_KLASA 1	8110	374
Rukavica elektroizolacijska GLE36-1_KLASA 1	8111	374
Rukavica elektroizolacijska GLE36-2_KLASA 2	8210	374
Rukavica elektroizolacijska GLE36-3_KLASA 3	8310	374
Rukavica elektroizolacijska GLE41-4_KLASA 4	8410	374
Rukavica EUROLITE EST80	1EST80	375
Rukavica EUROLITE EST90	1EST90	375
Rukavica mesarska PB0009 - kratka	810	375
Rukavica mesarska PB1609 - duga	812	375
JEDNOKRATNE RUKAVICE/ DISPOSABLE GLOVES		
Rukavice jednokratne Latex DERMAGEL COATED	RD100060	378
Rukavice jednokratne Latex bez pudera COMFORT Powder free	RD1000500	378
Rukavice jednokratne Latex s puderom SANTEX POWDERED	RD110100	378
Rukavice jednokratne Vinil VINYLEX POWDER FREE	RD200180	378
Rukavice jednokratne Nitril NITRYLEX CLASSIC plave	RD300190	379

Rukavice jednokratne Nitril NITRYLEX CLASSIC txt plave a'200	RD3031000	379
Rukavice jednokratne nitril NITRYLEX CLASSIC bez pudera ljubičaste	RD3016900	379
Rukavice jednokratne Nitril NITRYLEX BLACK	RD301040	379
Jednokratne rukavice MERCATOR GOGRIIP PRO plave bez pudera	RP3003000	382
Jednokratne rukavice MERCATOR GOGRIIP PRO crne bez pudera	RP3002300	382
Jednokratne rukavice MERCATOR GOGRIIP PRO zelene bez pudera	RP3002900	382
Jednokratne rukavice MERCATOR GOGRIIP PRO narančaste bez pudera	RP3002500	382
Jednokratne rukavice MERCATOR GOGRIIP LONG plave bez pudera	RP3003100	383
ZAŠTITA GLAVE I SLUHA/HEAD AND HEARING PROTECTION		
Čepići za uši EARLINE poliuretan (1 par)	30205	388
Čepići za uši polypropylen	30215	388
Spremnik za čepiće za uši	30300	388
Čepići za uši polyurethane s držačem	30220	389
Čepići za uši polyurethane	30221	389
Čepići za uši EARLINE s vezicom poliuretan(1 par)	30206	389
Čepići za uši sa vezicom plavi	30211	390
Čepići za uši sa vezicom žuti	30213	390
Antifon MAX340	6MX3400NSI	391
Antifon MAX700	6MX7000NSI	391
Antifon MAX 200	31020	391
Antifon MAX 400	31040	392
Antifon MAX 500	31050	392
Šilt kapa s unutarnjom zaštitom od udaraca STYLICAP plava	6SYM120MSI	393
Šilt kapa s unutarnjom zaštitom od udaraca plava	57300	393
Šilt kapa s unutarnjom zaštitom od udaraca zelena	57302	393
Šilt kapa s unutarnjom zaštitom od udaraca crvena	57305	393
Šilt kapa s unutarnjom zaštitom od udaraca crna	57306	393
Šilt kapa s unutarnjom zaštitom od udaraca hi-viz žuta	57307	393
Šilt kapa s unutarnjom zaštitom od udaraca hi-viz narančasta	57308	393
Zaštitna kaciga GP3000 BELA	652111	394
Zaštitna kaciga GP3000 crvena	652112	394
Zaštitna kaciga GP3000 plava	652113	394
Zaštitna kaciga GP3000 žuta	652114	394
Zaštitna kaciga GP3000 narančasta	652115	394
Zaštitna kaciga GP3000 fluo žuta	652117	394

Zaštitna kaciga GP PALLADIO plava	652221	394
Zaštitna kaciga GP PALLADIO BELA	652222	394
Zaštitna kaciga GP PALLADIO žuta	652223	394
Zaštitna kaciga GP PALLADIO crvena	652224	394
Zaštitna kaciga GP PALLADIO narančasta	652225	394
Kaciga zaštitna BELA	65100	395
Kaciga zaštitna plava	65101	395
Kaciga zaštitna zelena	65102	395
Kaciga zaštitna žuta	65103	395
Kaciga zaštitna narančasta	65104	395
Kaciga zaštitna crvena	65105	395
Vezica za kacigu 65102-65105	65150	395
Vezica za kacigu 652111-652115	65153	395
Vezica za zaštitnu kacigu CHS	CHS	395
Kaciga električarska ALTAI PRO BELA	7ALTP40NSI	396
Kaciga električarska ALTAI PRO fluo žuta	7ALTP60NSI	396
Kaciga zaštitna ALTAI WIND BELA	7ALTW40NSI	396
Kaciga zaštitna ALTAI WIND fluo žuta	7ALTW60NSI	396
Kaciga električarska 5RG BELA - kotačić	5RG/WH	398
Kaciga električarska 5RG crvena - kotačić	5RG/RD	398
Kaciga električarska 5RG plava - kotačić	5RG/BL	398
Kaciga električarska 5RG žuta - kotačić	5RG/YL	398
Kaciga električarska 5RG narančasta - kotačić	5RG/OR	398
Kaciga električarska 5RS BELA	5RS/WH	398
Kaciga električarska 5RS crvena	5RS/RD	398
Kaciga električarska 5RS plava	5RS/BL	398
Kaciga električarska 5RS žuta	5RS/YL	398
Kaciga električarska 5RS narančasta	5RS/OR	398
Zaštitna kaciga TIRRENO TXR BELA - kotačić	TIRRENO/TXR/WH	399
Zaštitna kaciga TIRRENO TXR žuta - kotačić	TIRRENO/TXR/YL	399
Kaciga električarska CURRO BELA - kotačić	CURRO	399
Držač vizira	60700	400
Držač vizira za antifon 31040	60740	400
Vizir	60710	401
Vizir sa aluminijskim obrubom	60711	401
Vizir mrežasti 30x19cm	60720	401
Vizir mrežasti 40x19cm	60721	401
Adapter za nosač vizira	60706	402
Antifon za ugradnju na kacigu žuti	60750	402
Antifon za kacigu MAX300	6MX300	402

Nosač vizira za kacigu	60707	403
Nosač vizira za kacigu	60705	403
ZAŠTITA OČIJU/EYE PROTECTION		
Zaštitne naočale FOX - prozirne	6FOXC00NSI	412
Zaštitne naočale FOX - tamne	6FOXS00NSI	412
Zaštitne naočale PANTHER - prozirne	6PANC00NSI	412
Zaštitne naočale PANTHER - tamne	6PANS00NSI	412
Zaštitne naočale TIGER FIRST - prozirne	6TIFC00NSI	413
Zaštitne naočale TIGER FIRST - tamne	6TIFS00NSI	413
Zaštitne naočale TIGER MEDIUM	6TIMC00NSI	413
Zaštitne naočale TIGER HIGH	6TIHC00NSI	413
Zaštitne naočale LYNXX	6LYNC00NSI	415
Zaštitne naočale PSI - prozirne	6PSIO	415
Zaštitne naočale PSI - tamne	6PSI3	415
Zaštitne naočale LIMELUX - prozirne	6LIMC00	416
Zaštitne naočale LIMELUX - tamne	6LIMS00	416
Zaštitne naočale PHI - prozirne	6PHI0	416
Zaštitne naočale PHI - tamne	6PHI3	416
Zaštitne naočale RHO - prozirne	6RHO0	417
Zaštitne naočale RHO - tamne	6RHO3	417
Zaštitne naočale SOFTLUX - prozirne	60560	417
Zaštitne naočale SOFTLUX - tamne	60563	417
Zaštitne naočale SABLUX - prozirne	60350	418
Zaštitne naočale SABLUX - tamne	60353	418
Zaštitne naočale SIGMA - prozirne	6SIG0	418
Zaštitne naočale SIGMA - tamne	6SIG3	418
Zaštitne naočale POKELUX	60550	419
Zaštitne naočale STREAMLUX	62583	419
Zaštitne naočale STYLUX	60513	419
Zaštitne naočale GAMMA - prozirne	6GAM0	419
Zaštitne naočale ECOLUX - prozirne	60360	420
Zaštitne naočale ECOLUX - tamne	60363	420
Zaštitne naočale OVERLUX	6OVEC00	420
Zaštitne naočale VISILUX	60401	420
Zaštitne naočale CHIMILUX	60599	421
Zaštitne naočale CHIMILUX antifog	60600	421
Zaštitne naočale STORMLUX	6STOC00	421
Zaštitne naočale MONOLUX	60590	421
Zaštitne naočale 516.01.00.00	516.01.00.00	423
Zaštitne naočale 516.01.10.02	516.01.10.02	423
Zaštitne naočale 5X8.01.00.00	5X8.01.00.00	423
Zaštitne naočale 5X8.03.11.00	5X8.03.11.00	423
Zaštitne naočale 553Z.01.00.00	553Z.01.00.00	424
Zaštitne naočale 506U.04.04.05	506U.04.04.05	424
Zaštitne naočale 506U.63.08.00	506U.63.08.00	424
Zaštitne naočale 506U.03.00.00	506U.03.00.00	424

Zaštitne naočale 513.01.00.00	513.01.00.00	425
Zaštitne naočale 513.03.10.02	513.03.10.02	425
Zaštitne naočale 511.03.01.00	511.03.01.00	426
Zaštitne naočale 601.03.07.00	601.03.07.00	426
Zaštitne naočale 619.02.01.00	619.02.01.00	426
Zaštitne naočale 620U.02.10.00	620U.02.10.00	426
ZAŠTITA DIŠNIH PUTEVA/ RESPIRATORY PROTECTION		
Respirator FFP3 ZERO s ventilom	BLS030	434
Respirator FFP3 ZERO s ventilom (s aktivnim ugljenom)	BLS030C	434
Respirator FFP3 ZERO s ventilom (puno brtvilo)	BLS031	434
Respirator FFP3 ZERO s ventilom (s aktivnim ugljenom, puno brtvilo)	BLS031C	435
Respirator FFP3 ZERO sklopivi s ventilom	BLS033	436
Respirator FFP3 ZERO sklopivi	BLS033NV	437
Respirator FFP2 500 sklopivi	BLS502	438
Respirator FFP3 500 sklopivi	BLS503	438
Respirator FFP2 CLASSIC s ventilom	BLS129BW	438
Respirator FFP2 CLASSIC s ventilom	BLS226B	439
Respirator FFP2 s ventilom	BLS102V	439
Respirator FFP1 s ventilom (sklopivi)	23105	440
Respirator FFP1 s ventilom	23106	440
Respirator FFP1	23101	440
Respirator FFP2 s ventilom (sklopivi)	23205	441
Respirator FFP2	23201	441
Respirator FFP2 s ventilom	23206	441
Respirator FFP3 s ventilom (sklopivi)	23305	442
Respirator FFP3 s ventilom	23306	442
Polumaska od termoplastike sa dva filtera (A1P2R D)	BLS8100NEXT	444
Polumaska od termoplastike za jedan filter	BLS1000	444
Polumaska od termoplastike za dva filtera	BLS4000NEXTR	444
Polumaska od silikona za dva filtra	BLS4000NEXTS	445
Komplet polumaska s filterima (4000+301+211)	BLS4100NEXT	445
Polumaska od silikona za jedan filter	BLSSGE46	445
Maska od termoplastike za dva filtera	BLS5600	446
Maska od silikona za dva filtera	BLS5700	446
Maska od termoplastike za jedan filter	BLS5150	446
Maska od silikona za jedan filter	BLS5400	447
Maska od termoplastike za jedan filter	BLS2150	447
Maska od termoplastike za jedan filter	BLS3150	447
Zaštitna folija za maske serije 3000 (5/1)	BLSK16	449
Zaštitna folija za maske serije 5000 (5/1)	BLSK19	449

Predfilter P2 R	BLS301	449
Filter P3 R	BLS201-3	450
Filter P3 R	BLS202	450
Filter A2	BLS211	450
Filter AX	BLS212	450
Filter ABE1	BLS213	450
Filter ABEK 1	BLS214	450
Filter A2P3 R	BLS221	450
Filter ABEK1P3 R	BLS222	450
Filter ABEK2	BLS243	450
Filter ABEK2P3 R	BLS254	450
Filter P3 R	BLS401	451
Filter A2	BLS411	451
Filter AX	BLS412	451
Filter K2	BLS413	451
Filter ABE2	BLS414	451
Filter ABEK2	BLS415	451
Filter A2P3 R	BLS421	451
Filter AXP3 NR	BLS422	451
Filter ABE2P3 R	BLS423	451
Filter ABEK1P3 R	BLS424	451
Filter ABEK2P3 R	BLS425	451
Filter ABEK2HgP3 R	BLS430	451
Filter ABEK2HgNOCOP3 R	BLS441	451
Filter Reaktor A2P3 R D	BLS442	451
JEDNOKRATNI HIGIJENSKI PROIZVODI/DISPOSABLE HYGIENE PRODUCTS		
Jednokratni kombinezon ARLE beli	2ARLWH	456
TYVEK Classic Xpert kombinezon	40501 - 40505	458
Kombinezon SMS PRS 1	44103 - 44106	458
Jednokratni kombinezon COVERPRO 5M20	44301 - 44306	459
Jednokratni kombinezon COVERPRO 5M30	44321 - 44326	459
Jednokratni kombinezon COVERCHEM 3X60	40802 - 40806	460
Jednokratni kombinezon COVERPRO 5S10	43101 - 43106	460
Jednokratna kuta ARI BELA	2ARIWH	461
Jednokratna kuta EZRA BELA	2EZRW	461
Jednokratna kuta CORA BELA	2CORWH	462
Jednokratna kecelja ZOE BELA	2ZOEWH	462
Jednokratna kecelja ZOE plava	2ZOENY	462
Jednokratna kuta polyetylene	41214	463
Jednokratni komplet za posjetioce	41300	463
Poliuretanska kecelja	56200	464
PVC kecelja BLANC, BELA 11 x 70 cm	5BLA75*110	464
PVC kecelja BLANC, BELA 12 x 90 cm	5BLA90*120	464

PVC keclja VERT, zelena 11 x 70 cm	5VER75*110	464	Uprtač za skele MOVE 3	FA10 107 01A	493
PVC keclja VERT, zelena 12 x 90 cm	5VER90*120	464	Pojas za radno pozicioniranje KAMI 4	FA10 402 00	493
Jednokratne manžete CALI bijele	2CALWH	465	Pojas za radno pozicioniranje KAMI 4 s užetom	FA10 402 00 + FA4090020	493
Jednokratne manžete CALI plave	2CALNY	465	Uprtač s dvije točke kopčanja i pojansom KAMI 3	FA10 203 00	494
Jednokratne manžete MYLA bijele	2MYLWH	465	Uprtač s dvije točke kopčanja i pojansom s užetom KAMI 3	FA10 203 00 + FA4090020	494
Jednokratne manžete Tyvek	45340	466	Uprtač s dvije točke kopčanja i pojansom XIMO 2	FA10 204 00A	495
Jednokratne manžete poliuretanske	45350	466	Uprtač s dvije točke kopčanja i pojansom XIMO 2	FA10 204 01A	495
Jednokratna kapa NORA BELA	2NORWH	467	Uprtač s dvije točke kopčanja i pojansom FLY'IN 3	FA10 202 00	495
Jednokratna kapa NORA plava	2NORNY	467	Uprtač s dvije točke kopčanja i pojansom FLY'IN 3	FA10 202 01	495
Jednokratna kapa GRACE BELA	2GRAWH	467	Uprtač s dvije točke kopčanja i pojansom FLY'IN 3	FA 10 202 02	495
Jednokratna kapa GRACE plava	2GRANY	467	Uprtač s dvije točke kopčanja i pojansom FLY'IN 2	FA10 201 00	495
Jednokratna maska XARA troslojna	2XARA	468	Uprtač s dvije točke kopčanja i pojansom FLY'IN 2	FA10 201 01	495
Jednokratna maska JUNE	2JUN	468	Uprtač s dvije točke kopčanja i pojansom FLY'IN 2	FA 10 201 02	495
Jednokratne navlake za cipele KAIA plave	2KAINY	469	Naprava za zaustavljanje pada (kočnica) i apsorber energije LOFTY-a	FA20 100 00B	496
Jednokratne navlake za cipele REMY plave	2REMNY	469	Uže za kočnicu FA20 100 00B 10 m	FA20 100 10	496
Navlake jednokratne za čizme	45255	469	Uže za kočnicu FA20 100 00B 20 m	FA20 100 20	496
HIGIJENA/HYGIENE			Uže za kočnicu FA20 100 00B 30 m	FA20 100 30	496
Pasta za čišćenje ruku Plulux 1,4 L	O718	474	Kompaktna naprava za zaustavljanje pada (kočnica) BLOCKER	FA20 103 00A	496
STANDARD Plum dispenser - sistem za punjenje crni	4215	474	Uže za kočnicu FA20 103 00A 10m	FA20 103 10	496
QuickFix vodootporna pakiranja za ponovno punjenje s 45 flastera	5511	475	Uže za kočnicu FA20 103 00A 20m	FA20 103 20	496
QuickFix elastična pakiranja za ponovno punjenje s 45 flastera	5512	475	Uže za kočnicu FA20 103 00A 30m	FA20 103 30	496
QuickFix detektabilna pakiranja za ponovno punjenje s 45 flastera	5513	475	Naprava za zaustavljanje pada i apsorber energije na užetu NIRO	FA20 102 10	497
QuickFix flaster-jed. za punjenje s 2x vodootporna pak. za ponovno pak.	5501	477	Naprava za zaustavljanje pada i apsorber energije na užetu NIRO	FA20 102 20	497
QuickFix flaster-jed.za punjenje s 2x elastičnih pak.za ponovno punjenje	5502	477	Traka za sidrište horizontalna za 2 korisnika ECO LINE	FA60 007 00	497
QuickFix flaster-jed.za punjenje s 2x detektabilnim pak.za ponovno punjenje	5503	477	Naprava za zaustavljanje pada s uvlačivom trakom od 2,5m VORAS	FA20 300 02	498
Otopina za oči za neutralizaciju za vreme nesreće 500 ml	4604	480	Naprava za zaustavljanje pada sa čeličnom sajlom HELIXON 10m	FA20 402 10B	498
Sredstvo za ispiranje očiju,boca 200 ml pH neutral	4752	480	Naprava za zaustavljanje pada sa čeličnom sajlom HELIXON S 7m	FA20 402 07	498
Komplet za hitno ispiranje očiju, kutija	4787	481	Naprava za zaustavljanje pada s uvlačivom trakom OLYMPE-S2 od 2 m	FA20 503 02	499
QUICKSAFE - stanica za prvu pomoć u kemijskoj industriji	5171	481	Naprava za zaustavljanje pada s uvlačivom trakom OLYMPE-S2 od 2 m	FA20 502 02	499
QUICKSAFE - stanica za prvu pomoć u prehrambenoj industriji	5175	483	Uže 1,5 m	FA40 500 15	500
QUICKSAFE - stanica za prvu pomoć	5174	483	Uže za radno pozicioniranje od 2 m sa dvije kopče	FA40 900 20	500
OPREMA ZA RAD NA VISINI/ EQUIPMENT FOR WORK AT HEIGHT					
Uprtač s dvije točke kopčanja MUNE 3	FA10 105 00	492			
Uprtač s jednom točkom kopčanja KAMI 1	FA10 102 00	492			
Uprtač s dvije točke kopčanja KAMI 2	FA10 103 00	492			
Uprtač za skele MOVE 3	FA10 107 00A	493			

Uže za radno pozicioniranje od 2 m sa dvije kopče	FA40 902 20	500
Traka sa sistemom za amortizaciju pada 1,8 m sa kopčom HOPE	FA30 304 18	501
Dvostruka traka sa sistemom za amortizaciju pada 1,8 m sa kopčom HOPE	FA30 400 18	501
Uže sa sistemom za amortizaciju pada 1,8 m HOPE	FA30 500 20	501
Uže sa sistemom za amortizaciju pada 2 m s kopčama HOPE	FA30 503 20	502
Dvostruko uže sa sistemom za amortizaciju pada 1,5 m s kopčama HOPE	FA30 600 15	502
Spona čelična (otvor 18 mm)	FA50 101 17	502
Spona čelična (otvor 18 mm) KEYLOCK	FA50 101 17B	503
Kopča čelična (otvaranje 50,8 mm)	FA50 207 55	503
Kopča aluminijska (otvaranje 50,8 mm)	FA50 218 60	503
Spona čelična (otvor 23 mm)	FA50 301 23	503
Tronožac (7FT)	FA60 001 00	504
Vitlo za tronožac (20 m) ARGO	FA60 003 00	504
Naprava za zaustavljanje pada sa čeličnom sajлом 20 m i vitlom	FA20 401 20	504
Komplet za monitranje naprave FA20 401 20 na tronožac	FA60 001 03	504
Sidrište IN LOCK-2	FA60 019 00	505
Traka za sidrište	FA60 005 08	505
Traka za sidrište	FA60 005 15	505
Traka za ublažavanje pritiska u slučaju pada	FA 10 901 00	505
Komplet za ograničavanje pristupa	FA80 001 00	506
Komplet za sprječavanje pada	FA80 002 00	506
Komplet za sprječavanje pada	FA80 005 00	506
Naglavna svjetiljka RAINBOW 1	HL10 001 00	507
Zaštitna kaciga FOX za rad na visinama	HP10 200 00B	507
OPREMA ZA VARIOCE/WELDING EQUIPMENT		
Varilačka zaštitna kecelja CERES	5CER	510
Varilački štitnik za noge EOL	5EOL	510
Varilačka zaštitna manžeta HELA	5HEL	510
Varilačka maska MERCURIO 2	6MER200	511
Varilačka maska MERCURIO 4	6MER400	511
Varilačka maska 421	421	512
Varilačka maska 421	420	512
Varilačka maska ručna	501	513
Varilačka maska naglavna	S800	513
Stakla za varilačku masku prozirna 90x110	11156	513
Stakla za varilačku masku DIN 9	11178.9	513
Stakla za varilačku masku DIN 10	11178.10	513
Stakla za varilačku masku DIN 11	11178.11	513

Stakla za varilačku masku DIN 12	11178.12	513
Stakla za varilačku masku DIN 13	11178.13	513
Zaštitne naočale za zavarivače DUOLUX A	60800	514
Zaštitne naočale za zavarivače DUOLUX P	60801	514
DODATNA OPREMA/ACCESSORIES		
Hi Viz vrpca: 5 cm x 100 m	70010	518
Hi Viz lanac 25 cm	70305	518
Hi Viz čunj 30 cm	70301	518
Hi Viz čunj 50 cm	70300	518
Hi Viz komplet	70302KOMP	519
Ormarić prve pomoći puni	11000	519
Zamensko punjenje za ormarić prve pomoći	11100	519
Cerada EKO polietilen 1,5X6 m	7CER16WT	520
Cerada EKO polietilen 2X3 m	7CER23WT	520
Cerada EKO polietilen 3X4 m	7CER34WT	520
Cerada EKO polietilen 3X5 m	7CER35WT	520
Cerada EKO polietilen 4X5 m	7CER45WT	520
Cerada EKO polietilen 4X6 m	7CER46WT	520
Cerada EKO polietilen 5X8 m	7CER58WT	520
Cerada EKO polietilen 8X12 m	7CER812WT	520
Cerada HARD polietilen 1,8X6 m	7CERH16WT	520
Cerada HARD polietilen 2 X 3 m	7CERH23WT	520
Cerada HARD polietilen 2,5 X 8 m	7CERH28WT	520
Cerada HARD polietilen 3 X 4 m	7CERH34WT	520
Cerada HARD polietilen 3 X 5 m	7CERH35WT	520
Cerada HARD polietilen 4 X 4 m	7CERH44WT	520
Cerada HARD polietilen 4 X 5 m	7CERH45WT	520
Cerada HARD polietilen 4 X 6 m	7CERH46WT	520
Cerada HARD polietilen 4 X 8 m	7CERH48WT	520
Cerada HARD polietilen 5 X 6 m	7CERH56WT	520
Cerada HARD polietilen 5 X 8 m	7CERH58WT	520
Cerada HARD polietilen 6 X 10 m	7CERH610WT	520
Cerada HARD polietilen 6 X 8 m	7CERH68WT	520
Cerada HARD polietilen 8 X 10 m	7CERH810WT	520
Cerada HARD polietilen 8 X 12 m	7CERH812WT	520
Skladišna polica 180X90X40 cm, 175 kg	RNDU-KCA 40/5/175	521
Skladišna polica metalna 150X75X30 cm, 50 kg	RP6	521
Ormar metalni garderobni 180x30x50 cm 1/1	SS1-2009	522
Ormar metalni garderobni 180X60X50 cm 2/1	SS2-2009	522
Ormar metalni garderobni set	SETA3301A3311	523

LACUNA PREMIUM CONCEPT STORE / LACUNA PREMIUM CONCEPT STORE		
Samostojeća polica za obuču LEA	9LEA_PS	528
Samostojeća polica za tekstil ISRA	9ISRA_PS	528
Zidni panek / Samostojeći stalak za rukavice BEN	9BEN_PS	529
Samostojeći stalak za naočale LUMI	9LUMI_PS	529
Samostojeći rotacijski stalak za rukavice OTIS	9OTIS_PS	529
Modularni zidni panel EVA	9EVA_PS	530
Modularni zidni panel NOA	9NOA_PS	530
Modularni zidni panel ELIF	9ELIF_PS	530
Kukica za Premium Store namjštaj	9KUKICA_PS15	531
Kukica za Premium Store namjštaj	9KUKICA_PS30	531
Polica	9POLICA_PS	531
Polica sa ovjesom	9POLICA_ OVJES_PS	531
Samostojeći stalak za obuču DONAT	9DONAT_PS	532
Samostojeći stalak za obuču NOEL	9NOEL_PS	532
Samostojeći rotacijski stalak za kape ALISA	9ALISA_PS	532
Kabina za presvlačenje	9KABINA_PS	533
Cube za lutke	9CUBE1_PS	533
Cube za lutke sa spremištem	9CUBE2_PS	533
Zastava BELA	9ZASTAVA_WH	534
Zastava crna	9ZASTAVA_BK	534
Postolje za zastavu	9ZASTAVA_ POSTOLJE	534
Lutka ženska	9DOLY	535
Lutka muška	9CARL	535
Lutka muška	9PIER	535
Promo stalak za cipele	MLCIP03	536
Promotivna polica za rukavice	MLCIR7	536
Kukica za policu	KUKICA004	536
Polica za robu	MLPOL01	537
Kukica za policu	KUKICA004	537
Stalak za tekstil	MLTEK	537
Rotor za rukavice	MLCIR8	538
Torba roler za promociju rukavica	MLTORPR	538
Polica za naočale - mala	MLNAO/1	539
PVC traka za rukavice	TRAKRUK-01	539
Vješalica sa šipkom	MLVJE01	539
Stalak za pult ATG	A3199	540
Stalak ATG metalni	MLSTALATG	540
BASE Protection stalak	BASE/BKA00-11	540
Promo stalak Mercator Medical GoGrip	MLMERGO-GRIP	540
TEHNIČKE INFORMACIJE / TECHNICAL INFORMATION		540

